

HASIL CEK_SENTIMENT ANALYSIS USING FUZZY NAÏVE BAYES CLASSIFIER IN COVID

by Sentiment Analysis Using Fuzzy Naïve Bayes Classif Cek_sentiment
Analysis Using Fuzzy Naïve Bayes Cla

Submission date: 28-Jul-2021 11:16AM (UTC+0700)

Submission ID: 1624935018

File name: TIMENT_ANALYSIS_USING_FUZZY_NA_VE_BAYES_CLASSIFIER_IN_COVID.docx (85.99K)

Word count: 3580

Character count: 18974

SENTIMENT ANALYSIS USING FUZZY NAÏVE BAYES CLASSIFIER IN COVID-19

ABSTRACT

Fuzzy Naive Bayes Classifier method has been widely applied for classification. The Fuzzy Naive Bayes method which consists of a combination of two methods including fuzzy logic and Naive Bayes is used to create a new system that is expected to be better. This study aimed to find out the society's sentiments about COVID-19 in Indonesia and the use or results of the Fuzzy Naive Bayes Classifier. The data of this study obtained by scraping on Twitter in the period from January 1 2020 to April 30, 2020. The classification method used in this study is the Fuzzy Naive Bayes Classifier method by applying the fuzzy membership function. In this study, sentiment analysis uses input data whose source is taken from tweets and the output data consists of sentiment data which is classified into three classes, namely positive class, negative class, and neutral class. In the distribution of training and testing data of 70%: 30%, the accuracy of the classification model using the confusion matrix is 83.1% based on 1199 tweet data consisting of 360 testing data and 839 training data. Also obtained was the presentation of each sentiment class which was dominated by positive sentiments, namely the positive class by 36.7%, the negative class by 35.0%, and the neutral class by 28.3%. Based on the results of the presentation, it can be concluded that there are still many people who have positive opinions or give positive responses to the presence of COVID-19 in Indonesia.

INTRODUCTION

The Fuzzy Naive Bayes Classifier Method is a modification method that sets two systems, namely fuzzy logic, and Naive Bayes. The aim is to make a new system that is expected to be better. Fuzzy logic is a method used to solve problems that are stored or have ambiguity. Fuzzy logic discusses the fuzzy set theory. This theory states that there are only 0 and 1 (not members of the set and members of the set), but in the range between 0 and 1 (Fathurochman Dery, Wina Witanti, 2014). In systems that require complexity, fuzzy logic tends to be difficult and requires a long time to determine the appropriate membership sets and rules. While Naive Bayes Classifier is a statistical classification method that can predict the probability of a class that supports Bayes theorem. Bayes's theorem is a theory used to calculate the class opportunities of each group of variables (Buani, 2016). Naive Bayes invokes simple freedom, the relationship between variables in the class is entirely independent of other variables. This simple assumption results in suboptimal estimates of the expected results are inaccurate, specifically for text domain problems (Zaidi et al., 2013). Tree and K-NN,

have also found that accuracy and speed are the factors that most support and utilize data in classifying data (C Slamet, R Andrian, D S Maylawati, Suhendar, W Darmalaksana, 2018). By taking advantage of the two methods, Fuzzy Naive Bayes Classifier is expected to be able to solve the problem of ambiguity in predicting the acquisition problem of a class.

Sentiment analysis is the study of opinions as well as the analysis expressed in the text (Liu, 2012), and a research problem that requires multiple sub-tasks of NLP, such as text extraction (Poria et al., 2016). Sentiment analysis is part of Natural Language Processing (NLP) which is useful for clarifying and classifying sentiment classes in text form. Classes are classified as positive, negative, and neutral, but we can discuss classes into three categories which are not easy because they cause ambiguity in a text that makes it difficult to classify. Some other problems also exist in the very positive and very negative sentiment classes or only positive and negative factors taken into account (Balahur, 2013). Sentiment analysis can be further evaluated using the Naive Bayes classification where the data from social media.

Social media is a means used by people to join one another by creating, sharing, and

exchanging information and creating virtual networks and communications (Nasrullah, 2015). Some examples of social media are Facebook, Twitter, Instagram, Line, Whatsapp, and others. Social media fixing this feature is constantly being calculated from the move. Judging from the role and benefits of social media has an important role for us, one of which provides information.

The information provided can take a variety of forms, such as issues related to health, politics, business, country, and so on. The world is currently in an uproar with a plague attacking humanity. This outbreak is a new type of disease called novel coronavirus or n-coronavirus. This coronavirus novel was officially announced as a pathogen causing COVID-19 on January 8, 2020, by the Center for Disease Control and Prevention of China (Q et al., 2020). The epidemic of COVID-19 began in Wuhan, China last December and has become a significant public health problem, not only in China but also in countries around the world (AL et al., 2020). The World Health Organization (WHO) announces that this outbreak is an emergency health problem of international concern (E, 2020). Judging from the amount of information circulating about COVID-19, this is where social media can take advantage of its role as an information service provider for the community. Many online media that contain information related to COVID-19 such as Twitter.

Twitter can be described as a microblog or social network. This site is for microblogging because its main activity is posting short status update messages (tweets) through the web. Tweets are short messages that are limited to 140 characters. Because of these characteristics, many microblogging services (quick and short messages) make spelling mistakes, using emoticons and other characters that express certain meanings on Twitter (Apoorv et al, 2015). This media always provides up-to-date information from time to time. People often talk about and give their opinions or opinions on topics given through information from the media. The forms of opinions and opinions given through the online media are varied, some

support (agree), and some that conflict with what is presented by each of the online media.

I further researched the opinions or opinions given by the community, then sentiment will be collected from Twitter based on the information presented. So from a sentiment, it can provide information that will be useful. the researcher wants to know the public sentiment in the presence of COVID-19 in Indonesia and the use and results of the Fuzzy Naive Bayes Classifier in COVID-19 sentiment analysis.

METHOD

The Naive Bayes Classifier is a probability-based machine learning technique. The Naive Bayes Classifier is a simple method but has high accuracy and performance in text classification. The Naive Bayes Classifier has two main processes, namely the training and testing processes. The training process will produce a classification rule that contains the probability of each variable (conditional probability) and the target class of the data train that has been determined. The testing process is a process of testing each variable to determine the optimal class based on the classification rules that have been built (Fathurochman Dery, Wina Witanti, 2014).

In Naive Bayes Classifier, each tweet is notified as a variable pair $(x_1, x_2, x_3, \dots, x_n)$ where x_1 is the first word, x_2 is the second word, x_3 is the third word, and so on. Then there is V which is defined as a class set. The classification stage in the Naive Bayes Classifier is done after the preprocessing stage so that the data used at this stage is clean. There are four processes carried out at the classification stage, namely (Nugroho et al., 2016):

1. Formation of Training Data Variables

This process is the initial process in the classification stage of the Naive Bayes Classifier, where the variable in question is a tweet (comment) from Twitter which will be classified into a sentiment class, namely positive, negative, or neutral, by paying attention to the frequency of appearance of each word in the variable.

2. Calculating Probability Data of Train Data

After forming the training data variable by paying attention to the frequency of occurrence of each word in the variable, the next process is to calculate the probability of each class using the following equation:

$$P(v_j) = \frac{n(v_j)}{n(S)} \quad (1)$$

3. Determine Class Probabilities

In this process, the probability of each world in each class can be calculated using the following question:

$$P(x_i|v_j) = \frac{n_i + 1}{n + f_k} \quad (2)$$

$n(v_j)$ is the number of classes in the category j , where j denotes the order of the data being tested. And $n(S)$ is the number of classes used in the training process.

4. V_{MAP} Calculation

In classification, the Naive Bayes Classifier method will produce the class with the highest probability (V_{MAP}) of the test data in each class by entering variable pairs $(x_1, x_2, x_3, \dots, x_n)$. The following is (V_{MAP}) presented in following equation.

$$(V_{MAP}) = \arg \max_{v_j} P(v_j) \prod_{i=1}^n f(x_i|v_j) \quad (3)$$

The classic set (crisp) is usually defined as a collection of elements or objects $x \in X$, X finite and countable. Every single element may or may not be a set A , where $\subseteq X$. The statement " x is a member of A " can be true, while in other cases this statement can be false. Such classical sets can be described in different ways, such as defining member elements using a characteristic function, where 1 denotes membership and 0 is non-membership (Zimmerman, 1996). In this study, a set element does not only consist of 1

and 0, but is in the range of 1 to 0 as in the definition of the following fuzzy set.

Definition (Zimmerman, 1996) If X is a collection of objects that are generically denoted by x , then a fuzzy set \tilde{A} in X is a set of sequential pairs:

$$\tilde{A} = \{(x, \mu_{\tilde{A}}(x)) | x \in X\}$$

$\mu_{\tilde{A}}(x)$ is called the membership function or degree of membership (also the degree of compatibility or degree of truth) of x in \tilde{A} which maps x to the membership space of M which is located in the range $[0,1]$.

Membership function is a curve that shows the mapping of data input points into the value of membership (often also called the degree of membership) which has an interval between 0 to 1 (Zimmerman, 1996). Several functions can be used, including the triangle curve as follows:

The triangle curve is a combination of two lines (linear) as in Figure 1




Figure. 1 Triangle curve

Membership Function:

$$\mu(x) = \begin{cases} 0; & x \leq a \text{ atau } x \geq c \\ \frac{(x-a)}{(b-a)}; & a < x \leq b \\ \frac{(c-x)}{(c-b)}; & b < x < c \end{cases} \quad (4)$$

The confusion matrix is a matrix that provides information on the comparison of the classification results performed by the system (model) with the actual classification results. The confusion matrix is in the form of a matrix table that describes the performance of the

classification model on a series of test data whose actual values are known.

Generalizations for confusion matrices with more than two or n classes are presented in Table 1 below:

Table 1 Model Evaluation

		Predicted Class			
		Class 1	Class 2	...	Class n
True Class	Class 1	x_{11}	x_{12}	...	x_{1n}
	Class 2	x_{21}	x_{22}	...	x_{2n}

	Class n	x_{n1}	x_{n2}	...	x_{nn}

From table 1 above, a confusion matrix can be formed as follows:

$$\text{Confusion Matrix} = \begin{bmatrix} x_{11} & \dots & x_{1n} \\ \vdots & \ddots & \vdots \\ x_{n1} & \dots & x_{nn} \end{bmatrix}$$

Based on the confusion matrix above, the accuracy with more than two or n classes is (C.A, 2016):

$$\text{Accuracy} = \frac{\sum_{j=1}^n x_{i,j}}{\text{number of testing data}} \quad (5)$$

RESULT AND DISCUSSION

Distribution Data and Preprocessing Stages

This study uses two data consisting of input data and output data. Input data consists of tweet data. And the output data consists of sentiment data which has been classified into three classes, namely positive, negative, and neutral. Input and output data are obtained by crawling on Twitter. The distribution of training data and test data in this study was 80%: 20%; 70%: 30%; 60%: 40%; and 50%: 50%. The distribution of training data and test data used in the calculation simulation is 70%: 30%.

The next step is the preprocessing process in which tweets are replaced with lowercase letters, replacing the words, and finally, the words are filtered using a lexicon dictionary. The lexicon dictionary contains unimportant words. The training data and testing data before and after the preprocessing stage of data obtained from January 1, 2020, to April 30, 2020, are:

Table 2. Training Data

No.	Tweet	Tweet Preprocessing	Sentiment
1	Dunia Bingung Hingga Saat Ini Belum Ada Kasus Virus Corona Di Indonesia http://dlvr.it/RPgrfs pic.twitter.com/UhwAj3cvJc	dunia bingung hingga saat ini belum ada kasus virus corona di indonesia	neutral
3	Bantu Pencegahan Virus Corona di Indonesia, Nikita Mirzani Sumbang Rp 100 Juta, Ini Harapannya https://medantribunnews.com/2020/03/18/bantu-pencegahan-virus-corona-di-indonesia-nikita-mirzani-sumbang-rp-100-juta-ini-harapannya...via@tribunmedan	bantu cegah virus corona indonesia nikita mirzani sumbang rp 100 juta ini harap via	positive
4	Setelah di serang virus Corona. Indonesia menyusul dilanda Virus Keboblokan. https://twitter.com/BadjaNuswa	telah serang virus corona indonesia susul landa virus goblok	negative

	ntara/status/1234820717151014913 ...		
6	Kaget itu sdh menjadi wabah di Indonesia, sama seperti Corona di Cina	kaget sdh jadi wabah indonesia sama corona cina	negative
7	Melonjak 893, Ini ¹² ta Sebaran Kasus Positif Virus Corona di Indonesia https://correctoid/beranda/read/22124/melonjak-893-ini-12-ta-sebaran-kasus-positif-virus-corona-di-13-indonesia...	lonjak 893 ini data sebar kasus positif virus corona indonesia	positive
8	Peneliti Harvard: Virus Corona Seharusnya Sudah Ada di Indonesia https://www.suara.com/tekno/2020/02/15/071500/peneliti-harvard-virus-corona-seharusnya-sudah-ada-di-indonesia?utm_source=twitter&utm_medium=share...	teliti harvard virus corona harus sudah ada indonesia	neutral

Table 3. Testing Data

No	Tweet	Tweet Preprocessing	Sentiment
1	²⁸ Belum Ada Kasus Virus Corona di Indonesia - https://www.starjogja.com/2020/01	belum ada kasus virus corona indonesia	neutral

	⁸ /22/belum-ada-kasus-virus-corona-di-indonesia/...pic.twitter.com/n1OKdWhSu0		
3	²⁹ He Sediakan Update Kasus Corona di Indonesia https://www.solo.pos.com/line-sediakan-update-kasus-corona-di-indonesia-1052435?..	line sedia update kasus corona indonesia	positive
6	Gara2 virus corona udah di Indonesia, masuk pabrik aja karyawannya harus di scan. Udah kayak produk swalayan aja cuk wkwk	gara2 virus corona udah indonesia masuk pabrik aja karyawannya di scan udah kayak produk swalayan aja cuk wkwk	negative

¹⁸Stages of Naive Bayes Classifier

Based on the discussion in ³Naive Bayes Classifier, the following are the results of the Naive Bayes Classifier stage:

1. Formation of Training Data Variables ³

This process is the initial process in the Naive Bayes Classifier classification stage, where the variable in question is a tweet (comment) from Twitter that will be classified in sentiment class that is positive, negative, or neutral, taking into account the frequency of occurrence of each word in the variable. The results of the formation of training data variables are presented in the table below

Table 4. Results of Forming Training Data

Variables

No	Sentimen	100	893	aja	bantu	bingung	cinana	wabah	wkwk
1	neutral	0	0	0	0	1	0	0	0
3	positive	1	0	0	1	0	0	0	0
4	negative	0	0	0	0	0	0	0	0
5	negative	0	0	0	0	0	1	1	0
7	positive	0	1	0	0	0	0	0	0
8	neutral	0	0	0	0	0	0	0	0

2. Calculating Probability Data of Train Data

In the previous training data sharing process, it was known that each tweet has a sentiment that has been classified into three sentiment classes, namely positive, negative, and neutral classes, then the probability of each sentiment class will be calculated using equation (1). The probability results of each class in the training data are presented in the table below:

Table 5. Frequency Probability Results from Appearance

v_j	$n(v_j)$	$P(v_j)$
negative	2	0,33333

neutral	2	0,33333
positive	2	0,33333

3. Determine Class Probabilities

In the process of forming the data train variable, see 17 from the frequency of word occurrences in each sentiment class, the number of words t₂₃ appeared in the positive class was 21 times, in the negative class 14 times, and in the neutral class 10 times and the total of all words. the data train is 45 words. Thus based on equation (2), the results of the probability of each word in each sentiment class are as follows:

Table 6. Results of the Probability of each Word in each Sentiment Class

v_j	kata							
	100	893	aja	bantu	bingung	wabah	wkwk	
negative	0,01695	0,01695	0,01695	0,01695	0,01695	0,03390	0,01695	
neutral	0,01818	0,01818	0,01818	0,01818	0,03636	0,01818	0,01818	
positive	0,03030	0,03030	0,01515	0,03030	0,01515	0,01515	0,01515	

4. V_{MAP} Calculation

The V_{MAP} calculation on the test data is carried out to find the highest probability in each sentiment class, the highest probability value is the sentiment class of the tweet on the test data based on the values obtained in the train data. The following is the formation of test data variables that will be used to obtain V_{MAP} , where the process of forming test data variables is the same as the process of forming the train data.

Table 7. Results of Forming Testing Data Variables

No	Sentimen	100	893	aja	bantu	bingung	cinan	.wah	Wkw
1	neutral	0	0	0	0	0	0	.	0
3	positive	0	0	0	0	0	0	.	0
6	negative	0	0	2	0	0	0	.	0

Based on the results of the formation of the test data variables from Table 7, it is found that the words that are in the positive class, seen from the frequency of their appearance, are in the form of the words "corona, indonesia, line, provide, update", words that are in the negative class are in the form of the word "aja, corona, cuk, gara2, Indonesia, etc".

Table 8. Results of Calculation V_{MAP} from Testing Data

No	negative	neutral	positive
1	0,0000438	0,0000541	0,0000313
3	4,20E-09	5,96E-09	2,40E-09
6	2,46E-26	7,06E-26	4,58E-27

Implementation of the Fuzzy Membership Function

The corresponding curve in this study is a triangle curve. The process starts with determining the values of x , a , b , and c . The value of x will be taken from the V value of MAP in

each sentiment class, while the value of $a = 0$, $b = 0.5$, and $c = 1$. From calculations using a triangle curve, the most dominant value of each of the existing V_{MAP} classes will be taken, so that the results can be presented as follows

Table 9. Results of Calculation Fuzzy Membership Function from Testing Data

No	negative	neutral	positive	$F_{negative}$	$F_{neutral}$	$F_{positive}$
1	0,0000438	0,0000541	0,0000313	0,0000876	0,000108	0,0000626
3	4,20E-09	5,96E-09	2,40E-09	8,40E-09	1,19E-09	4,80E-10
6	2,46E-26	7,06E-26	4,58E-27	4,92E-27	1,41E-26	9,16E-28

The confusion matrix of the Naive Bayes Classifier is as follows:

$$\text{Confusion Matrix} = \begin{bmatrix} 112 & 8 & 6 \\ 6 & 87 & 9 \\ 22 & 10 & 100 \end{bmatrix}$$

Based on the confusion matrix above, the accuracy of the classification model in this sentiment analysis can be calculated by equation (5), namely

$$\begin{aligned} \text{Accuracy} &= \frac{112 + 87 + 100}{112 + 8 + 6 + 6 + 87 + 9 + 22 + 10 + 100} \\ &= \frac{299}{360} \\ &= 0.831 \end{aligned}$$

with the presentation of each sentiment class namely positive class at 36.7%, negative class at 35.0%, and neutral class by 28.3%.




Figure. 2 Accuracy of Comparison of Training Data and Testing Data

CONCLUSIONS AND SUGGESTIONS

This study produces a sentiment analysis on COVID-19 using the Fuzzy Naive Bayes Classifier method. In the research process using tweets by doing Scrapping on Twitter using Python 3.7 software as input data. The tweets were classified into three sentiment classes, namely positive, negative, and neutral. The results of testing on the distribution of training data and testing of 70%: 30% obtained an accuracy of 83.1% based on 1199 tweet data consisting of 360 testing data and 839 training data. The percentage of each sentiment class is obtained, namely the positive class of 36.7%, the negative class of 35.0%, and the neutral class of 28.3%. Based on the results of the presentation, it can be concluded that there are still many people who have positive opinions or give positive responses to the presence of COVID-19 in Indonesia

REFERENCES

- AL, P., R, K., & LO, G. (2020). The novel coronavirus originating in Wuhan. *China: Challenges for Global Health Governance [Epub Ahead of Print 30 Jan 2020] in Press. JAMA.*
<https://doi.org/10.1001/jama.2020.1097>
- Apoorv et al. (2015). *Sentiment Analysis of*

Twitter Data. Department of Computer Science. Department of Computer Science. Columbia University.

- Balahur, A. (2013). *Sentiment Analysis in Social Media Texts.* European Commission Joint Research Centre.
- Buani, D. C. P. (2016). Optimasi Algoritma Naive Bayes dengan Menggunakan Algoritma Genetika untuk Prediksi Kesuburan (Fertility). *Program Studi Teknik Informatika, STMIK Nusa Mandiri Jakarta.*
- C.A, M.-G. (2016). Generalized Confusion Matrix for Multiple Classes. *Cinmayii Manliguez. University of the Philippines.*
- C Slamet, R Andrian, D S Maylawati, Suhendar, W Darmalaksana, M. A. R. (2018). Web Scraping and Naive Bayes Classification for Job Search Engine. *IOP Conf. Ser.: Mater. Sci. Eng. 288 012038.*
- E, M. (2020). China coronavirus: WHO declares international emergency as death toll exceeds 200. *BMJ.368:M408.*
- Fathurochman Dery, Wina Witanti, R. Y. (2014). Perancangan Game Turn Based Strategy Menggunakan Logika Fuzzy Dan Naive Bayes Classifier. *Yogyakarta: Universitas Pembangunan Nasional Veteran.*
- Liu, B. (2012). *Sentiment Analysis and Opinion Mining. Synthesis Lectures on Human Language Technologies.* Morgan and Claypool Publishers.
- Nasrullah, R. (2015). *Media Sosial; Perspektif Komunikasi, Budaya, dan Sositologi.* Simbiosis Rekatama Media.
- Nugroho, Didik, G., & Yulison Herry Chrisnanto, A. W. (2016). Analisis Sentimen pada Jasa Ojek Online Menggunakan Metode Naive Bayes. *Program Studi Informatika, Fakultas Matematika Dan Ilmu Pengetahuan Alam, Universitas Jenderal Achmad Yani, Semarang.*

- Poria, S., Cambria, E., & Gelbukh, A. (2016). *Aspect extraction for opinion mining with a deep convolutional neural network. Knowledge Based Systems*. 42-49.
- Q, L., X, G., P, W., X, W., L, Z., Y, T., R, R., KSM, L., EHY, L., & Wong JY, et al. (2020). Early transmission dynamics in Wuhan, China, of novel coronavirus-infected pneumonia. *N Engl J Med [Epub Ahead of Print 29 Jan 2020]* in Press.
<https://doi.org/10.1056/NEJMoa2001316>
- Zaidi, N. A., Cerquides, J., Carman, M. J., & G.I.Webb. (2013). Alleviating Naive Bayes Attribute Independence Assumption by Attribute Weighting. *Journal of Machine Learning Research*, 14, 1947-1988.
- Zimmerman. (1996). *Fuzzy Sets Theory and Its Applications*. Massachusetts. Massachusetts: Kluwer Academic Publishers.

HASIL CEK_SENTIMENT ANALYSIS USING FUZZY NAÏVE BAYES CLASSIFIER IN COVID

ORIGINALITY REPORT

17%

SIMILARITY INDEX

11%

INTERNET SOURCES

14%

PUBLICATIONS

6%

STUDENT PAPERS

PRIMARY SOURCES

- 1** G. Wiedey, H.-J. Zimmermann. "Media Selection and Fuzzy Linear Programming", Journal of the Operational Research Society, 2017
Publication 1%
- 2** journal.uad.ac.id
Internet Source 1%
- 3** Jiacheng Zheng. "One Generalization of the Naive Bayes to Fuzzy Sets and the Design of the Fuzzy Naive Bayes Classifier", Lecture Notes in Computer Science, 2005
Publication 1%
- 4** journals.sagepub.com
Internet Source 1%
- 5** Ali Idrus, Herlambang Brawijaya, Maruloh. "Sentiment Analysis Of State Officials News On Online Media Based On Public Opinion Using Naive Bayes Classifier Algorithm And Particle Swarm Optimization", 2018 6th 1%

International Conference on Cyber and IT Service Management (CITSM), 2018

Publication

6	Fuzzy Set Theory — and Its Applications, 1991. Publication	1 %
7	Anggy Pradiftha Junfithrana, Lukman Hakim, Rahmalia Nopiyanti, Muhamad Muslih. "Improving TDGC on Oil Dissolved Tranformator Gas Using Fuzzy Logic", 2020 6th International Conference on Computing Engineering and Design (ICCED), 2020 Publication	1 %
8	id.news24xx.com Internet Source	1 %
9	onlinelibrary.wiley.com Internet Source	1 %
10	www.matec-conferences.org Internet Source	1 %
11	H Syahputra, L K Basyar, A A S Tamba. "Setiment Analysis of Public Opinion on The Go-Jek Indonesia Through Twitter Using Algorithm Support Vector Machine", Journal of Physics: Conference Series, 2020 Publication	1 %
12	www.batamnews.co.id Internet Source	1 %

13	www.suara.com Internet Source	1 %
14	Submitted to Universitas Atma Jaya Yogyakarta Student Paper	<1 %
15	Ondra Eka Putra. "Application of Fuzzy Logic in Making Automatic Labeling Stamping", SinkrOn, 2019 Publication	<1 %
16	Submitted to President University Student Paper	<1 %
17	epdf.pub Internet Source	<1 %
18	"RoboCup 2006: Robot Soccer World Cup X", Springer Science and Business Media LLC, 2007 Publication	<1 %
19	Advanced Topics in Science and Technology in China, 2014. Publication	<1 %
20	Y A Gerhana, I Fallah, W B Zulfikar, D S Maylawati, M A Ramdhani. "Comparison of naive Bayes classifier and C4.5 algorithms in predicting student study period", Journal of Physics: Conference Series, 2019 Publication	<1 %

- | | | |
|----|--|------|
| 21 | www.coursehero.com
Internet Source | <1 % |
| 22 | Lecture Notes in Computer Science, 2003.
Publication | <1 % |
| 23 | Lecture Notes in Computer Science, 2015.
Publication | <1 % |
| 24 | jurnal.unissula.ac.id
Internet Source | <1 % |
| 25 | Qin, Zengchang, and Yongchuan Tang.
"Bayesian Methods Based on Label
Semantics", Advanced Topics in Science and
Technology in China, 2014.
Publication | <1 % |
| 26 | iceb.johogo.com
Internet Source | <1 % |
| 27 | L. Meng, F. Hua, Z. Bian. "Coronavirus Disease
2019 (COVID-19): Emerging and Future
Challenges for Dental and Oral Medicine",
Journal of Dental Research, 2020
Publication | <1 % |
| 28 | health.detik.com
Internet Source | <1 % |
| 29 | kantorpemuda.com
Internet Source | <1 % |
| 30 | www.generationcp.org
Internet Source | <1 % |

<1 %

31

Joaquín Abellán. "Application of uncertainty measures on credal sets on the naive Bayesian classifier", International Journal of General Systems, 2006

Publication

<1 %

Exclude quotes On

Exclude matches Off

Exclude bibliography On