

A Novel Method for IRFOC of Three-Phase Induction Motor under Open-Phase Fault

By Tole Sutikno

A Novel Method for IRFOC of Three-Phase Induction Motor under Open-Phase Fault

Mohammad Jannati*, Tole Sutik⁷**, Nik Rumzi Nik Idris*, Mohd Junaidi Abdul Aziz*,

* UTM-PROTON Future Drive Laboratory, Faculty of Electrical Engineering, Universiti Teknologi Malaysia, Johor Bahru, Malaysia

** Department of Electrical Engineering, Faculty of Industrial Technology, Universitas Ahmad Dahlan, Yogyakarta, Indonesia

Article Info

Article history:

Received Apr 26, 2015

Revised Jun 12, 2015

Accepted Jun 26, 2015

Keyword:

Field-oriented control

Open-phase fault

Single-phase IM

Three-phase induction motor

Unbalanced 2-phase

Vector control

ABSTRACT

This paper investigates the vector control of a star-connected three-phase Induction Motor (IM) under stator winding open-phase fault. The used vector control method is based upon indirect rotor field-orientation concepts that have been adapted for this type of machine. Beside the implementation of this method in critical industrial applications, the proposed method in this paper can be used for vector control of unbalanced 2-phase or single-phase IM with two main and auxiliary windings. Simulation results are provided to show the operation of the proposed drive system.

Copyright © 2015 Institute of Advanced Engineering and Science.
All rights reserved.

Corresponding Author:

Mohammad Jannati,
Faculty of Electrical Engineering,
Universiti Teknologi Malaysia,
UTM Skudai, 81310 Johor, Malaysia.
Email: jannatim94@yahoo.com

1. INTRODUCTION

Three-phase Induction Motor (IM) drives are one of the most common types of AC drives used in industrial applications [1]-[3]. In some applications where continuous operation is desirable or critical, such as in military, electric vehicle, aircraft, and etc having a fault-tolerant control system is necessary. Generally the classification of faults in three-phase IM drives can be listed as follows: faults in the inverter [4], faults in the mechanical or electrical sensors [5] and [7] and also faults in electrical machine [7]-[11]. Faults that is related to electrical machine is broadly discussed in the literatures, these include stator faults and rotor faults.

Nowadays Field-Oriented Control (FOC) method for IMs is broadly adopted to obtain high performance control of IM drive systems. The FOC represents a better solution to convince industrial requirements. In the literature, several approaches have been presented for vector control of three-phase IM under open-phase fault [12]-[20]. In [12] and [13] scalar and vector control techniques to control Δ -connected three-phase IM under open-phase fault using current controller have been proposed. In [14] another method for FOC of Δ -connected three-phase IM in case of open-phase fault based on voltage controller has been presented. It was discussed in [14], during open-phase fault, the limitation due to maximum permissible torque is about 30% of the rated torque of the IM. In [15]-[18], several techniques for FOC of star-connected three-phase motor under open-phase fault were proposed. However, the results in [15]-[18] due to using two different transformation matrices for stator voltage and current variables are sensitive to variations of motor parameters. In [19] the analysis of the star-connected three-phase IM in the open-phase fault indicates that, to

compensate torque pulsations, odd harmonic voltages of the magnitude and phase angle can be injected at the machine terminal. These methods have been applied and implemented to a volts/hertz controlled IM.

This paper investigates use of the scheme in Figure 1 for feeding a three-phase IM under open-phase fault. This paper presents a vector control strategy based on Indirect Rotor FOC (IRFOC) for three-phase IM under open-phase fault. It investigates the design and use of the RFO vector control in detail. The presented drive system enable to control three-phase IM under normal and open-phase fault conditions. This paper is organized as follows; after the introduction in section 1, section 2 gives the mathematical model of three-phase IM under stator winding open-phase fault. Next, section 3 describes the development of the FOC algorithm, followed by presenting proposed scheme for vector control of three-phase IM under open-phase fault. The performance of the proposed approach is tested by simulations with the results presented in section 4 and finally, conclusions are listed in section 5.




Figure 1. Three-phase IM drive with one opened phase

2. FAULTY THREE-PHASE IM MODEL

The d-q model of the star-connected three-phase IM under stator winding open-phase fault can be described by the following equations [20]:

Stator voltage equations:

$$\begin{bmatrix} v_{ds}^s \\ v_{qs}^s \end{bmatrix} = \begin{bmatrix} r_s + L_{ds}p & 0 \\ 0 & r_s + L_{qs}p \end{bmatrix} \begin{bmatrix} i_{ds}^s \\ i_{qs}^s \end{bmatrix} + \begin{bmatrix} M_{ds}p & 0 \\ 0 & M_{qs}p \end{bmatrix} \begin{bmatrix} i_{dr}^s \\ i_{qr}^s \end{bmatrix} \quad (1)$$

Rotor voltage equations:

$$\begin{bmatrix} v_{dr}^s \\ v_{qr}^s \end{bmatrix} = \begin{bmatrix} M_{ds}p & \omega_r M_{qs} \\ -\omega_r M_{ds} & M_{qs}p \end{bmatrix} \begin{bmatrix} i_{ds}^s \\ i_{qs}^s \end{bmatrix} + \begin{bmatrix} r_r + L_r p & \omega_r L_r \\ -\omega_r L_r & r_r + L_r p \end{bmatrix} \begin{bmatrix} i_{dr}^s \\ i_{qr}^s \end{bmatrix} \quad (2)$$

Stator flux equations:

$$\begin{bmatrix} \lambda_{ds}^s \\ \lambda_{qs}^s \end{bmatrix} = \begin{bmatrix} L_{ds} & 0 \\ 0 & L_{qs} \end{bmatrix} \begin{bmatrix} i_{ds}^s \\ i_{qs}^s \end{bmatrix} + \begin{bmatrix} M_{ds} & 0 \\ 0 & M_{qs} \end{bmatrix} \begin{bmatrix} i_{dr}^s \\ i_{qr}^s \end{bmatrix} \quad (3)$$

Rotor flux equations:

$$\begin{bmatrix} \lambda_{dr}^s \\ \lambda_{qr}^s \end{bmatrix} = \begin{bmatrix} M_{ds} & 0 \\ 0 & M_{qs} \end{bmatrix} \begin{bmatrix} i_{ds}^s \\ i_{qs}^s \end{bmatrix} + \begin{bmatrix} L_r & 0 \\ 0 & L_r \end{bmatrix} \begin{bmatrix} i_{dr}^s \\ i_{qr}^s \end{bmatrix} \quad (4)$$

Torque equations:

$$\begin{aligned} T_e &= \frac{pole}{2} (M_{qs} i_{qs}^s i_{dr}^s - M_{ds} i_{ds}^s i_{qr}^s) \\ T_e - T_l &= \frac{2}{pole} (Jp\omega_r + B\omega_r) \end{aligned} \quad (5)$$

where:

$$\begin{aligned} M_{ds} &= \frac{3}{2} L_{ms}, M_{qs} = \frac{\sqrt{3}}{2} L_{ms} \\ L_{ds} &= L_{ls} + \frac{3}{2} L_{ms}, L_{qs} = L_{ls} + \frac{1}{2} L_{ms}, p = \frac{d}{dt} \end{aligned} \quad (6)$$

In (1)-(6), v_{ds}^s, v_{qs}^s are the stator d-q axes voltages, i_{ds}^s, i_{qs}^s are the stator d-q axes currents, i_{dr}^s, i_{qr}^s are the rotor d-q axes currents, $\lambda_{ds}^s, \lambda_{qs}^s$ are the stator d-q axes fluxes and $\lambda_{dr}^s, \lambda_{qr}^s$ are the rotor d-q axes fluxes in the stationary reference frame (superscript “s”). r_s and r_r indicate the stator and rotor resistances. $L_{ds}, L_{qs}, L_r, M_{ds}$ and M_{qs} denote the stator and rotor d-q axes self and mutual inductances. ω_r is the motor speed. T_e and T_l are electromagnetic torque and load torque. J and B are the moment of inertia and viscous friction coefficient respectively. Note that (1)-(5) are general equations for the three-phase IM. In other words, they may represent either a healthy three-phase IM if $L_{ds}=L_{qs}=L_s=L_{ls}+3/2L_{ms}$ and $M_{ds}=M_{qs}=M=3/2L_{ms}$ or a faulty three-phase IM (three-phase IM under stator winding open-phase fault) if $L_{ds}=L_{ls}+3/2L_{ms}, L_{qs}=L_{ls}+1/2L_{ms}, M_{ds}=3/2L_{ms}$ and $M_{qs}=\sqrt{3}/2L_{ms}$.

3. FIELD-ORIENTED CONTROL OF FAULTY THREE-PHASE IM

3.1. Problem

Among the various types of the vector control techniques, FOC method is more convenient. In conventional Rotor FOC method and in normal condition, the IM equations are transformed to the rotating reference frame. For this purpose, the following transformation matrix is used [21]:

$$\begin{bmatrix} i_{ds}^{mr} \\ i_{qs}^{mr} \end{bmatrix} = \begin{bmatrix} T_{ds}^{mr} \\ T_{qs}^{mr} \end{bmatrix} \begin{bmatrix} i_{ds}^s \\ i_{qs}^s \end{bmatrix} = \begin{bmatrix} \cos \theta_{mr} & \sin \theta_{mr} \\ -\sin \theta_{mr} & \cos \theta_{mr} \end{bmatrix} \begin{bmatrix} i_{ds}^s \\ i_{qs}^s \end{bmatrix} \quad (7)$$

In (7), θ_{mr} is the angle between the stationary reference frame and the rotating reference frame (in this paper superscript “mr” indicates that the variables are in the rotating reference frame). Since the IM studied is asymmetrical, the use of field-orientation principles needs a special attention. The asymmetry is a result of different d and q axis parameters in the faulty IM model. This asymmetry causes an oscillating term in the faulty machine torque [20]. It is possible to remove the oscillating term in the faulty machine electromagnetic torque by using an appropriate control of the stator currents.

3.2. Proposed Method (using Transformation Matrix for Stator Current Variables)

Using following substitutions,

$$\begin{cases} i_{DS} = i_{ds} - ji_{qs} \\ i_{QS} = j \frac{M_{ds}}{M_{qs}} i_{ds} + \frac{M_{ds}}{M_{qs}} i_{qs} \end{cases} \quad (8)$$

31

The electromagnetic torque equation of faulty machine can be written as (9):

$$T_e = \frac{pole}{2} (jM_{ds}i_{DS}i_{dr} + M_{ds}i_{QS}i_{dr} - M_{ds}i_{DS}i_{qr} - jM_{ds}i_{QS}i_{qr}) \quad (9)$$

which gives,

$$T_e = \frac{pole}{2} (M_{ds}i_{QS}i_{dr} - M_{ds}i_{DS}i_{qr}) \quad (10)$$

As can be seen from (10), faulty machine torque equation becomes similar healthy machine torque equation. Equation (8) can be written as (11):

$$\begin{bmatrix} i_{DS} \\ i_{QS} \end{bmatrix} = \begin{bmatrix} 1 & -j \\ j \frac{M_{ds}}{M_{qs}} & \frac{M_{ds}}{M_{qs}} \end{bmatrix} \begin{bmatrix} i_{ds} \\ i_{qs} \end{bmatrix} \quad (11)$$

Using following substitutions,

$$\left. \begin{aligned} 1 &\rightarrow \cos \theta_{mr} & j &\rightarrow \sin \theta_{mr} \\ i_{DS} &\rightarrow i_{ds}^s & i_{ds} &\rightarrow i_{ds}^{mr} \\ i_{QS} &\rightarrow i_{qs}^s & i_{qs} &\rightarrow i_{qs}^{mr} \end{aligned} \right\} \quad (12)$$

The transformation matrices for the current can be written as (13).

$$\begin{bmatrix} i_{ds}^s \\ i_{qs}^s \end{bmatrix} = \begin{bmatrix} \cos \theta_{mr} & -\sin \theta_{mr} \\ \frac{M_{ds}}{M_{qs}} \sin \theta_{mr} & \frac{M_{ds}}{M_{qs}} \cos \theta_{mr} \end{bmatrix} \begin{bmatrix} i_{ds}^{mr} \\ i_{qs}^{mr} \end{bmatrix} \quad (13)$$

The inverse of (13) gives the proposed transformation matrix for stator current variables:

$$\begin{bmatrix} i_{ds}^{mr} \\ i_{qs}^{mr} \end{bmatrix} = \begin{bmatrix} T_{is}^{mr} \end{bmatrix} \begin{bmatrix} i_{ds}^s \\ i_{qs}^s \end{bmatrix} = \begin{bmatrix} \cos \theta_{mr} & \frac{M_{qs}}{M_{ds}} \sin \theta_{mr} \\ -\sin \theta_{mr} & \frac{M_{qs}}{M_{ds}} \cos \theta_{mr} \end{bmatrix} \begin{bmatrix} i_{ds}^s \\ i_{qs}^s \end{bmatrix} \quad (14)$$

Using (14), the new mathematical model can be written as (15) and (16):

Rotor voltage equations:

$$\begin{aligned} \begin{bmatrix} T_s^{mr} \end{bmatrix} \begin{bmatrix} v_{dr}^s \\ v_{qr}^s \end{bmatrix} &= \begin{bmatrix} T_s^{mr} \end{bmatrix} \begin{bmatrix} M_{ds}p & \omega_r M_{qs} \\ -\omega_r M_{qs} & M_{ds}p \end{bmatrix} \begin{bmatrix} T_{is}^{mr} \end{bmatrix}^{-1} \begin{bmatrix} T_s^{mr} \end{bmatrix} \begin{bmatrix} i_{ds}^s \\ i_{qs}^s \end{bmatrix} \\ &+ \begin{bmatrix} T_s^{mr} \end{bmatrix} \begin{bmatrix} r_r + L_r p & \omega_r L_r \\ -\omega_r L_r & r_r + L_r p \end{bmatrix} \begin{bmatrix} T_s^{mr} \end{bmatrix}^{-1} \begin{bmatrix} T_s^{mr} \end{bmatrix} \begin{bmatrix} i_{dr}^s \\ i_{qr}^s \end{bmatrix} \end{aligned} \quad (15)$$

Torque equation:

$$\begin{aligned}
 T_e &= \frac{pole}{2} (M_{qs} i_{dr}^s - M_{ds} i_{qr}^s) \\
 &= \frac{pole}{2} \begin{bmatrix} i_{dr}^s & i_{qr}^s \end{bmatrix} \begin{bmatrix} 0 & M_{qs} \\ -M_{ds} & 0 \end{bmatrix} \begin{bmatrix} i_{ds}^s \\ i_{qs}^s \end{bmatrix} \\
 &= \left(\frac{pole}{2} \begin{bmatrix} i_{dr}^s & i_{qr}^s \end{bmatrix} [T_{is}^{mr}]^T ([T_{is}^{mr}]^{-1})^T \right. \\
 &\quad \left. \begin{bmatrix} 0 & M_{qs} \\ -M_{ds} & 0 \end{bmatrix} [T_{is}^{mr}]^{-1} [T_{is}^{mr}] \begin{bmatrix} i_{ds}^s \\ i_{qs}^s \end{bmatrix} \right)
 \end{aligned} \tag{16}$$

which gives,

Rotor voltage equations:

$$\begin{aligned}
 \begin{bmatrix} 0 \\ 0 \end{bmatrix} &= \begin{bmatrix} M_{ds} p & -(\omega_{mr} - \omega_r) M_{ds} \\ (\omega_{mr} - \omega_r) M_{ds} & M_{ds} p \end{bmatrix} \begin{bmatrix} i_{ds}^{mr} \\ i_{qs}^{mr} \end{bmatrix} \\
 &+ \begin{bmatrix} r_r + L_r p & (\omega_{mr} - \omega_r) L_r \\ (\omega_{mr} - \omega_r) L_r & r_r + L_r p \end{bmatrix} \begin{bmatrix} i_{dr}^{mr} \\ i_{qr}^{mr} \end{bmatrix}
 \end{aligned} \tag{17}$$

Torque equation:

$$T_e = \frac{pole}{2} (M_{ds} i_{qs}^{mr} - M_{ds} i_{dr}^{mr}) \tag{18}$$

where, ω_{mr} is the angular velocity of the rotor field-oriented reference frame. From (17) and (18), it can be seen that the rotor voltage and the torque equations are similar to the healthy three-phase IM equations. Consequently, it is possible to control faulty machine by the some modifications in the conventional RFO vector control.

3.3. RFOC Equations of Faulty IM

The rotor FOC equations of faulty IM based on equations (17) and (18) can be written as (19)-(21) (to obtain these equations the assumption $\lambda_{dr}^{mr} = |\lambda_r|$ and $\lambda_{qr}^{mr} = 0$ has been considered):

Rotor flux equation:

$$|\lambda_r| = \frac{M_{ds} i_{qs}^{mr}}{1 + T_r p} \tag{19}$$

Torque equation:

$$T_e = \frac{pole}{2} \frac{M_{ds}}{L_r} |\lambda_r| i_{qs}^{mr} \tag{20}$$

Speed equation:

$$\omega_{mr} = \omega_r + \frac{M_{ds} i_{qs}^{mr}}{T_r |\lambda_r|} \tag{21}$$

In these equations, T_r is the rotor time constant ($T_r = L_r/r_r$). As can be seen from (19)-(21) the structure of the equations of proposed vector control for faulty three-phase IM is the same as equations of the vector control for healthy three-phase IM. In summary the comparison between conventional and proposed vector control equations is listed in Table 1.

Table 1. The Comparison between Conventional and Proposed Vector Control Equations

	Healthy IM	Faulty IM
Flux equation	$ \lambda_r = \frac{M_{ds}^{29}}{1 + T_r p}$	$ \lambda_r = \frac{M_{ds} i_{ds}^{mr}}{1 + T_r p} = \frac{M_{ds}^{mr}}{1 + T_r p}$
Torque equation	$T_e = \frac{\text{pole } M}{2 L_r} \lambda_r i_{qs}^{mr}$	$T_e = \frac{\text{pole } M_{ds}}{2 L_r} \lambda_r i_{qs}^{mr} = \frac{\text{pole } M}{2 L_r} \lambda_r i_{qs}^{mr}$
Speed equation	$\omega_{mr} = \omega_r + \frac{M i_{qs}^{mr}}{T_r \lambda_r }$	$\omega_{mr} = \omega_r + \frac{M_{ds} i_{qs}^{mr}}{T_r \lambda_r } = \frac{\text{pole } M}{2 L_r} \lambda_r i_{qs}^{mr}$

3.4. Block Diagram of Proposed IRFOC for Faulty Three-Phase IM

From the results of (19)-(21), it is possible to adopt the indirect field-oriented control scheme for faulty three-phase IM using current controller as shown in Figure 2. In Figure 2, the switches are changed from balanced mode to unbalanced mode after fault is happened.

It can be noted that 2 to 2 transformation for stator currents during fault condition as is [20]:

$$\begin{bmatrix} i_{ds}^s \\ i_{qs}^s \end{bmatrix} = \frac{\sqrt{2}}{2} \begin{bmatrix} 1 & -1 \\ 1 & 1 \end{bmatrix} \begin{bmatrix} i_{as} \\ i_{bs} \end{bmatrix} \quad (22)$$




Figure 2. Block diagram of proposed IRFOC of healthy and faulty three-phase IM

4. RESULTS AND COMPARISONS

To verify the effectiveness of the proposed method, different cases using MATLAB software are simulated. Runge-Kutta algorithm is used for solving the healthy and faulty IM dynamic equations. An IM is fed from a SPWM VSI. In this paper it is assumed an immediate open stator winding detection. The ratings and parameters of the simulated motor are as follows:

$$\begin{aligned} v &= 125V, \quad f = 50\text{HZ}, \quad P = 4, \quad r_s = 20.6\Omega, \quad r_r = 19.15\Omega \\ L_{ls} &= 0.0814, \quad L_{lr} = 0.0814H, \quad L_{ms} = 0.851H, \quad \text{power} = 475W \end{aligned}$$

Figure 3 shows the comparison between conventional controller and proposed IRFOC (Figure 3 (left): conventional and Figure 3 (right): proposed). In this figure, the IM is starting in the balanced condition. Then a phase cut-off fault is introduced at $t=0.5s$ and the IM becomes unbalanced. Simulation results of the conventional and proposed controller illustrate that the conventional FOC was unable to control the faulty IM correctly. Especially, significant oscillations in the IM torque and speed are observed. It can be seen from Figure 3 that the dynamic performance of the proposed FOC in both healthy and faulty conditions is satisfactory.




Figure 3. Simulation results of the conventional IRFOC (left) and proposed IRFOC (right); from top to bottom: stator a-axis current, electromagnetic torque, speed and zoom of speed

In Figure 4, two drive systems are tested under the same operating conditions as follows: a phase cut-off fault is introduced at $t=2s$, the value of the load is increased from zero to $1N.m$ at $t=0.5s$ and from $1N.m$ to $1.3N.m$ at $t=2s$. Simulation results show that the conventional vector controller cannot control the unbalanced IM properly (see Figure 4 (left)). As can be seen from Figure 4 (left), in the fault condition, significant oscillation is seen in the electromagnetic torque and motor speed (in this case and using conventional controller the oscillation of electromagnetic torque at steady state is about $0.9N.m$ around the

average amount of 1.3N.m). Based on Figure 4 (right) the proposed controller is able to control both healthy and faulty three-phase IM even under load variations. Simulation results of Figure 4 (right) show that the proposed controller reduces the torque oscillation considerably (in this case and using proposed controller the oscillation of electromagnetic torque at steady state is about 0.3N.m).




Figure 4. Simulation results of the conventional IRFOC (left) and proposed IRFOC (right); from top to bottom: rotor a-axis current, stator a-axis current, electromagnetic torque, speed and speed error

Figure 5 shows simulation results of the proposed method for healthy and faulty IM in the different values of reference speed (zero/low speed and high speed). In Figure 5, a phase cut-off fault is occurred at $t=3$ s. It is evident from Figure 5 that using proposed technique the three-phase IM during normal and open-phase fault conditions can follow the reference speed without any overshoot and steady-state error. It can be seen from the presented simulation results that the dynamic performance of the proposed fault-tolerant control of three-phase IM drive is acceptable.




Figure 5. Simulation result of the speed response using proposed IRFOC

5. CONCLUSION

The rotor flux-oriented control of a faulty three-phase IM (three-phase IM under open-phase fault) was presented in this paper. The design of proposed controller for faulty machine was discussed in detail. It was shown that to control three-phase IM under stator winding open-phase fault it is required to use unbalanced transformation matrix for stator current variables to eliminate the oscillating term of the electromagnetic torque. This paper has shown that with some modifications in the structure of conventional RFO controller for healthy three-phase IM it is possible to implement conventional controller for three-phase IM under open-phase fault. Simulation results show that the performance of the proposed vector controller is satisfactory. The applications of the proposed drive system are its use as an emergency scheme for critical industrial applications and vector control of single-phase IM with two main and auxiliary windings.

REFERENCES

- [1] T. Sutikno, N. R. N. Idris, A. Jidin, and M. N. Cirstea, "An Improved FPGA Implementation of Direct Torque Control for Induction Machines", *IEEE Transactions on Industrial Informatics*, vol. 9, no. 3, pp. 1280–1290, 2013.
- [2] K. Satyanarayana, P. Surekha, and P. Vijaya Prasuna, "A New FOC Approach of Induction Motor Drive Using DTC Strategy for the Minimization of CMV", *International Journal of Power Electronics and Drive System (IJPEDS)*, vol. 3, no. 2, pp. 241–250, 2013.
- [3] D. Casadei, F. Profumo, G. Serra, and A. Tani, "FOC and DTC: Two Viable Schemes for Induction Motors Torque Control", *IEEE Transactions on Power Electronics*, vol. 17, no. 5, pp. 779–787, 2002.
- [4] F. Meinguet, P. Sandulescu, X. Kestelyn, and E. Semail, "A method for fault detection and isolation based on the processing of multiple diagnostic indices: application to inverter faults in AC drives", *IEEE Transactions on Vehicular Technology*, vol. 62, no. 3, pp. 995–1009, 2013.
- [5] M. E. H. Benbouzid, D. Diallo, and M. Zeraoulia, "Advanced fault-tolerant control of induction-motor drives for EV/HEV traction applications: From conventional to modern and intelligent control techniques", *IEEE Transactions on Vehicular Technology*, vol. 56, no. 2, pp. 519–528, 2007.
- [6] A. Raisemche, M. Boukhnefer, C. Larouci, and D. Diallo, "Two Active Fault Tolerant Control Schemes of Induction Motor Drive in EV or HEV", *IEEE Transactions on Vehicular Technology*, vol. 63, no. 1, pp. 19–29, 2014.
- [7] G. M. Joksimovic and J. Penman, "The detection of inter-turn short circuits in the stator windings of operating motors", *IEEE Transactions on Industrial Electronics*, vol. 47, no. 5, pp. 1078–1084, 2000.

- [8] B. M. Ebrahimi, A. M. Takbas²⁵ and J. Faiz, "Losses calculation in line-start and inverter-fed induction motors under broken bar fault", *IEEE Transactions on Instrumentation and Measurement*, vol. 62, no. 1, pp. 140–152, 2013.
- [9] J. Faiz, V. Ghorbanian, and B. Ebrahimi, "EMD-Based Analysis of Industrial Induction Motors with Broken Rotor Bar for Identification of Operating Point at Different Supply Modes", *IEEE Transactions on Industrial Informatics*, vol. 10, no. 2, pp. 957–966, 2014.
- [10] S. Toma., L. Capoc¹, and G. A. Capolino, "Wound-rotor induction generator inter-turn short-circuits diagnosis using a new digital neural network", *IEEE Transactions on Industrial Electronics*, vol. 60, no. 9, pp. 4043–4052, 2013.
- [11] J. R. Stack, T. G. Habetler, and R. G. Harley, "Fault-signature modeling and detection of inner-race bearing faults", *IEEE Transactions on Industry Applications*, vol. 42, no. 1, pp. 13–68, 2006.
- [12] A. Sayed¹³ Ahmed, B. Mirafzal, and N. A. O. Demerdash, "Fault-tolerant technique for Δ -connected AC-motor drives", *IEEE Transactions on Energy Conversion*, vol. 26, no. 2, pp. 646–653, 2011.
- [13] A. Sayed¹³ Ahmed and N. A. Demerdash, "Fault-Tolerant Operation of Delta-Connected Scalar- and Vector-Controlled AC Motor Drives", *IEEE Transactions on Power Electronics*, vol. 27, no. 6, pp. 3041–3049, 2012.
- [14] A. Saleh, M. Pacas, and A. Shaltout, "Fault tolerant field oriented control of the induction motor for loss of one inverter phase", In *32nd Annual Conference on IEEE Industrial Electronics, IECON*, 2006, pp. 817–822.
- [15] M. Jannati, N. R. N. Idris, and M. J. A. & Aziz, "Indirect Rotor Field-Oriented Control of Fault-Tolerant Drive System for Three-Phase Induction Motor with Rotor Resistance Estimation Using EKF", *TELKOMNIKA Indonesian Journal of Electrical Engineering*, vol. 12, no. 9, pp. 6633–6643, 2017.
- [16] M. Jannati, S. A. Anbaran, I. M. Alsofyani, N. R. N. Idris, and M. J. A. Aziz², "Modeling and RFOC of faulty three-phase IM using Extended Kalman Filter for rotor speed estimation", In *8th International Power Engineering and Optimization Conference (PEOCO)*, 2014, pp. 270–275.
- [17] M. Jannati, S. H. Asgari, N. R. N. Idris, and J. B. A. Aziz³², "A Novel Method for Vector Control of Three-Phase Induction Motor under Open-Phase Fault", *Journal of Engineering and Technological Sciences*, vol. 47, no. 1, pp. 36–45, 2015.
- [18] M. Janna²³, N. R. N. Idris, and M. J. A. Aziz, "A new method for RFOC of Induction Motor under open-phase fault", In *39th Annual Conference of the Industrial Electronics Society, IECON 2013*, 2013, pp. 2530–2535.
- [19] D. K. Kastha and B. K. Bose, "On-line search based pulsating torque compensation of a fault mode single-phase variable frequency induction motor drive", *IEEE Transactions on Industry Applications*, vol. 31, no. 4, pp. 802–811, 1995.
- [20] Z. Yifan and T. A. Lipo, "An approach to modeling and field-oriented control of a three phase induction machine with structural imbalance", In *Proc. APEC, San Jose, TX*, 1996, pp. 380–386.
- [21] P. Vas, "Vector Control of AC Machines", Clarendon press Oxford, 1990.

A Novel Method for IRFOC of Three-Phase Induction Motor under Open-Phase Fault

ORIGINALITY REPORT

15%

SIMILARITY INDEX

PRIMARY SOURCES

1 B. Phaneendra Babu. "Fault diagnosis in multi-level inverter system using adaptive back propagation neural network", 2008 Annual IEEE India Conference, 12/2008 42 words — 1%

Crossref

2 "2014 IEEE 8th International Power Engineering and Optimization Conference (PEOCO2014) [Proceedings abstracts]", 2014 IEEE 8th International Power Engineering and Optimization Conference (PEOCO2014), 2014 33 words — 1%

Crossref

3 www.wempec.wisc.edu 33 words — 1%

Internet

4 E. Villanueva, P. Correa, J. Rodriguez, M. Pacas. "Control of a Single-Phase Cascaded H-Bridge Multilevel Inverter for Grid-Connected Photovoltaic Systems", IEEE Transactions on Industrial Electronics, 2009 29 words — 1%

Crossref

5 de Jesus Rangel-Magdaleno, Jose, Hayde Peregrina-Barreto, Juan Manuel Ramirez-Cortes, Pilar Gomez-Gil, and Roberto Morales-Caporal. "FPGA-Based Broken Bars Detection on Induction Motors Under Different Load Using Motor Current Signature Analysis and Mathematical Morphology", IEEE Transactions on Instrumentation and Measurement, 2014. 24 words — 1%

- 6 Debaprasad Kastha, B.K. Bose. "On-line search based pulsating torque compensation of a fault mode single-phase variable frequency induction motor drive", IEEE Transactions on Industry Applications, 1995

22 words — 1%

Crossref

- 7 Tole Sutikno, Wong Jenn Hwa, Auzani Jidin, Nik Rumzi Nik Idris. "A Simple Approach of Space-vector Pulse Width Modulation Realization Based on Field Programmable Gate Array", Electric Power Components and Systems, 2010

22 words — 1%

Crossref

- 8 M.A. Rahman. "<![CDATA[Dynamic Performance Analysis of Permanent Magnet Synchronous Motors Magnet Synchronous Motors]]>", IEEE Transactions on Power Apparatus and Systems, 6/1984

21 words — 1%

Crossref

- 9 N. H. Sulaiman, N. A. Samsuri, M. K. A. Rahim, F. C. Seman, M. Inam. "Compact Meander Line Telemetry Antenna for Implantable Pacemaker Applications", Indonesian Journal of Electrical Engineering and Computer Science, 2018

20 words — 1%

Crossref

- 10 udes.cder.dz

Internet

20 words — 1%

- 11 Du Chunyang, Li Tiecai, Cao Zhengcai. "Accurate tracking control of a limited angle torque motor", 38th IAS Annual Meeting on Conference Record of the Industry Applications Conference, 2003., 2003

19 words — 1%

Crossref

- 12 E. Prasad, A. Sudhakar, Vijay Kumar. "Simulation of five-level inverter fed PMSM based on fast SVPWM",

19 words — 1%

-
- 13 Sayed-Ahmed, Ahmed, Behrooz Mirafzal, and Nabeel A. O. Demerdash. "Fault-Tolerant Technique for Δ -Connected AC-Motor Drives", IEEE Transactions on Energy Conversion, 2011. 18 words — 1%

Crossref

-
- 14 T.A. Lipo. "An approach to modeling and field-oriented control of a three phase induction machine with structural imbalance", Proceedings of Applied Power Electronics Conference APEC 96 APEC-96, 1996 17 words — < 1%

Crossref

-
- 15 worldwidescience.org 17 words — < 1%

Internet

-
- 16 www.mdpi.com 17 words — < 1%

Internet

-
- 17 fke-uitm.com 16 words — < 1%

Internet

-
- 18 Saurabh Shukla, Bhim Singh. "An Effective Solar PV Fed Modified Vector Control of IMD for Water Pumping", 2017 14th IEEE India Council International Conference (INDICON), 2017 12 words — < 1%

Crossref

-
- 19 thesis.lib.cycu.edu.tw 12 words — < 1%

Internet

-
- 20 Weizhe Qian, J.X. Xu, S.K. Panda. "Periodic torque ripples minimization in PMSM using learning variable structure control based on a torque observer", 11 words — < 1%

21 dtu.ac.in 11 words — < 1%
Internet

22 ece.uprm.edu 11 words — < 1%
Internet

23 mail.ijrer.org 11 words — < 1%
Internet

24 www.rroi.com 11 words — < 1%
Internet

25 arxiv.org 10 words — < 1%
Internet

26 A.H. Besheer, H.M. Emara, M.M. Aziz. "An LMI Approach to Fuzzy pole cluster for Regulating Wind Energy Conversion System", 2006 IEEE PES Power Systems Conference and Exposition, 2006 9 words — < 1%
Crossref

27 eprints.um.edu.my 9 words — < 1%
Internet

28 Bashir Mahdi Ebrahimi, Amir Masoud Takbash, Jawad Faiz. "Losses Calculation in Line-Start and Inverter-Fed Induction Motors Under Broken Bar Fault", IEEE Transactions on Instrumentation and Measurement, 2013 8 words — < 1%
Crossref

29 Gerard McKeown, Matteo G. A. Paris, Mauro Paternostro. "Testing quantum contextuality of continuous-variable states", Physical Review A, 2011 8 words — < 1%
Crossref

30 Longo, Gabriel, and I. Szleifer. "Ligand-Receptor Interactions in Tethered Polymer Layers", *Langmuir*, 2005. 8 words — < 1%
Crossref

31 Shady M Gadoue, Damian Giaouris, John W Finch. "Low speed operation improvement of MRAS sensorless vector control induction motor drive using neural network flux observers", *IECON 2006 - 32nd Annual Conference on IEEE Industrial Electronics*, 2006 8 words — < 1%
Crossref

32 www.kiot.ac.in 8 words — < 1%
Internet

33 Zhang Jian, Chen Rui, Xiao Lei-Shi, Guo Xian-Chao, Liu Bin. "Optimal Control for AC and DC Power Quality of VSC-HVDC", *2017 International Conference on Computer Systems, Electronics and Control (ICCSEC)*, 2017 6 words — < 1%
Crossref

EXCLUDE QUOTES OFF
EXCLUDE BIBLIOGRAPHY OFF

EXCLUDE MATCHES OFF