



Sulistyawati Suyanto <sulistyawatisuyanto@gmail.com>

[IJPHS] Submission Acknowledgement

1 message

Lina Handayani <ijphs@iaescore.com>

Tue, Apr 12, 2022 at 11:57 AM

To: "Dr. Sulistyawati Sulistyawati" <sulistyawatisuyanto@gmail.com>

The following message is being delivered on behalf of International Journal of Public Health Science (IJPHS).

Dr. Sulistyawati Sulistyawati:

Thank you for submitting the manuscript, ""They Looked at Me Like I Am a Virus": What and How Survivors Cope With COVID-19 Stigma During the Pandemic in Indonesia" to International Journal of Public Health Science (IJPHS). With the online journal management system that we are using, you will be able to track its progress through the editorial process by logging in to the journal web site:

Manuscript URL:

<http://ijphs.iaescore.com/index.php/IJPHS/author/submission/21954>

Username: sulistyawati

If you have any questions, please contact me. Thank you for considering this journal as a venue for your work.

Lina Handayani
International Journal of Public Health Science (IJPHS)

International Journal of Public Health Science (IJPHS)
<http://ijphs.iaescore.com>



Sulistyawati Suyanto <sulistyawatisuyanto@gmail.com>

[IJPHS] Editor Decision

1 message

Lina Handayani <ijphs@iaescore.com>

Tue, Jun 28, 2022 at 10:27 AM

Reply-To: "Dr. Lina Handayani" <ijphs@iaescore.com>

To: "Dr. Sulistyawati Sulistyawati" <sulistyawatisuyanto@gmail.com>

Cc: Rokhmayanti Rokhmayanti <rokhmayanti@ikm.uad.ac.id>, Budi Aji <budi.aji57@gmail.com>, Siwi Pramatama Mars Wijayanti <siwimars@gmail.com>, Tri Wahyuni Sukesi <yunisukesi.fkmud@gmail.com>, Surahma Asti Mulasari <surahma.mulasari@ikm.uad.ac.id>

The following message is being delivered on behalf of International Journal of Public Health Science (IJPHS).

Dear Prof/Dr/Mr/Mrs: Dr. Sulistyawati Sulistyawati,

We have reached a decision regarding your submission entitled "They Looked at Me Like I Am a Virus": What and How Survivors Cope With COVID-19 Stigma During the Pandemic in Indonesia" to International Journal of Public Health Science (IJPHS), a peer-reviewed and an OPEN ACCESS journal that makes significant contributions to major areas of public health science.

Our decision is to revise

The goal of your revised paper is to describe novel technical results.

A high quality paper MUST has:

- (1) a clear statement of the problem the paper is addressing --> explain in "Introduction" section
- (2) the proposed solution(s)/method(s)/approach(es)/framework(s)/
- (3) results achieved. It describes clearly what has been done before on the problem, and what is new.

In preparing your revised paper, you should pay attention to:

1. Please ensure that: all references have been cited in your text; Each citation should be written in the order of appearance in the text; The references must be presented in numbering and CITATION ORDER is SEQUENTIAL [1], [2], [3], [4],

Please download & study our published papers for your references:

- <http://ijphs.iaescore.com>

- <http://ijere.iaescore.com>

- <http://journal.uad.ac.id/index.php/edulearn>

- <http://iaescore.com/journals> (other journals)

(Please use "Search" menu under "JOURNAL CONTENT" menu in right side of the site)

2 An Introduction should contain the following three (3) parts:

- Background: Authors have to make clear what the context is. Ideally, authors should give an idea of the state-of-the art of the field the report is about.
- The Problem: If there was no problem, there would be no reason for writing a manuscript, and definitely no reason for reading it. So, please tell readers why they should proceed reading. Experience shows that for this part a few lines are often sufficient.
- The Proposed Solution: Now and only now! - authors may outline the contribution of the manuscript. Here authors have to make sure readers point out what are the novel aspects of authors work. Authors should place the paper in proper context by citing relevant papers. At least, 5 references (recently journal articles) are used in this section.

3. Results and discussion section: The presentation of results should be simple and straightforward in style. This section report the most important findings, including results of statistical analyses as appropriate. You should present the comparison between performance of your approach and other researches. Results given in figures should not be repeated in tables. It is very important to prove that your manuscript has a significant value and not

trivial.

Please submit your revised paper within 6 weeks.

I look forward for hearing from you

Thank you

Best Regards,
Dr. Lina Handayani

Update your metadata in our online system when you submit your revised paper through our online system, included:

- Authors name are presented without salutation
- Authors Name are presented Title Case (ex: Michael Lankan, and NOT written--> michael lankan or MICHAEL LANKAN). Add all authors of your paper as per your revised paper
- Title of revised paper (ex: Application of space vector , NOT --> APPLICATION OF SPACE VECTOR)
- Your abstract

Reviewer H:

Does the paper contain an original contribution to the field?:

Yes

Is the paper technically sound?:

Yes

Does the title of the paper accurately reflect the major focus contribution of this paper?:

Yes

Please suggest change of the title as appropriate within 10 words:

None

Is the abstract a clear description of the paper?

:
Yes

Please suggest change of the abstract

:
None

Is the paper well written (clear, concise, and well organized)?:

Yes

Are the equations, figures and tables in this journal style, clear, relevant, and are the captions adequate?:

Yes

Please score the paper on a scale of 0 - 10 as per the directions below:

9-10 Excellent - Outstanding

7-8 Good

5-6 Average

3-4 Poor

0-2 Very Poor

:
8

Comments to the Authors (how to improve this paper)::

This is a qualitative study aims at exploring the COVID-19 survivors'

experience including the social stigma they faced.

the study is well designed and organized

please elaborate more in the discussion the stigma towards healthcare workers because they are part of the public health system and it is important to highlight that HCPs are not exception when it comes to COVID-19. on the other hand the need for valid and reliable tools to measure stigma and its impact on human beings

<https://www.sciencedirect.com/science/article/pii/S2405844022005886>

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8592821/>

Reviewer K:

Does the paper contain an original contribution to the field?:

Yes

Is the paper technically sound?:

Yes

Does the title of the paper accurately reflect the major focus contribution of this paper?:

Yes

Please suggest change of the title as appropriate within 10 words:

“They Looked at Me Like I Am a Virus”: How Survivors Cope with COVID-19 Stigma During the Early Stage of Pandemic in Indonesia

Is the abstract a clear description of the paper?

:
Yes

Please suggest change of the abstract

:
My suggestions are already written in the manuscript comments.

Is the paper well written (clear, concise, and well organized)?:

Yes

Are the equations, figures and tables in this journal style, clear, relevant, and are the captions adequate?:

Yes

Please score the paper on a scale of 0 - 10 as per the directions below:

9-10 Excellent - Outstanding

7-8 Good

5-6 Average

3-4 Poor

0-2 Very Poor

:
7

Comments to the Authors (how to improve this paper)::

The authors investigate the COVID-19 stigma in Indonesia during the early stage of the pandemic. In my opinion, the topic is quite interesting since disease-related stigma is a societal problem that all of us need to combat. Generally, the paper is well written. However, some parts still need to be fixed.

see file

complete each reference with DOI and make sure can be traced online

International Journal of Public Health Science (IJPHS)

<http://ijphs.iaescore.com>



Sulistyawati Suyanto <sulistyawatisuyanto@gmail.com>

[IJPHS] Editor Decision

1 message

Lina Handayani <ijphs@iaescore.com>

Mon, Jul 11, 2022 at 9:43 AM

Reply-To: "Dr. Lina Handayani" <ijphs@iaescore.com>

To: "Dr. Sulistyawati Sulistyawati" <sulistyawatisuyanto@gmail.com>

Cc: Rokhmayanti Rokhmayanti <rokhmayanti@ikm.uad.ac.id>, Budi Aji <budi.aji57@gmail.com>, Siwi Pramatama Mars Wijayanti <siwimars@gmail.com>, Tri Wahyuni Sukeesi <yunisukeesi.fkmuad@gmail.com>, Surahma Asti Mulasari <surahma.mulasari@ikm.uad.ac.id>

The following message is being delivered on behalf of International Journal of Public Health Science (IJPHS).

Dear Prof/Dr/Mr/Mrs: Dr. Sulistyawati Sulistyawati,

please replace some popular sources with scientific or official source; such as ref no 39, 40

International Journal of Public Health Science (IJPHS)

<http://ijphs.iaescore.com>



Sulistyawati Suyanto <sulistyawatisuyanto@gmail.com>

"They Looked at Me Like I Am a Virus": What and How Survivors Cope With COVID-19 Stigma During the Pandemic in Indonesia

1 message

Lina Handayani <ijphs@iaescore.com>

Mon, Jul 11, 2022 at 1:16 PM

Reply-To: "Dr. Sulistyawati Sulistyawati" <sulistyawatisuyanto@gmail.com>

To: "Dr. Veronique De Gucht" <degucht@fsw.leidenuniv.nl>, "Assoc. Prof. Dr. Henry Odhianosen Imhonde" <himhonde@yahoo.com>, "Dr. Jennifer Spencer" <jennifer_spencer@unc.edu>

The following message is being delivered on behalf of International Journal of Public Health Science (IJPHS).

Dear Editor,

The some popular sources has been changed to scientific or official source as your suggestion.

Best regard,
Sulistyawati

International Journal of Public Health Science (IJPHS)
<http://ijphs.iaescore.com>



Sulistyawati Suyanto <sulistyawatisuyanto@gmail.com>

[IJPHS] Editor Decision

1 message

Lina Handayani <ijphs@iaescore.com>

Tue, Jul 12, 2022 at 7:33 AM

Reply-To: "Dr. Lina Handayani" <ijphs@iaescore.com>

To: "Dr. Sulistyawati Sulistyawati" <sulistyawatisuyanto@gmail.com>

Cc: Rokhmayanti Rokhmayanti <rokhmayanti@ikm.uad.ac.id>, Budi Aji <budi.aji57@gmail.com>, Siwi Pramatama Mars Wijayanti <siwimars@gmail.com>, Tri Wahyuni Sukesi <yunisukesi.fkmuad@gmail.com>, Surahma Asti Mulasari <surahma.mulasari@ikm.uad.ac.id>

The following message is being delivered on behalf of International Journal of Public Health Science (IJPHS).

-- Paper ID#21954

-- Authors must strictly follow the guidelines for authors at

<http://iaescore.com/gfa/ijphs.docx>

Dear Prof/Dr/Mr/Mrs: Dr. Sulistyawati Sulistyawati,

It is my great pleasure to inform you that your paper entitled ""They Looked at Me Like I Am a Virus": What and How Survivors Cope With COVID-19 Stigma During the Pandemic in Indonesia" is ACCEPTED and will be published on the International Journal of Public Health Science (IJPHS). This journal is accredited SINTA 1 by Ministry of Research and Technology/National Research and Innovation Agency, Republic of Indonesia (RISTEK-BRIN) and has ACCEPTED for inclusion (indexing) in Scopus

(<https://suggestor.step.scopus.com/progressTracker/?trackingID=D331D503BA1584BF>)

since 2020 issues

([https://www.scopus.com/results/results.uri?src=s&st1=&st2=&sot=b&sdt=b&origin=searchbasic&rr=&sl=57&s=SRCTITLE%20\(International%20Journal%20of%20Public%20Health%20Science\)](https://www.scopus.com/results/results.uri?src=s&st1=&st2=&sot=b&sdt=b&origin=searchbasic&rr=&sl=57&s=SRCTITLE%20(International%20Journal%20of%20Public%20Health%20Science))).

Congratulations!

Please prepare your final camera-ready paper (in MS Word or LATEX file format) adheres to every detail of the guide of authors (MS Word: <http://iaescore.com/gfa/ijphs.docx>, or <http://iaescore.com/gfa/ijphs.rar> for LATEX file format), and check it for spelling/grammatical mistakes. Then you should upload your final paper through our online system (as "author version" under our decision, NOT as new submission).

You should submit your camera-ready paper along with your payment receipt and similarity report (that less than 20%) within 6 weeks.

I look forward to hearing from you.

Thank you

Best Regards,
Dr. Lina Handayani

You should submit all your documents:

1. Camera-ready paper
 2. Similarity report, along with
 3. Your payment evidence
- to email: ijphs@iaescore.com within 6 weeks.

All correspondence should be addressed to the emails (support by phone is not provided).

IMPORTANT!!!

- 1). PLEASE ADHERE STRICTLY THE GUIDE OF AUTHORS !!
<http://iaescore.com/gfa/ijphs.docx> and pay attention to the checklist for preparing your FINAL paper for publication:
<http://ijphs.iaescore.com/index.php/IJPHS/about/editorialPolicies#custom-5>
- 2). It is mandatory to present final paper in the sections structure "IMRAD style":
 1. INTRODUCTION
 2. The Proposed Method/Framework/Procedure specifically designed (optional)
 3. METHOD
 4. RESULTS AND DISCUSSION
 5. CONCLUSIONSee <http://iaescore.com/gfa/ijphs.docx>
- 3). It is mandatory!! Add biographies of authors as our template (include links to the authors' profiles, do not delete any icons in the template).
See <http://iaescore.com/gfa/ijphs.docx>
--> Provide links for all authors to the 4 icons (Scholar, Scopus, Publons and ORCID)
- 4). Use different PATTERNS for presenting different results in your graphics (instead of different colors). It is mandatory!! Re-check all your figures.
See <http://iaescore.com/gfa/ijphs.docx>
- 5). Please ensure that all references have been cited in your text. Use a tool such as EndNote, Mendeley, or Zotero for reference management and formatting, and choose IEEE style. Each citation should be written in the order of appearance in the text in square brackets. For example, the first citation [1], the second citation [2], and the third and fourth citations [3], [4]. When citing multiple sources at once, the preferred method is to list each number separately, in its own brackets, using a comma or dash between numbers, as such: [1], [3], [5]. It is not necessary to mention an author's name, pages used, or date of publication in the in-text citation. Instead, refer to the source with a number in a square bracket, e.g. [9], that will then correspond to the full citation in your reference list.
Examples of in-text citations:
This theory was first put forward in 1970 [9].
Zadeh [10] has argued that ...
Several recent studies [7], [9], [11]-[15] have suggested that....
... end of the line for my research [16].
- 6). Please present all references as complete as possible and use IEEE style (include information of DOIs, volume, number, pages, etc). If it is available, DOI information is mandatory!! See <http://iaescore.com/gfa/ijphs.docx>

In order to cover part of the publication cost, each accepted paper is charged: USD 265 (~IDR 3850K).
This charge is for the first 8 pages, and if any published manuscript over 8 pages will incur extra charges USD 50 (~IDR 800K) per page. We offer one page waiver due to your contribution as our reviewer, so you just need to pay for nine pages.

The payment should be made by bank transfer (T/T):

Bank Account name (please be exact)/Beneficiary: LINA HANDAYANI
Bank Name: CIMB NIAGA Bank
Branch Office: Kusumanegara Yogyakarta
City: Yogyakarta
Country : Indonesia
Bank Account #: 760164155700
SWIFT Code: BNIADJAXXX (PT. BANK CIMB NIAGA, TBK. in JAKARTA)

or as an alternative of the bank transfer, through PayPal to email:
info@iaesjournal.com

International Journal of Public Health Science (IJPHS)
<http://ijphs.iaescore.com>

“They Looked at Me Like I Am a Virus”: How Survivors Cope with COVID-19 Stigma During the Early Stage of Pandemic in Indonesia

Sulistyawati Sulistyawati^{1*}, Rokhmayanti Rokhmayanti², Budi Aji³, Siwi Pramutama Mars Wijayanti⁴, Tri Wahyuni Sukesi⁵, Surahma Asti Mulasari⁶
^{1,2,5,6} Faculty of Public Health, Universitas Ahmad Dahlan, Yogyakarta 55164, Indonesia
^{3,4} Faculty of Health Sciences, Jenderal Soedirman University, Purwokerto, 53122, Indonesia

Article Info

Article history:

Received month dd, yyyy
Revised month dd, yyyy
Accepted month dd, yyyy

Keywords:

COVID-19
Stigma
Coping Strategy
Pandemic

ABSTRACT

COVID-19 has shocked everyone globally, with fears of contracting the disease and the other socio-economic impacts. The noticeable impact at the beginning of the COVID-19 pandemic was the emergence of mental health disorders in the community, especially for patients, namely the stigma labeled on them. This study aimed to explore the COVID-19 survivors' experience since they were declared positive and isolated, including the stigma they faced in the early stage of the pandemic, using a phenomenology approach. Eight informants selected through purposive sampling were contacted via in-depth online interviews during September–December 2020. All interviews were recorded, transcribed, and analyzed using thematic analysis. During the investigation, this research found two themes: encountering unpleasant impacts, when contracting COVID-19 and coping strategies related to the impact. The negative stigma affected the informants' psychology and economics. Most informants took a religious/belief method to cope with the adversity, such as surrendering to God, and some reported ignoring the stigma. After one year of the pandemic, the stigma has dramatically reduced. However, continuous education in the community is needed to prevent stigmatization of COVID-19 survivors since the pandemic continues and scientific development in fighting this disease is ongoing. This research provides lessons learned to the community and related parties that in a health emergency situation, mental health must also be a concern beyond the rapid response to disease control itself.

This is an open access article under the [CC BY-SA](https://creativecommons.org/licenses/by-sa/4.0/) license.



Corresponding Author:

Sulistyawati
Faculty of Public Health, Universitas Ahmad Dahlan, Yogyakarta 55164, Indonesia.
Kampus 3, Jl. Prof. Dr Soepomo, Janturan, Umbulharjo, Yogyakarta, Indonesia
Email: sulistyawati.suyanto@ikm.uad.ac.id

1. INTRODUCTION

History records that the world has faced several severe pandemics. Nevertheless, it was still unprepared to deal with the current coronavirus disease 2019 (COVID-19) pandemic [1]. SARS-CoV-2 is the virus causing the COVID-19 illness discovered in China and then spread worldwide. It was subsequently declared a pandemic [2]. By April 2021, more than 130 million people worldwide had been infected with COVID-19, while more than 2.8 million people had died. At that time, Indonesia has contributed approximately 1% to global cases and deaths [3]. The disease has a broad impact on health and the social structure of human

- Deleted: What and
- Deleted: W
- Commented [A1]: We suggest the authors to change the title as follows:
“They Looked at Me Like I Am a Virus” : How Survivors Cope with COVID-19 Stigma During the Early Stage of Pandemic in Indonesia
- Commented [A2R1]: Done, thank you
- Commented [A3]: Please put more highlights on the background/motivation and the contributions of this study.
- Commented [A4R3]: Have been added at the last paragraph
- Deleted: that it can cause psychologically and psychologically
- Deleted: prominent
- Deleted: the number of
- Deleted: that
- Deleted: The psychological impact of COVID-19 is mainly related to the stigma attached to sufferers at the beginning of the pandemic.
- Commented [A6]: Please add: “... In the early stage of the pandemic, ...”
The reason is that currently, the stigma is -arguably- gone since many people are infected by COVID.
- Commented [A7R6]: Revised
- Deleted: by
- Formatted: Font: 10 pt
- Formatted: Font: 9 pt
- Commented [A8]: are
- Commented [A9]: , and
- Deleted: analysis
- Deleted: encounter
- Deleted: impact
- Deleted: strategy
- Deleted: to
- Deleted: to
- Commented [A10]: Please fix the grammatical errors and improve the English.
- Commented [A11R10]: Revised
- Commented [A12]: Use [XX] instead of (XX)
- Commented [A13R12]: The style has been changed
- Commented [A14]: We recommend the authors to use more recent data.
- Commented [A15R14]: The reason why we used 2021 data is to maintain the relevance of this topic (early pandemic). Then it would be relevant at the time we took the data.
- Deleted: in the world
- Commented [A16]: When? Please mention the date.
- Commented [A17R16]: That sentence refers to the sentence before (April 2021) (... [1])

life, such as adapting and changing behavior to prevent [disease transmission](#). Another frightening impact of this pandemic is the social stigmatization of COVID-19 survivors and health workers treating COVID-19 patients [4],[5].

Stigma marks someone [due to](#) a social judgment that tends to a negative opinion and a desire to avoid or exclude those people being stigmatized. Stigma often occurs in health and is attached to individuals with an acute [diseases](#), for example, HIV-AIDS, mental health, and obesity. Today, the survivors of COVID-19, as well as health workers, have fallen victim to stigmatization. Some stigmatization incidents occur in different settings; for example, doctors and nurses could not use public transport [5]. While in India, during the COVID-19 crisis, stigmatization has occurred based on religion, occupation, race, and economic class [6]; in Indonesia, COVID-19 stigma is attached to [survivors and health workers](#). For survivors, being stigmatized mainly affects their social [relationships](#) with others, such as feeling outcast due to being infected [with COVID-19](#) [7]. At the same time, some healthcare workers have lost their rights to normal life [8]. The impact of stigmatization on a person can also be manifold, such as housing, income, education, social relationships, behavior, healthcare, and health [9]. Furthermore, stigma affects the individual, and associative stigma affects their family and/or those associated with them [10], [11]. However, studies exploring COVID-19 stigmatization at an individual level are still limited; most research has studied stigmatization in health workers.

According to Pryor and Reeder (2011), there are four types of stigma: public stigma, self-stigma, structural stigma, and stigma by association [12]. These are interrelated and can result in a negative outcome. How individuals cope with stigma can be divided into problem-focused and emotion-focused coping [12]. Stigma is considered dangerous for health systems because it is a fundamental inequality [in health](#) as it affects people's behavior towards health-seeking and public trust in the government. This means that it influences the public's response to the health program run by the government. [There is mounting evidence](#) regarding several diseases [such as HIV-AIDS, obesity and mental health, stigma, and](#) effects on individuals and society [13]-[15]. However, during the COVID-19 pandemic, information regarding stigma at the grassroots level remains limited, while the process of preventing and controlling COVID-19 must be carried out immediately. Therefore, studies on how the public stigma of COVID-19 affects the individual stigma and how an individual with COVID-19 copes with the illness and the stigma will enhance the understanding of the situation and, ultimately, how the health system should react.

[During the early COVID-19 pandemic](#), Indonesia recorded relatively high morbidity and mortality. At the same time, the flow of information through the internet and social media cannot be controlled, which causes misinformation and disinformation related to this COVID-19. All of this triggers excessive fear from the public so that the stigmatization of COVID-19 fighters appears. [This study aimed to explore COVID-19 survivors' experiences](#), since they were declared positive and isolated, including the stigma they faced. We also captured how survivors cope with all adversities during the illness. [This study contributes to providing lessons learned to the community and related parties that in a health emergency situation, mental health must also be a concern beyond the rapid response to disease control itself.](#)

2. METHOD

2.1. Study design and participants

Our research employed a phenomenological approach to qualitatively analyze and explore the experience of COVID-19 survivors [facing social stigma, the impact on their lives, and how they coped with that situation](#). We emphasized [personal experience and feelings](#) to elaborate a pattern from which we can learn from their experiences.

Eight informants participated in this study and resided in two provinces: the Special Region of Yogyakarta and West Java. All of them were selected using purposive sampling. We approached informants personally through our social [network](#) because, at that time, the personal identity of a COVID-19 survivor was credentialed (not accessible to the public), and not all survivors we met were willing to be interviewed for fear of being stigmatized. The inclusion criteria for informants were (1) people who were diagnosed with COVID-19, (2) stating they were recovered when the interview was conducted, and (3) giving their consent to join our study. We determined to stop interviewing survivors who matched our inclusion criteria when our data were saturated.

2.2. Online Interview

Interview guidelines were developed by the research group using relevant literature and in-depth discussion among the members. The interview guide consisted of some questions: (1) Tell your story of being diagnosed up until you recovered; (2) what were your feelings after being diagnosed positive with COVID-19, and how did you cope with that? (3) Who gave you support while in quarantine? (4) Did you feel you were treated differently during your illness and afterward? (5) Did you suffer an economic loss because of your illness? Did your work suffer? How did you cope with that?

Deleted: the transmission of the disease

Deleted: as a result of

Deleted: who are

Deleted: disease

Deleted: both

Deleted: relationship

Deleted: coping

Deleted: on

Commented [A18]: Please specify the 'mounting evidence'.

Commented [A19R18]: Have been added about the disease also the references

Deleted: on

Deleted: their stigma, and their

Deleted:

Deleted: itself

Deleted: Indonesia has one of the countries with a high number of COVID-19 cases due to the high population (approximately 270 million people) spread over 34 provinces.

Deleted: this

Deleted: experience

Deleted: then

Commented [A21]: Please put more highlights on the background/motivation and the contribution of the study.

Commented [A22R21]: Information about the research (... [2]

Deleted: on

Formatted: Font: 10 pt

Deleted: ¶

Formatted: Font: 10 pt

Formatted (... [3]

Formatted: Font: 10 pt

Deleted: on

Deleted: and the

Deleted: .

Deleted: the

Commented [A23]: Why only 8, and why do the author (... [4]

Commented [A24R23]: We have stated all the conditio (... [5]

Deleted: : have been or undergoing isolation due to positive (... [6]

Formatted: Font: 10 pt

Formatted: Font: 10 pt

Formatted: Font: 10 pt

Deleted: connections

Formatted: Font: 10 pt

Commented [A25]: Online Interview. Also, please use a (... [7]

Commented [A26R25]: Revised

Deleted: Interview

Formatted: Font: 10 pt

Deleted: that

2.3. Data Collection

Data collection was conducted from September to December 2020, meaning our informants had contracted COVID-19 before that period. We approached several COVID-19 survivors by stating the interests and objectives of this research. We then made an appointment for an online interview for the patients who agreed to participate. At that time, meeting in person was difficult due to human movement and social distancing. With the informants' permission, the interviews were recorded for analysis purposes. The interviews were conducted for an average of 45 to 60 minutes per informant. Oral informed consent was obtained from the informants at the beginning of the interview. The informants could withdraw from the research at any time if they wished.

Formatted: Font: 10 pt

Deleted: For the patients who agreed to participate, we

Deleted: were given the autonomy to

Deleted: so

2.4. Data Analysis

Interview recordings were transcribed and analyzed using thematic analysis with a deductive approach [16]. Four people (authors number 1, 3, 5, and 6) independently looked for and obtained the transcriptions' meaning patterns to generate initial codes using the Quirkos data analysis software. The first author then combined all the coding and searched for initial themes. In the next step, the themes were reviewed by all the authors through continuous discussion to agree on the theme name. Finally, we described and reported the analysis.

Formatted: Font: 10 pt

Formatted: Font: 10 pt

Formatted: Font: 10 pt

Deleted: N

Formatted: Font: 10 pt

Formatted: Font: 10 pt

Deleted: reach an agreement

Formatted: Font: 10 pt

Formatted: Font: 10 pt

2.5. Ethical Approval

The study was approved by the Ethical Review Board of Ahmad Dahlan University, Yogyakarta, Indonesia (ethical approval code: 012008029).

3. RESULTS AND DISCUSSION

We recruited two males and six females aged 23–65 with a mean age of 35.87 ± 12.89 . Five informants are married with children living in the same house, one informant is married with children who do not live in the same house, and two informants are single. Regarding occupation, three informants work in the government office (receive a monthly salary), one informant works at a private company (gets a monthly stipend), and one informant was an entrepreneur in the traditional market (earns daily income), and three informants do not work. Concerning the isolation place: three informants were isolated at the government shelter, one informant was isolated in the hospital, one informant was isolated at home, one informant in a boarding house, and two informants underwent isolation at home, then in hospital (Table 1).

Deleted: Five informants are married with children living in the same house, one informant is married with children who do not live in the same house, and two informants are single.

Table 1. Informant characteristics

ID	Sex	Education	Age	Occupation	Isolation place (duration)
A	Female	Diploma	42	Government office (earns a monthly salary)	Government shelter (9 days)
B	Female	Diploma	27	Unemployed	Hospital (5 days)
C	Male	Senior high school	34	Government office (earns a monthly salary)	Government shelter (8 days)
D	Female	Bachelor	28	Private company (earns a monthly salary)	Home and hospital (16 days)
E	Male	Bachelor	42	Government office (earns a monthly salary)	Home (3 days)
F	Female	Illiterate	65	Entrepreneur (earns daily income)	Home and government shelter (23 days)
G	Female	Diploma	23	Unemployed	Government shelter (3 days)
H	Female	Ongoing bachelor education	26	Unemployed	Boarding house (22 days)

Two themes emerged from the analysis presented in Figure 1, 1) Encounter unpleasant impacts which diagnosed with COVID-19 and being isolated, and 2) Coping strategies to overcome the unpleasant situation.

Commented [A28]: Figure what? Figure 1?

Commented [A29R28]: Yes

Deleted: that

Deleted: presenting

Deleted: impact

Commented [A30]: Please check the font size.

Commented [A31R30]: Revised




Figure 1. Summary of analysis using an inductive approach.

Theme 1: Encounter unpleasant impacts, when diagnosed with COVID-19 and being isolated

Deleted: impact

This theme represents all feelings and events after the survivor had been diagnosed positive for COVID-19 and had to be isolated. All informants (n = 8) dealt with various psychological experiences after testing positive for COVID-19 and having to be quarantined until they were declared negative/recovered. Informants experienced multiple forms of stigmatization from their surroundings. Being isolated and continuously stigmatized raised their negative emotions, such as feeling shocked after being diagnosed with COVID-19, feeling like it was a dream, and being surprised because they had applied health protocols so far (n = 2). They were sad because they had to be away from family (n = 3), feeling down, and anxious about the possibility of death (n = 2). Feeling insecure (n = 2), this feeling arises after the quarantine had finished and they had to return to the community, fear (n = 3), fear of transmission to the family and people around. They were imprisoned (n = 2), feeling like they were being punished alone, unable to go anywhere. Three informants stated they felt excluded by feeling people's attitudes, such as being rejected in their daily lives (n = 4), and even at a further stage, experienced expulsion. Another form of stigma experienced is being shunned (n = 7); this happened when people who had been close to them did not get in contact when the survivor was isolated – even via private chat. Three subthemes construct this theme:

Deleted: feeling

1. Being stigmatized by society: excluded, rejected, and shunned

After being tested positive for COVID-19, the survivors experienced various unpleasant treatments, such as feeling neglected, rejected, and ostracized by the surrounding community, which hurt them. In times of isolation, many people stay away, even avoid communication and talk unpleasantly behind their backs.

“But we don't dare (to speak) because we're afraid people will say something else about me. That way, it's just that it's more painful than the disease itself.” (C, Male 34 yrs, isolated at government shelter)

“I'm still grateful (for not being kicked out of my house). My friend had to move from the boarding house because everyone looked at her like a virus. You can't even throw the trash out from the room.” (D, Female 28 yrs, isolated at government shelter)

Worse, when they are declared cured of COVID-19, they are still hostile, shunned, and refuse to carry out their everyday activities, such as shopping at the shop next to their house: the reason that people will be afraid of his presence:

Deleted: normal

Deleted: with the

"When I ~~arrived~~ home from the shelter, they asked whether I ran away from the hospital. It is such a rude question for me. When I went to the vegetable storehouse, the seller said that if I ~~shopped~~ in their storehouse, everyone would be afraid of getting infected by me. So, the seller not accept my presence on their storehouse" (G, Female 23 yrs, isolated at government shelter)

Deleted: already come

Deleted: shop

In addition, other family members also experienced unpleasant treatment from the community, even though they had been declared cured:

"My son was not allowed to play with the neighbors; they asked my son to go home. Then my son cried and went home." (E, Male 42 yrs, isolated at home)

2. Dealing with various psychological experiences: shock, sadness, anxiety, insecurity, fear, feeling imprisoned.

Being infected with COVID-19 makes sufferers feel shocked, sad, and anxious. Moreover, they think ~~they are~~ imprisoned because they cannot carry out routine activities ~~and~~ must be isolated. One informant said he was in shock and stigmatized as the source of the virus:

Deleted: they

Deleted: because they

"I was down at that time; they looked at me like a virus and dangerous thing. I am also worried because, logically (being hospitalized) means that we are in a virus house because it treats sick people. And now, there are people with corona, with different symptoms; some are severe." (D, Female 28 yrs, Bachelor)

Another informant said he was unfortunate because he had to be separated from his family, even though he was worried about the COVID-19 situation:

"Sad because you ~~must~~ leave your family, be isolated, and continue to be anxious. The anxiety is whether COVID-19 can be cured or not. There are only two possibilities for COVID-19: alive or dead because the mortality rate shows so" (A, Female 42 yrs, Diploma)

Deleted: have to

3. Experiencing economic challenges: income decreasing and expenditure increasing.

During isolation, COVID-19 sufferers cannot have economic activities, so they cannot get their primary income, mainly for informants who ~~did~~ not receive regular monthly salaries. On the other hand, during the isolation, the need increased because there were purchases of multivitamins and other supporting foods as well as routine needs that must be met:

Deleted: do

Deleted: before

"There is a decrease of about 60% in income because my husband is self-employed. On the other hand, there is an increase in expenditure of about 30% from normal, not because of drugs but for food nutritional intake to speed up the recovery" (D, Female 28 yrs, works at government office)

Informants working in the formal sector that receive regular income also reported a slight decrease in income:

"My husband works in a private hospital, so it seems that his income is affected because he didn't go to work for several days. But yes, only a little." (A, Female 42 yrs, works at government office)

Theme 2: Coping strategies to overcome the unpleasant situation

The second theme is the coping strategies used to overcome the worst situation, representing how they coped with their problems during quarantine (isolation). An interesting finding was how informants handled the situation they faced during the illness and isolation. Two out of the eight informants said they overcame decreased income and increased expenditure by using savings for economic issues. One other informant stated that they borrowed money from others. Meanwhile, five of the eight informants expressed that they were helped by their support system—for example, logistical assistance from their employer. On the other hand, four informants said they chose to surrender what happened to God. To overcome the stigma, informants ignored it (n = 2). Two subthemes were developed for this theme:

Commented [A32]: Please use a consistent font size.

Commented [A33R32]: Already checked

1. Coping with economic difficulties by taking out savings or a loan

As mentioned before that, during the isolation, COVID-19 survivors experienced a decrease in income and an increase in expenses, so they had to find a way out to deal with it. For those who have savings, they will take savings:

"I have unpredicted money; usually, I keep it somewhere in my room. So yesterday, I took it during my recovery. (G, Female 23 yrs, unemployed)

However, for those who do not have reserve funds, they must borrow to meet their needs:

"I meet daily needs by borrowing from anyone. I buy food from a peddler but pay later. I have the principle as long as I'm still alive, I can still pay my debt. "(F, Female 65 yrs, entrepreneur)

2. Dealing with stigma by ignoring it and surrendering to God.

The stigmatization of people with COVID-19 – even when they are declared cured – leaves survivors with no choice nonetheless to face it:

"It's sad (what they do to me), but I just ignore it; maybe they don't know about COVID-19. The important thing is I don't interact closely with them. I surrendered (with COVID-19), but I thought this was already the way, and there must be a lesson. With the name of God, "Kun Faya Kun," if God wants it, it will happen, and we have only to pray." (A, Female 42 yrs, Diploma)

Surrender and considering this a life trial from God was also stated by another informant.

I surrender and believe in God, pray and pray. I have given up because I don't know what else to do; maybe this is a life test for my family." (B, Female 27 yrs, Diploma)

This is one of the first studies to explore the stigma associated with COVID-19 survivors and their coping strategies in Indonesia. We found that the survivors dealt with several social stigmatizations that affected their psychology and economics in the sample. The survivors' coping strategies during the period of isolation included turning to religion through surrendering to God and ignoring people's opinions. The survivors borrowed money from others and drew on their savings to cope with the economic adversity.

Deleted: surrender

We reveal the psychological experiences of the COVID-19 survivors who were infected at the onset of the disease (2020) in Indonesia. In-depth interviews with the recovered survivors reported many horrible psychological experiences during their illness and isolation, including being excluded, rejected, and ignored by their community/neighbors. Thus, in line with the WHO statement, stigma is more hazardous than the disease itself [17]. The stigmatization of certain conditions is not new in public health. Mental health has always received a negative stigma from the community, dissuading sufferers from seeking treatment [18]–[21]. If the social stigma labels of COVID-19 patients continue, it will hinder general prevention efforts of this disease; COVID-19 patients refuse to seek treatment and mask the disease symptoms for fear of being stigmatized by the surrounding community [22], [23].

Deleted: hinders

Our informant stated that COVID-19 stigma and harassment influence societal psychological and mental behavior, following the previous research [24]. The experiences of the COVID-19 survivors and the news in the media about the COVID-19 stigma scare the public. Indonesia's situation has worsened: people with symptoms do not want to be tested for fear of being stigmatized [25], while local communities refuse COVID-19 corpses because of excessive fear [26]. Consequently, when people are diagnosed with COVID-19, they feel shocked, sad, anxious, and insecure; they are terrified by the stigma. These feelings reflect their panic and unreadiness to accept the reality—being infected with COVID-19, being isolated, and being stigmatized by society. What has happened in Indonesia is not unique; the same panic has been witnessed in the Philippines in response to COVID-19 [27]. The panic phenomenon in the community during the COVID-19 pandemic is a form of anxiety due to misperceptions and difficulty finding solutions [28]. This is understandable because, at the onset of the disease, there was a lack of information about COVID-19. Meanwhile, there was a rapid flow of information through social media, including false information/hoaxes that generated panic among people [29], [30]. In Indonesia, as we found in our previous research, there is insufficient knowledge in society about such issues as air transmission and COVID-19 symptoms [31], which affect the general attitude towards and the prevention of the disease, including how COVID-19 survivors should be treated.

Deleted: Form u

Deleted: clearly

Deleted: the

Deleted: in

Deleted: , indeed,

Most COVID-19 survivors coped with social stigmatization using emotion-focused coping [12] by denying or ignoring what people said. The survivors also accepted their situation as God's predestination (Allah); they adopted an attitude of surrender. This situation captures the role of religion/spiritual belief in determining a person's attitude. Previous research states that more religious people have better mental health when facing illness or health problems than less religious people [32]. This evidence opens another possibility for education—as the primary pathway to reducing stigma—through religious leaders cooperating with the relevant health authorities. The spiritual leader model has been implemented in health problems, such as the diabetes campaign in Mexico and increased vaccination acceptance amongst minority groups in the Netherlands [33], [34]. In Indonesia, the government, through the Indonesian COVID-19 task force, has developed some measures to tackle the COVID-19 stigma: 1) presenting better communication regarding the risks, 2) encouraging the media to spread complete and correct information about the transmission of the virus to avoid misinformation and misinterpretation that could affect society's behavior regarding COVID-19 prevention and control, and 3) fostering the media to present balanced information, not only about the number of cases but also regarding the prevention and control efforts in an attempt by the government to avert people's fears [35], [36].

The isolation and stigmatization of the COVID-19 survivors had a direct economic impact mainly on people who don't have a regular salary, for example, unemployed or entrepreneurs. People without a stable income/financial independence are more vulnerable and less resilient during this pandemic. Fortunately, Indonesian society possesses good social capital in cooperation or mutual assistance, called *Gotong Royong* [37], [38] that provides social support to the COVID-19 survivor during their illness, as mentioned by the informant. This is evident in the social actions/solidarity in several places in Indonesia to support isolated COVID-19 survivors, especially those isolated at home who cannot meet their daily needs. For example, in Yogyakarta Province, some social solidarity acts were raised aimed at providing the COVID-19 survivor's logistics during isolation, called *Canthelan*, '*Solidaritas Pangan Jogja (SPJ)*,' '*Jaringan Lintas Iman Tanggap COVID-19 (JIC)*', and *Gandeng Gendong* [39]–[40]. This kind of social action is also found in other areas in Indonesia, with concern for the surrounding community. This model can be further developed as a construct to alleviate the current social crisis in the community. However, what has happened regarding the social exclusion of COVID-19 survivors signals that the social capital structure, namely togetherness, is weakening in Indonesia.

Possible weaknesses of the study are the number and the distribution of informants' locations. However, this was the main difficulty during this study, as the data were closed to the public, and some prospective informants refused to be interviewed for fear of violating restrictions. Nonetheless, saturation was reached with the informants we engaged, i.e., there was no more new information from the informants. We recommend using a mixed-method approach, with the general public as the subject, to assess their response to COVID-19 survivors for future research. Another potential study is examining the role of social capital in society during a health emergency. For the health authority, education is the primary method of informing the community regarding COVID-19. Engaging prospective change agents such as spiritual leaders may enhance the belief in and acceptance of the information delivered.

4. CONCLUSION

This study explores COVID-19 survivors' experiences during their illness and being isolated, including the stigma they faced. We interviewed eight COVID-19 survivors after being declared hostile by COVID-19. Findings show that all the COVID-19 survivors in this study experienced COVID-19 stigma from their neighbors during and even after their illness. Having a good support system and religion/belief is crucial to facing stigmatization. After one year of the pandemic, the COVID-19 stigma in Indonesia is already much reduced. However, continuing education in the community is still relevant and essential to avoid the same stigma while the scientific effort to defeat COVID-19 is ongoing.

ACKNOWLEDGEMENTS

We wish to thank all the participants who contributed to this study. This research was funded by the Ministry of Research and Technology of Indonesia (KEMENRISTEK/BRIN).

REFERENCES

- [1] O. Jarius, "Pandemics That Changed History: Timeline - HISTORY," *Live Science*, 2020. <https://www.history.com/topics/middle-ages/pandemics-timeline> (accessed Apr. 03, 2021).
- [2] J. S. MacKenzie and D. W. Smith, "COVID-19: A novel zoonotic disease caused by a coronavirus from China: What we know and what we don't," *Microbiol. Aust.*, vol. 41, no. 1, pp. 45–50, 2020, doi: 10.1071/MA20013.
- [3] Worldometer, "Coronavirus Cases," *Worldometer*, 2021. <https://www.worldometers.info/coronavirus/> (accessed Apr. 02, 2021).
- [4] A. Mostafa, W. Sabry, and N. S. Mostafa, "COVID-19-related stigmatization among a sample of Egyptian healthcare workers," *PLoS One*, vol. 15, no. 12 December, pp. 1–15, 2020, doi: 10.1371/journal.pone.0244172.

Paper's should be the fewest possible that accurately describe ... (First Author)

Deleted: , in addition,

Deleted: who cooperate

Deleted: is a signal

Deleted: starting to weaken

Deleted: negative

Deleted: from

Deleted: to

- [5] S. Bagcchi, "Stigma during the COVID-19 pandemic," *Lancet. Infect. Dis.*, vol. 20, no. 7, p. 782, 2020, doi: 10.1016/S1473-3099(20)30498-9.
- [6] D. Bhanot, T. Singh, S. K. Verma, and S. Sharad, "Stigma and discrimination during COVID-19 pandemic," *Frontiers in Public Health*, vol. 8. Frontiers Media S.A., Jan. 12, 2021, doi: 10.3389/fpubh.2020.577018.
- [7] A. Syakriah, "For some Indonesians, COVID-19 stigma worse than disease - National - The Jakarta Post," *The Jakarta Post*, 2020. <https://www.thejakartapost.com/news/2020/08/30/for-some-indonesians-covid-19-stigma-worse-than-disease.html> (accessed Apr. 12, 2021).
- [8] M. Faris and M. R. Arifianto, "Social stigma toward health workers associated with coronavirus disease 2019," *Open Access Maced. J. Med. Sci.*, vol. 8, no. T1, pp. 112–114, 2020, doi: 10.3889/oamjms.2020.4917.
- [9] M. L. Hatzenbuehler, J. C. Phelan, and B. G. Link, "Stigma as a fundamental cause of population health inequalities," *Am. J. Public Health*, vol. 103, no. 5, pp. 813–821, 2013, doi: 10.2105/AJPH.2012.301069.
- [10] M. J. Halter, "Perceived characteristics of psychiatric nurses: stigma by association," *Arch. Psychiatr. Nurs.*, vol. 22, no. 1, pp. 20–26, Feb. 2008, doi: 10.1016/j.apnu.2007.03.003.
- [11] E. Goffman, *Stigma: Notes on the Management of Spoiled Identity*. New York: Simon and Schuster, 1963.
- [12] A. E. R. Bos, J. B. Pryor, G. D. Reeder, and S. E. Stutterheim, "Stigma: advances in theory and research," *Basic Appl. Soc. Psychol.*, vol. 35, no. 1, pp. 1–9, 2013, doi: 10.1080/01973533.2012.746147.
- [13] E. Small, S. P. Nikolova, Y. Zhou, and M. Okumu, "Exploring factors associated with HIV secondary stigma among adolescents and young adults in Uganda: A cross-sectional study," *Glob. Public Health*, vol. 0, no. 0, pp. 1–12, 2021, doi: 10.1080/17441692.2020.1869286.
- [14] J. C. Sapag et al., "Stigma towards mental illness and substance use issues in primary health care: Challenges and opportunities for Latin America," *Glob. Public Health*, vol. 13, no. 10, pp. 1468–1480, 2018, doi: 10.1080/17441692.2017.1356347.
- [15] R. M. Puhl and C. A. Heuer, "Obesity stigma: Important considerations for public health," *Am. J. Public Health*, vol. 100, no. 6, pp. 1019–1028, 2010, doi: 10.2105/AJPH.2009.159491.
- [16] V. Braun and V. Clarke, "Using thematic analysis in psychology," *Qual. Res. Psychol.*, vol. 3, pp. 77–101, 2006, doi: 10.1111/j.1460-2466.1978.tb01621.x.
- [17] S. Kelly and S. Y. Lee, "Coronavirus spreading fast but stigma is more dangerous: WHO - World - The Jakarta Post," *The Jakarta Post*, 2020. <https://www.thejakartapost.com/news/2020/03/03/coronavirus-spreading-fast-but-stigma-is-more-dangerous-who.html> (accessed Mar. 30, 2021).
- [18] C. Henderson, S. Evans-Lacko, and G. Thornicroft, "Mental illness stigma, help seeking, and public health programs," *Am. J. Public Health*, vol. 103, no. 5, pp. 777–780, 2013, doi: 10.2105/AJPH.2012.301056.
- [19] L. J. Barney, K. M. Griffiths, A. F. Jorm, and H. Christensen, "Stigma about depression and its impact on help-seeking intentions," *Aust. N. Z. J. Psychiatry*, vol. 40, no. 1, pp. 51–54, 2006, doi: 10.1111/j.1440-1614.2006.01741.x.
- [20] A. Zartaloudi and M. Madianos, "Stigma related to help-seeking from a mental health professional," *Heal. Sci. J.*, vol. 4, no. 2, pp. 77–83, 2010.
- [21] G. Thornicroft, "Stigma and discrimination limit access to mental health care," *Epidemiol. e Psychiatr. Soc.*, vol. 17, no. 1, 2008, doi: 10.1017/S1121189X00002621.
- [22] M. Rewerska-Jusko and K. Rejdak, "Social Stigma of Patients Suffering from COVID-19: Challenges for Health Care System," *Healthcare*, vol. 10, no. 2, 2022, doi: 10.3390/healthcare10020292.
- [23] Y. Y. Pratama, E. Arlinda, and M. Rosada, "Why is health protocol still needed even though people are getting vaccinated?," *Epidemiol. Soc. Heal. Rev.*, vol. 4, no. 1, pp. 36–37, 2022.
- [24] A. S. Abdelhafiz and M. Alorabi, "Social stigma: the hidden threat of COVID-19," *Front. Public Heal.*, vol. 8, no. August, pp. 2–5, 2020, doi: 10.3389/fpubh.2020.00429.
- [25] A. Matulesy, "Social stigma toward COVID-19 patients in Indonesia," *Global Insights Newsletter*, 2020. <https://www.apa.org/international/global-insights/covid-19-indonesia> (accessed Mar. 30, 2021).
- [26] W. Sulistiadi, S. Rahayu, and N. Harmani, "Handling of public stigma on covid-19 in Indonesian society," *Kesmas*, vol. 15, no. 2, pp. 70–76, 2020, doi: 10.21109/KESMAS.V15I2.3909.
- [27] C. J. C. Nicomedes and R. M. A. Avila, "An analysis on the panic during COVID-19 pandemic through an online form," *J. Affect. Disord.*, vol. 276, no. January, pp. 14–23, 2020.
- [28] M. Baggio, "Here's why society is reacting with panic to coronavirus," *World Economic Forum*, 2020. <https://www.weforum.org/agenda/2020/03/dont-panic-how-human-behaviour-can-fuel-the-coronavirus/> (accessed Mar. 29, 2021).
- [29] C. M. Pulido, B. Villarejo-Carballido, G. Redondo-Sama, and A. Gómez, "COVID-19 infodemic: More retweets for science-based information on coronavirus than for false information," *Int. Sociol.*, vol. 35, no. 4, pp. 377–392, 2020, doi: 10.1177/0268580920914755.
- [30] C. Pazzanese, "Social media used to spread, create COVID-19 falsehoods," *Harvard Gazette Health and Medicine*, 2020. <https://news.harvard.edu/gazette/story/2020/05/social-media-used-to-spread-create-covid-19-falsehoods/> (accessed Mar. 29, 2021).
- [31] S. Sulistyawati et al., "Knowledge, Attitudes, Practices and Information Needs During the COVID-19 Pandemic in Indonesia," *Risk Manag. Healthc. Policy*, vol. 14, pp. 163–175, 2021, [Online]. Available: https://www.dovepress.com/articles.php?article_id=61222.
- [32] H. G. Koenig, "Religion, spirituality, and health: the research and clinical implications," *ISRN Psychiatry*, vol. 2012, pp. 1–33, 2012, doi: 10.5402/2012/278730.
- [33] W. L. M. Ruijs, J. L. A. Hautvast, S. Kerrar, K. Van Der Velden, and M. E. J. L. Hulscher, "The role of religious leaders in promoting acceptance of vaccination within a minority group: A qualitative study," *BMC Public Health*, vol. 13, no. 511, 2013, doi: 10.1186/1471-2458-13-511.
- [34] M. Rivera-Hernandez, "The role of religious leaders in health promotion for older Mexicans with Diabetes," *Physiol. Behav.*, vol. 54, no. 1, pp. 303–315, 2015, doi: 10.1007/s10943-014-9829-z.
- [35] Indonesia COVID-19 Task Force, "Mencegah dan Menangani Stigma Sosial Seputar COVID-19," *kawalCovid19.id*, 2020. <https://kawalcovid19.id/content/698/mencegah-dan-menangani-stigma-sosial-seputar-covid-19> (accessed Apr. 15, 2021).
- [36] N. K. Widiastuti, "Mari Hentikan Stigma Negatif terkait Covid-19 - Dinas Kesehatan Provinsi Bali," *Bali Provincial Health Office*, 2020. <https://www.diskes.baliprov.go.id/mari-hentikan-stigma-negatif-terkait-covid-19> (accessed Apr. 15, 2021).
- [37] K. Lukiyanto and M. Wijayaningtyas, "Gotong Royong as social capital to overcome micro and small enterprises' capital difficulties," *Heliyon*, vol. 6, no. 9, p. e04879, 2020, doi: 10.1016/j.heliyon.2020.e04879.

- [38] L. Satlita, U. Dewi, and A. Priyanto, "Strengthening social capital in implementing Segoro Amarto Movement to alleviate poverty in Yogyakarta City," *IJSS*, vol. 13, no. 2, pp. 70–81, 2017.
- [39] D. Wardhana, "Social capital in a pandemic: The case of Yogyakarta - Opinion - The Jakarta Post," *The Jakarta Post*, 2020. <https://www.thejakartapost.com/academia/2020/10/13/social-capital-in-a-pandemic-the-case-of-yogyakarta.html> (accessed Apr. 02, 2021).
- [40] E. A. Rusqiyati, "Pemenuhan logistik warga Yogyakarta isolasi melalui Gandeng Gendong - ANTARA News," *ANTARA News*, 2020. <https://www.antaraneews.com/berita/2000477/pemenuhan-logistik-warga-yogyakarta-isolasi-melalui-gandeng-gendong> (accessed Apr. 11, 2021).

BIOGRAPHIES OF AUTHORS

	<p>Sulistyawati is a public health scientist working on the health system research, implementation research focusing on infectious disease and health program evaluation. She can be contacted at email: sulistyawati.suyanto@ikm.uad.ac.id</p>
	<p>Rokhmayanti is an epidemiologist working on epidemiology, surveillance Epidemiology (NCD, Emerging, Re-Emerging & New Emerging Disease), and zoonosis. She can be contacted at email: rokhmayanti@ikm.uad.ac.id</p>
	<p>Budi Aji Dr. Budi Aji is a public health by training. He attained his bachelor from Faculty of Public Health at Diponegoro University-Semarang. He did his master degree at the Graduate Institute of Health Care administration at Asia University-Taiwan, and graduated from PhD program at Institute of Public Health, University of Heidelberg-Germany. He has been working as a lecturer and researcher at the School of Public Health, Faculty of Medicine and Health Sciences, Jenderal Soedirman University-Purwokerto since 2002. As a researcher, He is currently focusing his projects on health policy, health economics, global health, health equity and climate change.</p> <p>Along with his duties at the School of Public Health, he attended seminars and met with public health leaders at different functions and events. All these activities confirmed his growing interest in public health, health policy, health economics, global health, and climate change, particularly in developing countries. These are his most vital interests because he believes they are fundamental to his country, Indonesia.</p>

Commented [A35]: Use consistent photo shape, size, and aspect ratio. These kinds of formatting errors might annoy the reviewer and give an impression that the manuscript is not well written.

Commented [A36R35]: Revised

	He can be contacted at email: budi.aji57@gmail.com
	Siwi Pramata Mars Wijayanti is a public health scientist working on entomology and epidemiology. Siwi can be contacted at email siwimars@gmail.com
	Tri Wahyuni Sukesi is a public health scientist working on environmental health and dengue. Siwi can be contacted at email yunisukesi.fkmud@gmail.com
	Surahma Asti Mulasari is a public health scientist working on environmental health and dengue. Siwi can be contacted at email surahma.mulasari@ikm.uad.ac.id

Page 1: [1] Commented [A17R16] Author

That sentence refers to the sentence before (April 2021)

Revised

Page 2: [2] Commented [A22R21] Author

Information about the research contribution has been added

Page 2: [3] Formatted Author

Left, Indent: Left: 0 cm, Hanging: 0,75 cm, Outline numbered + Level: 1 + Numbering Style: 1, 2, 3, ... + Start at: 1 + Alignment: Left + Aligned at: 0,63 cm + Indent at: 1,27 cm, Tab stops: 0,75 cm, Left

Page 2: [4] Commented [A23] Author

Why only 8, and why do the authors choose these regions?

Eight participants from 2 regions might not be enough to represent Indonesia (as in the title).

However, if the authors have their own 'scientific' reason, please state it.

Page 2: [5] Commented [A24R23] Author

We have stated all the conditions related to the informant recruitment also regarding the saturation information after we got 8

Page 2: [6] Deleted Author

Page 2: [7] Commented [A25] Author

Online Interview. Also, please use a consistent font size.

“They Looked at Me Like I Am a Virus”: How Survivors Cope with COVID-19 Stigma During the Early Stage of Pandemic in Indonesia

Sulistiyawati Sulistiyawati^{1*}, Rokhmayanti Rokhmayanti², Budi Aji³, Siwi Pramata Mars Wijayanti⁴, Tri Wahyuni Sukesi⁵, Surahma Asti Mulasari⁶
^{1,2,5,6} Faculty of Public Health, Universitas Ahmad Dahlan, Yogyakarta 55164, Indonesia
^{3,4} Faculty of Health Sciences, Jenderal Soedirman University, Purwokerto, 53122, Indonesia

Article Info

Article history:

Received month dd, yyyy
Revised month dd, yyyy
Accepted month dd, yyyy

Keywords:

COVID-19
Stigma
Coping Strategy
Pandemic

ABSTRACT

COVID-19 has shocked everyone globally, with fears of contracting the disease and the other socio-economic impacts. The noticeable impact at the beginning of the COVID-19 pandemic was the emergence of mental health disorders in the community, especially for patients, namely the stigma labeled on them. This study aimed to explore the COVID-19 survivors' experience since they were declared positive and isolated, including the stigma they faced in the early stage of the pandemic, using a phenomenology approach. Eight informants selected through purposive sampling were contacted via in-depth online interviews during September–December 2020. All interviews were recorded, transcribed, and analyzed using thematic analysis. During the investigation, this research found two themes: encountering unpleasant impacts, when contracting COVID-19 and coping strategies related to the impact. The negative stigma affected the informants' psychology and economics. Most informants took a religious/belief method to cope with the adversity, such as surrendering to God, and some reported ignoring the stigma. After one year of the pandemic, the stigma has dramatically reduced. However, continuous education in the community is needed to prevent stigmatization of COVID-19 survivors since the pandemic continues and scientific development in fighting this disease is ongoing. This research provides lessons learned to the community and related parties that in a health emergency situation, mental health must also be a concern beyond the rapid response to disease control itself.

This is an open access article under the [CC BY-SA](https://creativecommons.org/licenses/by-sa/4.0/) license.



Corresponding Author:

Sulistiyawati
Faculty of Public Health, Universitas Ahmad Dahlan, Yogyakarta 55164, Indonesia.
Kampus 3, Jl. Prof. Dr Soepomo, Janturan, Umbulharjo, Yogyakarta, Indonesia
Email: sulistiyawati.suyanto@ikm.uad.ac.id

1. INTRODUCTION

History records that the world has faced several severe pandemics. Nevertheless, it was still unprepared to deal with the current coronavirus disease 2019 (COVID-19) pandemic [1]. SARS-CoV-2 is the virus causing the COVID-19 illness discovered in China and then spread worldwide. It was subsequently declared a pandemic [2]. By April 2021, more than 130 million people worldwide had been infected with COVID-19, while more than 2.8 million people had died. At that time, Indonesia has contributed approximately 1% to global cases and deaths [3]. The disease has a broad impact on health and the social structure of human

- Deleted: What and
- Deleted: W
- Commented [A1]: We suggest the authors to change the title as follows:
“They Looked at Me Like I Am a Virus” : How Survivors Cope with COVID-19 Stigma During the Early Stage of Pandemic in Indonesia
- Commented [A2R1]: Done, thank you
- Commented [A3]: Please put more highlights on the background/motivation and the contributions of this study.
- Commented [A4R3]: Have been added at the last paragraph
- Deleted: that it can cause psychologically and psychologically
- Deleted: prominent
- Deleted: the number of
- Deleted: that
- Deleted: The psychological impact of COVID-19 is mainly related to the stigma attached to sufferers at the beginning of the pandemic.
- Commented [A6]: Please add: “... In the early stage of the pandemic, ...”
The reason is that currently, the stigma is -arguably- gone since many people are infected by COVID.
- Commented [A7R6]: Revised
- Deleted: by
- Formatted: Font: 10 pt
- Formatted: Font: 9 pt
- Commented [A8]: are
- Commented [A9]: , and
- Deleted: analysis
- Deleted: encounter
- Deleted: impact
- Deleted: strategy
- Deleted: to
- Deleted: to
- Commented [A10]: Please fix the grammatical errors and improve the English.
- Commented [A11R10]: Revised
- Commented [A12]: Use [XX] instead of (XX)
- Commented [A13R12]: The style has been changed
- Commented [A14]: We recommend the authors to use more recent data.
- Commented [A15R14]: The reason why we used 2021 data is to maintain the relevance of this topic (early pandemic). Then it would be relevant at the time we took the data.
- Deleted: in the world
- Commented [A16]: When? Please mention the date.
- Commented [A17R16]: That sentence refers to the sentence before (April 2021) (... [1])

life, such as adapting and changing behavior to prevent [disease transmission](#). Another frightening impact of this pandemic is the social stigmatization of COVID-19 survivors and health workers treating COVID-19 patients [4],[5].

Stigma marks someone [due to](#) a social judgment that tends to a negative opinion and a desire to avoid or exclude those people being stigmatized. Stigma often occurs in health and is attached to individuals with an acute [diseases](#), for example, HIV-AIDS, mental health, and obesity. Today, the survivors of COVID-19, as well as health workers, have fallen victim to stigmatization. Some stigmatization incidents occur in different settings; for example, doctors and nurses could not use public transport [5]. While in India, during the COVID-19 crisis, stigmatization has occurred based on religion, occupation, race, and economic class [6]; in Indonesia, COVID-19 stigma is attached to [survivors](#) and health workers. For survivors, being stigmatized mainly affects their social [relationships](#) with others, such as feeling outcast due to being infected [with](#) COVID-19 [7]. At the same time, some healthcare workers have lost their rights to normal life [8]. The impact of stigmatization on a person can also be manifold, such as housing, income, education, social relationships, behavior, healthcare, and health [9]. Furthermore, stigma affects the individual, and associative stigma affects their family and/or those associated with them [10], [11]. However, studies exploring COVID-19 stigmatization at an individual level are still limited; most research has studied stigmatization in health workers.

According to Pryor and Reeder (2011), there are four types of stigma: public stigma, self-stigma, structural stigma, and stigma by association [12]. These are interrelated and can result in a negative outcome. How individuals cope with stigma can be divided into problem-focused and emotion-focused coping [12]. Stigma is considered dangerous for health systems because it is a fundamental inequality [in](#) health as it affects people's behavior towards health-seeking and public trust in the government. This means that it influences the public's response to the health program run by the government. [There is mounting evidence](#) regarding several diseases [such as HIV-AIDS, obesity and mental health, stigma, and](#) effects on individuals and society [13]-[15]. However, during the COVID-19 pandemic, information regarding stigma at the grassroots level remains limited, while the process of preventing and controlling COVID-19 must be carried out immediately. Therefore, studies on how the public stigma of COVID-19 affects the individual stigma and how an individual with COVID-19 copes with the illness and the stigma will enhance the understanding of the situation and, ultimately, how the health system should react.

[During the early COVID-19](#) pandemic, Indonesia recorded relatively high morbidity and mortality. At the same time, the flow of information through the internet and social media cannot be controlled, which causes misinformation and disinformation related to this COVID-19. All of this triggers excessive fear from the public so that the stigmatization of COVID-19 fighters appears. [This study aimed to explore COVID-19 survivors' experiences](#), since they were declared positive and isolated, including the stigma they faced. We also captured how survivors cope with all adversities during the illness. [This study contributes to providing lessons learned to the community and related parties that in a health emergency situation, mental health must also be a concern beyond the rapid response to disease control itself.](#)

2. METHOD

2.1. Study design and participants

Our research employed a phenomenological approach to qualitatively analyze and explore the experience of COVID-19 survivors [facing social stigma, the impact on their lives, and how they coped with that situation](#). We emphasized [personal experience and feelings](#) to elaborate a pattern from which we can learn from their experiences.

Eight informants participated in this study and resided in two provinces: the Special Region of Yogyakarta and West Java. All of them were selected using purposive sampling. We approached informants personally through our social [network](#) because, at that time, the personal identity of a COVID-19 survivor was credentialed (not accessible to the public), and not all survivors we met were willing to be interviewed for fear of being stigmatized. The inclusion criteria for informants were (1) people who were diagnosed with COVID-19, (2) stating they were recovered when the interview was conducted, and (3) giving their consent to join our study. We determined to stop interviewing survivors who matched our inclusion criteria when our data were saturated.

2.2. Online Interview

Interview guidelines were developed by the research group using relevant literature and in-depth discussion among the members. The interview guide consisted of some questions: (1) Tell your story of being diagnosed up until you recovered; (2) what were your feelings after being diagnosed positive with COVID-19, and how did you cope with that? (3) Who gave you support while in quarantine? (4) Did you feel you were treated differently during your illness and afterward? (5) Did you suffer an economic loss because of your illness? Did your work suffer? How did you cope with that?

Deleted: the transmission of the disease

Deleted: as a result of

Deleted: who are

Deleted: disease

Deleted: both

Deleted: relationship

Deleted: coping

Deleted: on

Commented [A18]: Please specify the 'mounting evidence'.

Commented [A19R18]: Have been added about the disease also the references

Deleted: on

Deleted: their stigma, and their

Deleted:

Deleted: itself

Deleted: Indonesia hasis one of the countries with a high number of COVID-19 cases due to the high population (approximately 270 million people) spread over 34 provinces.

Deleted: this

Deleted: experience

Deleted: then

Commented [A21]: Please put more highlights on the background/motivation and the contribution of the study.

Commented [A22R21]: Information about the research (... [2]

Deleted: on

Formatted: Font: 10 pt

Deleted: ¶

Formatted: Font: 10 pt

Formatted (... [3]

Formatted: Font: 10 pt

Deleted: on

Deleted: and the

Deleted: .

Deleted: the

Commented [A23]: Why only 8, and why do the author (... [4]

Commented [A24R23]: We have stated all the conditio (... [5]

Deleted: : have been or undergoing isolation due to positive (... [6]

Formatted: Font: 10 pt

Formatted: Font: 10 pt

Formatted: Font: 10 pt

Deleted: connections

Formatted: Font: 10 pt

Commented [A25]: Online Interview. Also, please use a (... [7]

Commented [A26R25]: Revised

Deleted: Interview

Formatted: Font: 10 pt

Deleted: that

2.3. Data Collection

Data collection was conducted from September to December 2020, meaning our informants had contracted COVID-19 before that period. We approached several COVID-19 survivors by stating the interests and objectives of this research. We then made an appointment for an online interview for the patients who agreed to participate. At that time, meeting in person was difficult due to human movement and social distancing. With the informants' permission, the interviews were recorded for analysis purposes. The interviews were conducted for an average of 45 to 60 minutes per informant. Oral informed consent was obtained from the informants at the beginning of the interview. The informants could withdraw from the research at any time if they wished.

Formatted: Font: 10 pt

Deleted: For the patients who agreed to participate, we

Deleted: were given the autonomy to

Deleted: so

2.4. Data Analysis

Interview recordings were transcribed and analyzed using thematic analysis with a deductive approach [16]. Four people (authors number 1, 3, 5, and 6) independently looked for and obtained the transcriptions' meaning patterns to generate initial codes using the Quirkos data analysis software. The first author then combined all the coding and searched for initial themes. In the next step, the themes were reviewed by all the authors through continuous discussion to agree on the theme name. Finally, we described and reported the analysis.

Formatted: Font: 10 pt

Formatted: Font: 10 pt

Formatted: Font: 10 pt

Deleted: N

Formatted: Font: 10 pt

Formatted: Font: 10 pt

Deleted: reach an agreement

Formatted: Font: 10 pt

Formatted: Font: 10 pt

2.5. Ethical Approval

The study was approved by the Ethical Review Board of Ahmad Dahlan University, Yogyakarta, Indonesia (ethical approval code: 012008029).

3. RESULTS AND DISCUSSION

We recruited two males and six females aged 23–65 with a mean age of 35.87 ± 12.89 . Five informants are married with children living in the same house, one informant is married with children who do not live in the same house, and two informants are single. Regarding occupation, three informants work in the government office (receive a monthly salary), one informant works at a private company (gets a monthly stipend), and one informant was an entrepreneur in the traditional market (earns daily income), and three informants do not work. Concerning the isolation place: three informants were isolated at the government shelter, one informant was isolated in the hospital, one informant was isolated at home, one informant in a boarding house, and two informants underwent isolation at home, then in hospital (Table 1).

Deleted: Five informants are married with children living in the same house, one informant is married with children who do not live in the same house, and two informants are single.

Table 1. Informant characteristics

ID	Sex	Education	Age	Occupation	Isolation place (duration)
A	Female	Diploma	42	Government office (earns a monthly salary)	Government shelter (9 days)
B	Female	Diploma	27	Unemployed	Hospital (5 days)
C	Male	Senior high school	34	Government office (earns a monthly salary)	Government shelter (8 days)
D	Female	Bachelor	28	Private company (earns a monthly salary)	Home and hospital (16 days)
E	Male	Bachelor	42	Government office (earns a monthly salary)	Home (3 days)
F	Female	Illiterate	65	Entrepreneur (earns daily income)	Home and government shelter (23 days)
G	Female	Diploma	23	Unemployed	Government shelter (3 days)
H	Female	Ongoing bachelor education	26	Unemployed	Boarding house (22 days)

Two themes emerged from the analysis presented in Figure 1, 1) Encounter unpleasant impacts which diagnosed with COVID-19 and being isolated, and 2) Coping strategies to overcome the unpleasant situation.

Commented [A28]: Figure what? Figure 1?

Commented [A29R28]: Yes

Deleted: that

Deleted: presenting

Deleted: impact

Commented [A30]: Please check the font size.

Commented [A31R30]: Revised




Figure 1. Summary of analysis using an inductive approach.

Theme 1: Encounter unpleasant impacts, when diagnosed with COVID-19 and being isolated

Deleted: impact

This theme represents all feelings and events after the survivor had been diagnosed positive for COVID-19 and had to be isolated. All informants (n = 8) dealt with various psychological experiences after testing positive for COVID-19 and having to be quarantined until they were declared negative/recovered. Informants experienced multiple forms of stigmatization from their surroundings. Being isolated and continuously stigmatized raised their negative emotions, such as feeling shocked after being diagnosed with COVID-19, feeling like it was a dream, and being surprised because they had applied health protocols so far (n = 2). They were sad because they had to be away from family (n = 3), feeling down, and anxious about the possibility of death (n = 2). Feeling insecure (n = 2), this feeling arises after the quarantine had finished and they had to return to the community, fear (n = 3), fear of transmission to the family and people around. They were imprisoned (n = 2), feeling like they were being punished alone, unable to go anywhere. Three informants stated they felt excluded by feeling people's attitudes, such as being rejected in their daily lives (n = 4), and even at a further stage, experienced expulsion. Another form of stigma experienced is being shunned (n = 7); this happened when people who had been close to them did not get in contact when the survivor was isolated – even via private chat. Three subthemes construct this theme:

Deleted: feeling

1. Being stigmatized by society: excluded, rejected, and shunned

After being tested positive for COVID-19, the survivors experienced various unpleasant treatments, such as feeling neglected, rejected, and ostracized by the surrounding community, which hurt them. In times of isolation, many people stay away, even avoid communication and talk unpleasantly behind their backs.

"But we don't dare (to speak) because we're afraid people will say something else about me. That way, it's just that it's more painful than the disease itself." (C, Male 34 yrs, isolated at government shelter)

"I'm still grateful (for not being kicked out of my house). My friend had to move from the boarding house because everyone looked at her like a virus. You can't even throw the trash out from the room." (D, Female 28 yrs, isolated at government shelter)

Worse, when they are declared cured of COVID-19, they are still hostile, shunned, and refuse to carry out their everyday activities, such as shopping at the shop next to their house: the reason that people will be afraid of his presence:

Deleted: normal

Deleted: with the

"When I ~~arrived~~ home from the shelter, they asked whether I ran away from the hospital. It is such a rude question for me. When I went to the vegetable storehouse, the seller said that if I ~~shopped~~ in their storehouse, everyone would be afraid of getting infected by me. So, the seller not accept my presence on their storehouse" (G, Female 23 yrs, isolated at government shelter)

Deleted: already come

Deleted: shop

In addition, other family members also experienced unpleasant treatment from the community, even though they had been declared cured:

"My son was not allowed to play with the neighbors; they asked my son to go home. Then my son cried and went home." (E, Male 42 yrs, isolated at home)

2. Dealing with various psychological experiences: shock, sadness, anxiety, insecurity, fear, feeling imprisoned.

Being infected with COVID-19 makes sufferers feel shocked, sad, and anxious. Moreover, they think ~~they are~~ imprisoned because they ~~cannot carry out routine activities and~~ must be isolated. One informant said he was in shock and stigmatized as the source of the virus:

Deleted: they

Deleted: because they

"I was down at that time; they looked at me like a virus and dangerous thing. I am also worried because, logically (being hospitalized) means that we are in a virus house because it treats sick people. And now, there are people with corona, with different symptoms; some are severe." (D, Female 28 yrs, Bachelor)

Another informant said he was unfortunate because he had to be separated from his family, even though he was worried about the COVID-19 situation:

"Sad because you ~~must~~ leave your family, be isolated, and continue to be anxious. The anxiety is whether COVID-19 can be cured or not. There are only two possibilities for COVID-19: alive or dead because the mortality rate shows so" (A, Female 42 yrs, Diploma)

Deleted: have to

3. Experiencing economic challenges: income decreasing and expenditure increasing.

During isolation, COVID-19 sufferers cannot have economic activities, so they cannot get their primary income, mainly for informants who ~~did~~ not receive regular monthly salaries. On the other hand, during the isolation, the need increased because there were purchases of multivitamins and other supporting foods as well as routine needs that must be met:

Deleted: do

Deleted: before

"There is a decrease of about 60% in income because my husband is self-employed. On the other hand, there is an increase in expenditure of about 30% from normal, not because of drugs but for food nutritional intake to speed up the recovery" (D, Female 28 yrs, works at government office)

Informants working in the formal sector that receive regular income also reported a slight decrease in income:

"My husband works in a private hospital, so it seems that his income is affected because he didn't go to work for several days. But yes, only a little." (A, Female 42 yrs, works at government office)

Theme 2: Coping strategies to overcome the unpleasant situation

The second theme is the coping strategies used to overcome the worst situation, representing how they coped with their problems during quarantine (isolation). An interesting finding was how informants handled the situation they faced during the illness and isolation. Two out of the eight informants said they overcame decreased income and increased expenditure by using savings for economic issues. One other informant stated that they borrowed money from others. Meanwhile, five of the eight informants expressed that they were helped by their support system—for example, logistical assistance from their employer. On the other hand, four informants said they chose to surrender what happened to God. To overcome the stigma, informants ignored it (n = 2). Two subthemes were developed for this theme:

Commented [A32]: Please use a consistent font size.

Commented [A33R32]: Already checked

1. Coping with economic difficulties by taking out savings or a loan

As mentioned before that, during the isolation, COVID-19 survivors experienced a decrease in income and an increase in expenses, so they had to find a way out to deal with it. For those who have savings, they will take savings:

"I have unpredicted money; usually, I keep it somewhere in my room. So yesterday, I took it during my recovery. (G, Female 23 yrs, unemployed)

However, for those who do not have reserve funds, they must borrow to meet their needs:

"I meet daily needs by borrowing from anyone. I buy food from a peddler but pay later. I have the principle as long as I'm still alive, I can still pay my debt. "(F, Female 65 yrs, entrepreneur)

2. Dealing with stigma by ignoring it and surrendering to God.

The stigmatization of people with COVID-19 – even when they are declared cured – leaves survivors with no choice nonetheless to face it:

"It's sad (what they do to me), but I just ignore it; maybe they don't know about COVID-19. The important thing is I don't interact closely with them. I surrendered (with COVID-19), but I thought this was already the way, and there must be a lesson. With the name of God, "Kun Faya Kun," if God wants it, it will happen, and we have only to pray." (A, Female 42 yrs, Diploma)

Surrender and considering this a life trial from God was also stated by another informant.

I surrender and believe in God, pray and pray. I have given up because I don't know what else to do; maybe this is a life test for my family." (B, Female 27 yrs, Diploma)

This is one of the first studies to explore the stigma associated with COVID-19 survivors and their coping strategies in Indonesia. We found that the survivors dealt with several social stigmatizations that affected their psychology and economics in the sample. The survivors' coping strategies during the period of isolation included turning to religion through surrendering to God and ignoring people's opinions. The survivors borrowed money from others and drew on their savings to cope with the economic adversity.

Deleted: surrender

We reveal the psychological experiences of the COVID-19 survivors who were infected at the onset of the disease (2020) in Indonesia. In-depth interviews with the recovered survivors reported many horrible psychological experiences during their illness and isolation, including being excluded, rejected, and ignored by their community/neighbors. Thus, in line with the WHO statement, stigma is more hazardous than the disease itself [17]. The stigmatization of certain conditions is not new in public health. Mental health has always received a negative stigma from the community, dissuading sufferers from seeking treatment [18]–[21]. If the social stigma labels of COVID-19 patients continue, it will hinder general prevention efforts of this disease; COVID-19 patients refuse to seek treatment and mask the disease symptoms for fear of being stigmatized by the surrounding community [22], [23].

Deleted: hinders

Our informant stated that COVID-19 stigma and harassment influence societal psychological and mental behavior, following the previous research [17]. The experiences of the COVID-19 survivors and the news in the media about the COVID-19 stigma scare the public. Indonesia's situation has worsened: people with symptoms do not want to be tested for fear of being stigmatized [24], while local communities refuse COVID-19 corpses because of excessive fear [25]. Consequently, when people are diagnosed with COVID-19, they feel shocked, sad, anxious, and insecure; they are terrified by the stigma. These feelings reflect their panic and unreadiness to accept the reality—being infected with COVID-19, being isolated, and being stigmatized by society. What has happened in Indonesia is not unique; the same panic has been witnessed in the Philippines in response to COVID-19. The panic phenomenon in the community during the COVID-19 pandemic is a form of anxiety due to misperceptions and difficulty finding solutions [26]. This is understandable because, at the onset of the disease, there was a lack of information about COVID-19. Meanwhile, there was a rapid flow of information through social media, including false information/hoaxes that generated panic among people [27], [28]. In Indonesia, as we found in our previous research, there is insufficient knowledge in society about such issues as air transmission and COVID-19 symptoms [29], which affect the general attitude towards and the prevention of the disease, including how COVID-19 survivors should be treated.

Deleted: Form u

Deleted: clearly

Deleted: the

Deleted: in

Deleted: , indeed,

Most COVID-19 survivors coped with social stigmatization using emotion-focused coping [12] by denying or ignoring what people said. The survivors also, accepted their situation as God's predestination (Allah); they adopted an attitude of surrender. This situation captures the role of religion/spiritual belief in determining a person's attitude. Previous research states that more religious people have better mental health when facing illness or health problems than less religious people [30]. This evidence opens another possibility for education—as the primary pathway to reducing stigma—through religious leaders cooperating, with the relevant health authorities. The spiritual leader model has been implemented in health problems, such as the diabetes campaign in Mexico and increased vaccination acceptance amongst minority groups in the Netherlands [31], [32]. In Indonesia, the government, through the Indonesian COVID-19 task force, has developed some measures to tackle the COVID-19 stigma: 1) presenting better communication regarding the risks, 2) encouraging the media to spread complete and correct information about the transmission of the virus to avoid misinformation and misinterpretation that could affect society's behavior regarding COVID-19 prevention and control, and 3) fostering the media to present balanced information, not only about the number of cases but also regarding the prevention and control efforts in an attempt by the government to avert people's fears [33], [34].

Deleted: , in addition,

Deleted: who cooperate

The isolation and stigmatization of the COVID-19 survivors had a direct economic impact mainly on people who don't have a regular salary, for example, unemployed or entrepreneurs. People without a stable income/financial independence are more vulnerable and less resilient during this pandemic. Fortunately, Indonesian society possesses good social capital in cooperation or mutual assistance, called *Gotong Royong* [35], [36] that provides social support to the COVID-19 survivor during their illness, as mentioned by the informant. This is evident in the social actions/solidarity in several places in Indonesia to support isolated COVID-19 survivors, especially those isolated at home who cannot meet their daily needs. For example, in Yogyakarta Province, some social solidarity acts were raised aimed at providing the COVID-19 survivor's logistics during isolation, called '*Solidaritas Pangan Jogja (SPJ)*,' '*Jaringan Lintas Iman Tanggap COVID-19 (JIC)*,' and '*Gandeng Gendong*' [37], [38][39]. This kind of social action is also found in other areas in Indonesia, with concern for the surrounding community. This model can be further developed as a construct to alleviate the current social crisis in the community. However, what has happened regarding the social exclusion of COVID-19 survivors signals, that the social capital structure, namely togetherness, is weakening, in Indonesia.

Deleted: is a signal

Deleted: starting to weaken

Possible weaknesses of the study are the number and the distribution of informants' locations. However, this was the main difficulty during this study, as the data were closed to the public, and some prospective informants refused to be interviewed for fear of violating restrictions. Nonetheless, saturation was reached with the informants we engaged, i.e., there was no more new information from the informants. We recommend using a mixed-method approach, with the general public as the subject, to assess their response to COVID-19 survivors for future research. Another potential study is examining the role of social capital in society during a health emergency. For the health authority, education is the primary method of informing the community regarding COVID-19. Engaging prospective change agents such as spiritual leaders may enhance the belief in and acceptance of the information delivered.

4. CONCLUSION

This study explores COVID-19 survivors' experiences during their illness and being isolated, including the stigma they faced. We interviewed eight COVID-19 survivors after being declared hostile, by COVID-19. Findings show that all the COVID-19 survivors in this study experienced COVID-19 stigma from their neighbors during and even after their illness. Having a good support system and religion/belief is crucial to facing stigmatization. After one year of the pandemic, the COVID-19 stigma in Indonesia is already much reduced. However, continuing education in the community is still relevant and essential to avoid the same stigma while the scientific effort to defeat COVID-19 is ongoing.

Deleted: negative

Deleted: from

Deleted: to

ACKNOWLEDGEMENTS

We wish to thank all the participants who contributed to this study. This research was funded by the Ministry of Research and Technology of Indonesia (KEMENRISTEK/BRIN).

REFERENCES

- [1] O. Jarus, "Pandemics That Changed History: Timeline - HISTORY," *Live Science*, 2020. <https://www.history.com/topics/middle-ages/pandemics-timeline> (accessed Apr. 03, 2021).
- [2] J. S. MacKenzie and D. W. Smith, "COVID-19: A novel zoonotic disease caused by a coronavirus from China: What we know and what we don't," *Microbiol. Aust.*, vol. 41, no. 1, pp. 45–50, 2020, doi: 10.1071/MA20013.
- [3] Worldometer, "Coronavirus Cases," *Worldometer*, 2021. <https://www.worldometers.info/coronavirus/> (accessed Apr. 02, 2021).
- [4] A. Mostafa, W. Sabry, and N. S. Mostafa, "COVID-19-related stigmatization among a sample of Egyptian healthcare workers," *PLoS One*, vol. 15, no. 12 December, pp. 1–15, 2020, doi: 10.1371/journal.pone.0244172.

- [5] S. Bagcchi, "Stigma during the COVID-19 pandemic," *Lancet. Infect. Dis.*, vol. 20, no. 7, p. 782, 2020, doi: 10.1016/S1473-3099(20)30498-9.
- [6] D. Bhanot, T. Singh, S. K. Verma, and S. Sharad, "Stigma and discrimination during COVID-19 pandemic," *Frontiers in Public Health*, vol. 8, Frontiers Media S.A., Jan. 12, 2021, doi: 10.3389/fpubh.2020.577018.
- [7] F. Adiukwu *et al.*, "Global Perspective and Ways to Combat Stigma Associated with COVID-19," *Indian J. Psychol. Med.*, vol. 42, no. 6, pp. 569–574, 2020, doi: 10.1177/0253717620964932.
- [8] M. Faris and M. R. Arifianto, "Social stigma toward health workers associated with coronavirus disease 2019," *Open Access Maced. J. Med. Sci.*, vol. 8, no. T1, pp. 112–114, 2020, doi: 10.3889/oamjms.2020.4917.
- [9] M. L. Hatzenbuehler, J. C. Phelan, and B. G. Link, "Stigma as a fundamental cause of population health inequalities," *Am. J. Public Health*, vol. 103, no. 5, pp. 813–821, 2013, doi: 10.2105/AJPH.2012.301069.
- [10] M. J. Halter, "Perceived characteristics of psychiatric nurses: stigma by association," *Arch. Psychiatr. Nurs.*, vol. 22, no. 1, pp. 20–26, Feb. 2008, doi: 10.1016/j.apnu.2007.03.003.
- [11] E. Goffman, *Stigma: Notes on the Management of Spoiled Identity*. New York: Simon and Schuster, 1963.
- [12] A. E. R. Bos, J. B. Pryor, G. D. Reeder, and S. E. Stutterheim, "Stigma: advances in theory and research," *Basic Appl. Soc. Psych.*, vol. 35, no. 1, pp. 1–9, 2013, doi: 10.1080/01973533.2012.746147.
- [13] E. Small, S. P. Nikolova, Y. Zhou, and M. Okumu, "Exploring factors associated with HIV secondary stigma among adolescents and young adults in Uganda: A cross-sectional study," *Glob. Public Health*, vol. 0, no. 0, pp. 1–12, 2021, doi: 10.1080/17441692.2020.1869286.
- [14] J. C. Sapag *et al.*, "Stigma towards mental illness and substance use issues in primary health care: Challenges and opportunities for Latin America," *Glob. Public Health*, vol. 13, no. 10, pp. 1468–1480, 2018, doi: 10.1080/17441692.2017.1356347.
- [15] R. M. Puhl and C. A. Heuer, "Obesity stigma: Important considerations for public health," *Am. J. Public Health*, vol. 100, no. 6, pp. 1019–1028, 2010, doi: 10.2105/AJPH.2009.159491.
- [16] V. Braun and V. Clarke, "Using thematic analysis in psychology," *Qual. Res. Psychol.*, vol. 3, pp. 77–101, 2006, doi: 10.1111/j.1460-2466.1978.tb01621.x.
- [17] A. S. Abdelhafiz and M. Alorabi, "Social stigma: the hidden threat of COVID-19," *Front. Public Health*, vol. 8, no. August, pp. 2–5, 2020, doi: 10.3389/fpubh.2020.00429.
- [18] C. Henderson, S. Evans-Lacko, and G. Thornicroft, "Mental illness stigma, help seeking, and public health programs," *Am. J. Public Health*, vol. 103, no. 5, pp. 777–780, 2013, doi: 10.2105/AJPH.2012.301056.
- [19] L. J. Barney, K. M. Griffiths, A. F. Jorm, and H. Christensen, "Stigma about depression and its impact on help-seeking intentions," *Aust. N. Z. J. Psychiatry*, vol. 40, no. 1, pp. 51–54, 2006, doi: 10.1111/j.1440-1614.2006.01741.x.
- [20] A. Zartaloudi and M. Madianos, "Stigma related to help-seeking from a mental health professional," *Heal. Sci. J.*, vol. 4, no. 2, pp. 77–83, 2010.
- [21] G. Thornicroft, "Stigma and discrimination limit access to mental health care," *Epidemiol. e Psychiatr. Soc.*, vol. 17, no. 1, 2008, doi: 10.1017/S1121189X00002621.
- [22] M. Rewerska-Juško and K. Rejdak, "Social Stigma of Patients Suffering from COVID-19: Challenges for Health Care System," *Healthcare*, vol. 10, no. 2, 2022, doi: 10.3390/healthcare10020292.
- [23] Y. Y. Pratama, E. Arlinda, and M. Rosada, "Why is health protocol still needed even though people are getting vaccinated?," *Epidemiol. Soc. Heal. Rev.*, vol. 4, no. 1, pp. 36–37, 2022.
- [24] A. Matuslessy, "Social stigma toward COVID-19 patients in Indonesia," *Global Insights Newsletter*, 2020. <https://www.apa.org/international/global-insights/covid-19-indonesia> (accessed Mar. 30, 2021).
- [25] W. Sulistiadi, S. Rahayu, and N. Harmani, "Handling of public stigma on covid-19 in Indonesian society," *Kesmas*, vol. 15, no. 2, pp. 70–76, 2020, doi: 10.21109/KESMAS.V15I2.3909.
- [26] C. J. C. Nicomedes and R. M. A. Avila, "An analysis on the panic during COVID-19 pandemic through an online form," *J. Affect. Disord.*, vol. 276, no. January, pp. 14–23, 2020.
- [27] C. M. Pulido, B. Villarejo-Carballido, G. Redondo-Sama, and A. Gómez, "COVID-19 infodemic: More retweets for science-based information on coronavirus than for false information," *Int. Sociol.*, vol. 35, no. 4, pp. 377–392, 2020, doi: 10.1177/0268580920914755.
- [28] C. Pazzanese, "Social media used to spread, create COVID-19 falsehoods," *Harvard Gazette Health and Medicine*, 2020. <https://news.harvard.edu/gazette/story/2020/05/social-media-used-to-spread-create-covid-19-falsehoods/> (accessed Mar. 29, 2021).
- [29] S. Sulistyawati *et al.*, "Knowledge, Attitudes, Practices and Information Needs During the COVID-19 Pandemic in Indonesia," *Risk Manag. Healthc. Policy*, vol. 14, pp. 163–175, 2021, [Online]. Available: https://www.dovepress.com/articles.php?article_id=61222.
- [30] H. G. Koenig, "Religion, spirituality, and health: the research and clinical implications," *ISRN Psychiatry*, vol. 2012, pp. 1–33, 2012, doi: 10.5402/2012/278730.
- [31] W. L. M. Ruijs, J. L. A. Hautvast, S. Kerrar, K. Van Der Velden, and M. E. J. L. Hulscher, "The role of religious leaders in promoting acceptance of vaccination within a minority group: A qualitative study," *BMC Public Health*, vol. 13, no. 511, 2013, doi: 10.1186/1471-2458-13-511.
- [32] M. Rivera-Hernandez, "The role of religious leaders in health promotion for older Mexicans with Diabetes," *Physiol. Behav.*, vol. 54, no. 1, pp. 303–315, 2015, doi: 10.1007/s10943-014-9829-z.The.
- [33] Indonesia COVID-19 Task Force, "Preventing and Dealing with Social Stigma Around COVID-19 (Mencegah dan Menangani Stigma Sosial Seputar COVID-19)," *kawalcovid19.id*, 2020. <https://kawalcovid19.id/content/698/mencegah-dan-menangani-stigma-sosial-seputar-covid-19> (accessed Apr. 15, 2021).
- [34] N. K. Widiastuti, "Let's Stop the Negative Stigma related to Covid-19 (Mari Hentikan Stigma Negatif terkait Covid-19) - Dinas Kesehatan Provinsi Bali," *Bali Provincial Health Office*, 2020. <https://www.diskes.baliprov.go.id/mari-hentikan-stigma-negatif-terkait-covid-19/> (accessed Apr. 15, 2021).
- [35] K. Lukiyanto and M. Wijayaningtyas, "Gotong Royong as social capital to overcome micro and small enterprises' capital difficulties," *Heliyon*, vol. 6, no. 9, p. e04879, 2020, doi: 10.1016/j.heliyon.2020.e04879.
- [36] L. Satlita, U. Dewi, and A. Priyanto, "Strengthening social capital in implementing Segoro Amarto Movement to alleviate poverty in Yogyakarta City," *LJSS*, vol. 13, no. 2, pp. 70–81, 2017.
- [37] Supriyanta and O. Angraini, "Social Capital Recapitalization and Triple Helix-Based Creative Economy Development in Yogyakarta New Normal Era (Rekapitalisasi Modal Sosial Dan Pengembangan Ekonomi Kreatif Berbasis Triple Helix Di Yogyakarta Era Normal Baru)," in *Transformasi Indonesia 2021: Inovasi dan Strategi Pemulihan Ekonomi Pascapandemi*

- COVID-19, 2021, pp. 174–187.
- [38] S. F. Ahmada, F. D. Marsetyo, and R. A. Putri, "Jogja Food Solidarity as an Alternative Actor in Providing Welfare in the Crisis of the COVID-19 Pandemic (Solidaritas Pangan Jogja sebagai Aktor Alternatif Penyedia Kesejahteraan di Masa Krisis Pandemi COVID-19)," *J. Soc. Dev. Stud.*, vol. 1, no. 2, pp. 1–13, 2020, doi: 10.22146/jsds.524.
- [39] D. Haryadi and D. N. Malitasari, "Solidarity During Covid-19 Pandemic (A Case Study on the Social Action of Yogyakarta Food Solidarity and the Interfaith Network for Covid-19 Response)," *J. Partisipatoris*, vol. 2, no. 2, pp. 58–74, 2020, doi: 10.22219/jp.v2i2.12849.

BIOGRAPHIES OF AUTHORS

	<p>Sulistyawati is a public health scientist working on the health system research, implementation research focusing on infectious disease and health program evaluation. She can be contacted at email: sulistyawati.suyanto@ikm.uad.ac.id</p>
	<p>Rokhmayanti is an epidemiologist working on epidemiology, surveillance Epidemiology (NCD, Emerging, Re-Emerging & New Emerging Disease), and zoonosis. She can be contacted at email: rokhmayanti@ikm.uad.ac.id</p>
	<p>Budi Aji Dr. Budi Aji is a public health by training. He attained his bachelor from Faculty of Public Health at Diponegoro University-Semarang. He did his master degree at the Graduate Institute of Health Care administration at Asia University-Taiwan, and graduated from PhD program at Institute of Public Health, University of Heidelberg-Germany. He has been working as a lecturer and researcher at the School of Public Health, Faculty of Medicine and Health Sciences, Jenderal Soedirman University-Purwokerto since 2002. As a researcher, He is currently focusing his projects on health policy, health economics, global health, health equity and climate change.</p> <p>Along with his duties at the School of Public Health, he attended seminars and met with public health leaders at different functions and events. All these activities confirmed his growing interest in public health, health policy, health economics, global health, and climate change, particularly in developing countries. These are his most vital interests because he believes they are fundamental to his country, Indonesia.</p> <p>He can be contacted at email: budi.aji57@gmail.com</p>

Commented [A35]: Use consistent photo shape, size, and aspect ratio. These kinds of formatting errors might annoy the reviewer and give an impression that the manuscript is not well written.

Commented [A36R35]: Revised

Paper's should be the fewest possible that accurately describe ... (First Author)

	<p>Siwi Pramatama Mars Wijayanti is a public health scientist working on entomology and epidemiology. Siwi can be contacted at email siwimars@gmail.com</p>
	<p>Tri Wahyuni Sukei is a public health scientist working on environmental health and dengue. Siwi can be contacted at email yunisukei.fkmud@gmail.com</p>
	<p>Surahma Asti Mulasari is a public health scientist working on environmental health and dengue. Siwi can be contacted at email surahma.mulasari@ikm.uad.ac.id</p>

Page 1: [1] Commented [A17R16] Author

That sentence refers to the sentence before (April 2021)

Revised

Page 2: [2] Commented [A22R21] Author

Information about the research contribution has been added

Page 2: [3] Formatted Author

Left, Indent: Left: 0 cm, Hanging: 0,75 cm, Outline numbered + Level: 1 + Numbering Style: 1, 2, 3, ... + Start at: 1 + Alignment: Left + Aligned at: 0,63 cm + Indent at: 1,27 cm, Tab stops: 0,75 cm, Left

Page 2: [4] Commented [A23] Author

Why only 8, and why do the authors choose these regions?

Eight participants from 2 regions might not be enough to represent Indonesia (as in the title).

However, if the authors have their own 'scientific' reason, please state it.

Page 2: [5] Commented [A24R23] Author

We have stated all the conditions related to the informant recruitment also regarding the saturation information after we got 8

Page 2: [6] Deleted Author

Page 2: [7] Commented [A25] Author

Online Interview. Also, please use a consistent font size.

“They Looked at Me Like I Am a Virus”: How Survivors Cope with COVID-19 Stigma During the Early Stage of Pandemic in Indonesia

Sulistiyawati Sulistiyawati^{1*}, Rokhmayanti Rokhmayanti², Budi Aji³, Siwi Pramutama Mars Wijayanti⁴, Tri Wahyuni Sukesi⁵, Surahma Asti Mulasari⁶

^{1,2,5,6} Faculty of Public Health, Universitas Ahmad Dahlan, Yogyakarta 55164, Indonesia

^{3,4} Faculty of Health Sciences, Jenderal Soedirman University, Purwokerto, 53122, Indonesia

Article Info

Article history:

Received month dd, yyyy

Revised month dd, yyyy

Accepted month dd, yyyy

Keywords:

COVID-19

Stigma

Coping Strategy

Pandemic

ABSTRACT

COVID-19 has shocked everyone globally, with fears of contracting the disease and the other socio-economic impacts. The noticeable impact at the beginning of the COVID-19 pandemic was the emergence of mental health disorders in the community, especially for patients, namely the stigma labeled on them. This study aimed to explore the COVID-19 survivors' experience since they were declared positive and isolated, including the stigma they faced in the early stage of the pandemic, using a phenomenology approach. Eight informants selected through purposive sampling were contacted via in-depth online interviews during September–December 2020. All interviews were recorded, transcribed, and analyzed using thematic analysis. During the investigation, this research found two themes: encountering unpleasant impacts when contracting COVID-19 and coping strategies related to the impact. The negative stigma affected the informants' psychology and economics. Most informants took a religious/belief method to cope with the adversity, such as surrendering to God, and some reported ignoring the stigma. After one year of the pandemic, the stigma has dramatically reduced. However, continuous education in the community is needed to prevent stigmatization of COVID-19 survivors since the pandemic continues and scientific development in fighting this disease is ongoing. This research provides lessons learned to the community and related parties that mental health must also be a concern beyond the rapid response to disease control in a health emergency.

This is an open access article under the [CC BY-SA](https://creativecommons.org/licenses/by-sa/4.0/) license.



Corresponding Author:

Sulistiyawati Sulistiyawati

Faculty of Public Health, Universitas Ahmad Dahlan, Yogyakarta 55164, Indonesia.

Kampus 3, Jl. Prof. Dr Soepomo, Janturan, Umbulharjo, Yogyakarta, Indonesia

Email: sulistiyawati.suyanto@ikm.uad.ac.id

1. INTRODUCTION

History records that the world has faced several severe pandemics. Nevertheless, it was still unprepared to deal with the current coronavirus disease 2019 (COVID-19) pandemic [1]. SARS-CoV-2 is the virus causing the COVID-19 illness discovered in China and then spread worldwide. It was subsequently declared a pandemic [2]. By April 2021, more than 130 million people worldwide had been infected with COVID-19, while more than 2.8 million people had died. At that time, Indonesia contributed approximately

1% to global cases and deaths [3]. The disease has a broad impact on health and the social structure of human life, such as adapting and changing behavior to prevent disease transmission. Another frightening impact of this pandemic is the social stigmatization of COVID-19 survivors and health workers treating COVID-19 patients [4],[5].

Stigma marks someone due to a social judgment that tends to a negative opinion and a desire to avoid or exclude those people being stigmatized. Stigma often occurs in health and is attached to individuals with an acute diseases, for example, HIV-AIDS, mental health, and obesity. Today, the survivors of COVID-19, as well as health workers, have fallen victim to stigmatization. Some stigmatization incidents occur in different settings; for example, doctors and nurses could not use public transport [5]. While in India, during the COVID-19 crisis, stigmatization has occurred based on religion, occupation, race, and economic class [6]; in Indonesia, COVID-19 stigma is attached to survivors and health workers. For survivors, being stigmatized mainly affects their social relationships with others, such as feeling outcast due to being infected with COVID-19 [7]. At the same time, some healthcare workers have lost their rights to normal life [8]. The impact of stigmatization on a person can also be manifold, such as housing, income, education, social relationships, behavior, healthcare, and health [9]. Furthermore, stigma affects the individual, and associative stigma affects their family and/or those associated with them [10], [11]. However, studies exploring COVID-19 stigmatization at an individual level are still limited; most research has studied stigmatization in health workers.

According to Pryor and Reeder (2011), there are four types of stigma: public stigma, self-stigma, structural stigma, and stigma by association [12]. These are interrelated and can result in a negative outcome. How individuals cope with stigma can be divided into problem-focused and emotion-focused coping [12]. Stigma is considered dangerous for health systems because it is a fundamental inequality in health as it affects people's behavior towards health-seeking and public trust in the government. This means that it influences the public's response to the health program run by the government. There is mounting evidence regarding several diseases such as HIV-AIDS, obesity and mental health, stigma, and effects on individuals and society [13]–[15]. However, during the COVID-19 pandemic, information regarding stigma at the grassroots level remains limited, while the process of preventing and controlling COVID-19 must be carried out immediately. Therefore, studies on how the public stigma of COVID-19 affects the individual and how an individual with COVID-19 copes with the illness will enhance the understanding of the situation and, ultimately, how the health system should react.

During the early COVID-19 pandemic, Indonesia recorded relatively high morbidity and mortality. At the same time, the flow of information through the internet and social media cannot be controlled, which causes misinformation and disinformation related to this COVID-19. All of this triggers excessive fear from the public so that the stigmatization of COVID-19 fighters appears. This study aimed to explore COVID-19 survivors' experiences since they were declared positive and isolated, including the stigma they faced. We also captured how survivors cope with all adversities during the illness. This study contributes to providing lessons learned to the community and related parties that in a health emergency, mental health must also be a concern beyond the rapid response to disease control itself.

2. METHOD

2.1. Study design and participants

Our research employed a phenomenological approach to qualitatively analyze and explore the experience of COVID-19 survivors facing social stigma, the impact on their lives, and how they coped with that situation. We emphasized personal experience and feelings to elaborate a pattern from which we can learn from their experiences.

Eight informants participated in this study and resided in two provinces: the Special Region of Yogyakarta and West Java. All of them were selected using purposive sampling. We approached informants personally through our social network because, at that time, the personal identity of a COVID-19 survivor was credentialed (not accessible to the public), and not all survivors we met were willing to be interviewed for fear of being stigmatized. The inclusion criteria for informants were (1) people who were diagnosed with COVID-19, (2) stating they were recovered when the interview was conducted, and (3) giving their consent to join our study. We determined to stop interviewing survivors who matched our inclusion criteria when our data were saturated.

2.2. Online Interview

Interview guidelines were developed by the research group using relevant literature and in-depth discussion among the members. The interview guide consisted of some questions: (1) Tell your story of being diagnosed to recover from COVID-19; (2) Tell your feelings after being diagnosed with COVID-19, and (3) Tell us how did you cope with that? (3) Who gave you support while in quarantine? (4) Did you feel you were

treated differently during your illness and afterward? (5) Did you suffer an economic loss because of your illness? Did your work suffer? How did you cope with that?

2.3. Data Collection

Data collection was conducted from September to December 2020, meaning our informants had contracted COVID-19 before that period. We approached several COVID-19 survivors by stating the interests and objectives of this research. We then made an appointment for an online interview for the patients who agreed to participate. At that time, meeting in person was difficult due to human movement and social distancing. With the informants' permission, the interviews were recorded for analysis purposes. The interviews were conducted for an average of 45 to 60 minutes per informant. Oral informed consent was obtained from the informants at the beginning of the interview. The informants could withdraw from the research at any time if they wished.

2.4. Data Analysis

Interview recordings were transcribed and analyzed using thematic analysis with a deductive approach [16]. Four people (authors number 1, 3, 5, and 6) independently looked for and obtained the transcriptions' meaning patterns to generate initial codes using the Quirkos data analysis software. The first author then combined all the coding and searched for initial themes. In the next step, the themes were reviewed by all the authors through continuous discussion to agree on the theme name. Finally, we described and reported the analysis.

2.5. Ethical Approval

The study was approved by the Ethical Review Board of Ahmad Dahlan University, Yogyakarta, Indonesia (ethical approval code: 012008029).

3. RESULTS AND DISCUSSION

We recruited two males and six females aged 23–65 with a mean age of 35.87 ± 12.89 . Five informants are married with children living in the same house, one informant is married with children who do not live in the same house, and two are single. Regarding occupation, three informants work in the government office (receive a monthly salary). One informant works at a private company (gets a monthly stipend), one informant was an entrepreneur in the traditional market (earns daily income), and three informants do not work. Concerning the isolation place: three informants were isolated at the government shelter, one informant was isolated in the hospital, one informant was isolated at home, one informant in a boarding house, and two informants underwent isolation at home, then in hospital (Table 1).

Table 1. Informant characteristics

ID	Sex	Education	Age	Occupation	Isolation place (duration)
A	Female	Diploma	42	Government office (earns a monthly salary)	Government shelter (9 days)
B	Female	Diploma	27	Unemployed	Hospital (5 days)
C	Male	Senior high school	34	Government office (earns a monthly salary)	Government shelter (8 days)
D	Female	Bachelor	28	Private company (earns a monthly salary)	Home and hospital (16 days)
E	Male	Bachelor	42	Government office (earns a monthly salary)	Home (3 days)
F	Female	Illiterate	65	Entrepreneur (earns daily income)	Home and government shelter (23 days)
G	Female	Diploma	23	Unemployed	Government shelter (3 days)
H	Female	Ongoing bachelor education	26	Unemployed	Boarding house (22 days)

Two themes emerged from the analysis presented in Figure 1, 1) Encounter unpleasant impacts when diagnosed with COVID-19 and being isolated, and 2) Coping strategies to overcome the unpleasant situation.




Figure 1. Summary of analysis using an inductive approach.

Theme 1: Encounter unpleasant impacts when diagnosed with COVID-19 and being isolated

This theme represents all feelings and events after the survivor had been diagnosed positive for COVID-19 and had to be isolated. All informants (n = 8) dealt with various psychological experiences after testing positive for COVID-19 and having to be quarantined until they were declared negative/recovered. Informants experienced multiple forms of stigmatization from their surroundings. Being isolated and continuously stigmatized raised their negative emotions, such as feeling shocked after being diagnosed with COVID-19, feeling like it was a dream, and being surprised because they had applied health protocols so far (n = 2). They were sad because they had to be away from family (n = 3), feeling down and anxious about the possibility of death (n = 2). Feeling insecure (n = 2), this feeling arises after the quarantine had finished and they had to return to the community, fear (n = 3), fear of transmission to the family and people around. They were imprisoned (n = 2), feeling like they were being punished alone, unable to go anywhere. Three informants stated they felt excluded by feeling people's attitudes, such as being rejected in their daily lives (n = 4), and even at a further stage, experienced expulsion. Another form of stigma experienced is being shunned (n = 7); this happened when people who had been close to them did not get in contact when the survivor was isolated – even via private chat. Three subthemes construct this theme:

1. Being stigmatized by society: excluded, rejected, and shunned

After being tested positive for COVID-19, the survivors experienced various unpleasant treatments, such as feeling neglected, rejected, and ostracized by the surrounding community, which hurt them. In times of isolation, many people stay away, even avoid communication and talk unpleasantly behind their backs.

“But we don't dare (to speak) because we're afraid people will say something else about me. That way, it's just that it's more painful than the disease itself.” (C, Male 34 yrs, isolated at government shelter)

"I'm still grateful (for not being kicked out of my house). My friend had to move from the boarding house because everyone looked at her like a virus. You can't even throw the trash out from the room.” (D, Female 28 yrs, isolated at government shelter)

Worse, when they are declared cured of COVID-19, they are still hostile, shunned, and refuse to carry out their everyday activities, such as shopping at the shop next to their house; the reason that people will be afraid of his presence:

"When I arrived home from the shelter, they asked whether I ran away from the hospital. It is such a rude question for me. When I went to the vegetable storehouse, the seller said that if I shopped in their storehouse, everyone would be afraid of getting infected by me. So, the seller not accept my presence on their storehouse" (G, Female 23 yrs, isolated at government shelter)

In addition, other family members also experienced unpleasant treatment from the community, even though they had been declared cured:

"My son was not allowed to play with the neighbors; they asked my son to go home. Then my son cried and went home." (E, Male 42 yrs, isolated at home)

2. Dealing with various psychological experiences: shock, sadness, anxiety, insecurity, fear, and feeling imprisoned.

Being infected with COVID-19 makes sufferers feel shocked, sad, and anxious. Moreover, they think they are imprisoned because they cannot carry out routine activities and must be isolated. One informant said he was in shock and stigmatized as the source of the virus:

"I was down at that time; they looked at me like a virus and dangerous thing. I am also worried because, logically (being hospitalized) means that we are in a virus house because it treats sick people. And now, there are people with corona, with different symptoms; some are severe." (D, Female 28 yrs, Bachelor)

Another informant said he was unfortunate because he had to be separated from his family, even though he was worried about the COVID-19 situation:

"Sad because you must leave your family, be isolated, and continue to be anxious. The anxiety is whether COVID-19 can be cured or not. There are only two possibilities for COVID-19: alive or dead because the mortality rate shows so" (A, Female 42 yrs, Diploma)

3. Experiencing economic challenges: income decreasing and expenditure increasing.

During isolation, COVID-19 sufferers cannot have economic activities, so they cannot get their primary income, mainly for informants who did not receive regular monthly salaries. On the other hand, during the isolation, the need increased because there were purchases of multivitamins and other supporting foods as well as routine needs that must be met:

"There is a decrease of about 60% in income because my husband is self-employed. On the other hand, there is an increase in expenditure of about 30% from normal, not because of drugs but for food nutritional intake to speed up the recovery" (D, Female 28 yrs, works at government office)

Informants working in the formal sector that receive regular income also reported a slight decrease in income:

"My husband works in a private hospital, so it seems that his income is affected because he didn't go to work for several days. But yes, only a little." (A, Female 42 yrs, works at government office)

Theme 2: Coping strategies to overcome the unpleasant situation

The second theme is the coping strategies used to overcome the worst situation, representing how they coped with their problems during quarantine (isolation). An interesting finding was how informants handled the situation they faced during the illness and isolation. Two out of the eight informants said they overcame decreased income and increased expenditure by using savings for economic issues. One other informant stated that they borrowed money from others. Meanwhile, five of the eight informants expressed that they were helped by their support system—for example, logistical assistance from their employer. On the other hand, four informants said they chose to surrender what happened to God. To overcome the stigma, informants ignored it (n = 2). Two subthemes were developed for this theme:

1. Coping with economic difficulties by taking out savings or a loan

As mentioned before, during the isolation, COVID-19 survivors experienced a decrease in income and an increase in expenses, so they had to find a way out to deal with it. For those who have savings, they will withdraw their money:

"I have unpredicted money; usually, I keep it somewhere in my room. So yesterday, I took it during my recovery. (G, Female 23 yrs, unemployed)

However, for those who do not have reserve funds, they must borrow to meet their needs:

"I meet daily needs by borrowing from anyone. I buy food from a peddler but pay later. I have the principle as long as I'm still alive, I can still pay my debt. "(F, Female 65 yrs, entrepreneur)

2. *Dealing with stigma by ignoring it and surrendering to God.*

The stigmatization of people with COVID-19 – even when they are declared cured – leaves survivors with no choice nonetheless to face it:

"It's sad (what they do to me), but I just ignore it; maybe they don't know about COVID-19. The important thing is I don't interact closely with them. I surrendered (with COVID-19), but I thought this was already the way, and there must be a lesson. With the name of God, "*Kun Faya Kun*," if God wants it, it will happen, and we have only to pray." (A, Female 42 yrs, Diploma)

Surrendering and considering this a life trial from God was also stated by another informant.

I surrender and believe in God, pray and pray. I have given up because I don't know what else to do; maybe this is a life test for my family." (B, Female 27 yrs, Diploma)

This is one of the first studies to explore the stigma associated with COVID-19 survivors and their coping strategies in Indonesia. We found that the survivors dealt with several social stigmatizations that affected their psychology and economics in the sample. The survivors' coping strategies during the period of isolation included turning to religion through surrendering to God and ignoring people's opinions. The survivors borrowed money from others and drew on their savings to cope with the economic adversity.

We reveal the psychological experiences of the COVID-19 survivors who were infected at the onset of the disease (2020) in Indonesia. In-depth interviews with the recovered survivors reported many horrible psychological experiences during their illness and isolation, including being excluded, rejected, and ignored by their community/neighbors. Thus, in line with the WHO statement, stigma is more hazardous than the disease itself [17]. The stigmatization of certain conditions is not new in public health. Mental health has always received a negative stigma from the community, dissuading sufferers from seeking treatment [18]–[21]. If the social stigma labels of COVID-19 patients continue, it will hinder general prevention efforts of this disease; COVID-19 patients refuse to seek treatment and mask the disease symptoms for fear of being stigmatized by the surrounding community [22], [23].

Our informant stated that COVID-19 stigma and harassment influence societal psychological and mental behavior, following the previous research [17]. The experiences of the COVID-19 survivors and the news in the media about the COVID-19 stigma scare the public. Indonesia's situation has worsened: people with symptoms do not want to be tested for fear of being stigmatized [24], while local communities refuse COVID-19 corpses because of excessive fear [25]. Consequently, when people are diagnosed with COVID-19, they feel shocked, sad, anxious, and insecure; they are terrified by the stigma. These feelings reflect their panic and unreadiness to accept the reality—being infected with COVID-19, being isolated, and being stigmatized by society. What has happened in Indonesia is not unique; the same panic has been witnessed in the Philippines in response to COVID-19. The panic phenomenon in the community during the COVID-19 pandemic is a form of anxiety due to misperceptions and difficulty finding solutions [26]. This is understandable because, at the onset of the disease, there was a lack of information about COVID-19. Meanwhile, there was a rapid flow of information through social media, including false information/hoaxes that generated panic among people [27], [28]. In Indonesia, as we found in our previous research, there is insufficient knowledge in society about such issues as air transmission and COVID-19 symptoms [29], which affect the general attitude towards and the prevention of the disease, including how COVID-19 survivors should be treated.

Most COVID-19 survivors coped with social stigmatization using emotion-focused coping [12] by denying or ignoring what people said. The survivors also accepted their situation as God's predestination (Allah); they adopted an attitude of surrender. This situation captures the role of religion/spiritual belief in determining a person's attitude. Previous research states that more religious people have better mental health when facing illness or health problems than less religious people [30]. This evidence opens another possibility for education—as the primary pathway to reducing stigma—through religious leaders cooperating with the relevant health authorities. The spiritual leader model has been implemented in health problems, such as the diabetes campaign in Mexico and increased vaccination acceptance amongst minority groups in the Netherlands [31], [32]. In Indonesia, the government, through the Indonesian COVID-19 task force, has developed some measures to tackle the COVID-19 stigma: 1) presenting better communication regarding the risks, 2) encouraging the media to spread complete and correct information about the transmission of the virus to avoid misinformation and misinterpretation that could affect society's behavior regarding COVID-19 prevention and control, and 3) fostering the media to present balanced information, not only about the number of cases but also regarding the prevention and control efforts in an attempt by the government to avert people's fears [33], [34].

The isolation and stigmatization of the COVID-19 survivors had a direct economic impact mainly on people who don't have a regular salary, for example, unemployed or entrepreneurs. People without a stable income/financial independence are more vulnerable and less resilient during this pandemic. Fortunately, Indonesian society possesses good social capital in cooperation or mutual assistance, called *Gotong Royong* [35], [36] that provides social support to the COVID-19 survivor during their illness, as mentioned by the informant. This is evident in the social actions/solidarity in several places in Indonesia to support isolated COVID-19 survivors, especially those isolated at home who cannot meet their daily needs. For example, in Yogyakarta Province, some social solidarity acts were raised aimed at providing the COVID-19 survivor's logistics during isolation, called '*Solidaritas Pangan Jogja (SPJ)*,' '*Jaringan Lintas Iman Tanggap COVID-19 (JIC)*,' and '*Gandeng Gendong*' [37], [38][39]. This kind of social action is also found in other areas in Indonesia, with concern for the surrounding community. This model can be further developed as a construct to alleviate the current social crisis in the community. However, what has happened regarding the social exclusion of COVID-19 survivors signals that the social capital structure, namely togetherness, is weakening in Indonesia.

Possible weaknesses of the study are the number and the distribution of informants' locations because, in the early pandemic, the identity of the COVID-19 case was closed to the public, and some prospective informants refused to be interviewed for fear of violating restrictions. Nonetheless, saturation was reached with the informants we engaged, i.e., there was no more new information from the informants. We recommend using a mixed-method approach, with the general public as the subject, to assess their response to COVID-19 survivors for future research. Another potential study is examining the role of social capital in society during a health emergency. For the health authority, education is the primary method of informing the community regarding COVID-19. Engaging prospective change agents such as spiritual leaders may enhance the belief in, and acceptance of the information delivered.

4. CONCLUSION

This study explores COVID-19 survivors' experiences during their illness and being isolated, including the stigma they faced. We interviewed eight COVID-19 survivors after being declared hostile to COVID-19. Findings show all the COVID-19 survivors in this study experienced COVID-19 stigma from their neighbors during and even after their illness. Having a good support system and religion/belief is crucial to facing stigmatization. After one year of the pandemic, the COVID-19 stigma in Indonesia is already much reduced. However, continuing education in the community is still relevant and essential to avoid the same stigma while the scientific effort to defeat COVID-19 is ongoing.

ACKNOWLEDGEMENTS

We wish to thank all the participants who contributed to this study. This research was funded by the Ministry of Research and Technology of Indonesia (KEMENRISTEK/BRIN).

REFERENCES

- [1] O. Jarus, "Pandemics That Changed History: Timeline - HISTORY," *Live Science*, 2020. <https://www.history.com/topics/middle-ages/pandemics-timeline> (accessed Apr. 03, 2021).
- [2] J. S. MacKenzie and D. W. Smith, "COVID-19: A novel zoonotic disease caused by a coronavirus from China: What we know and what we don't," *Microbiol. Aust.*, vol. 41, no. 1, pp. 45–50, 2020, doi: 10.1071/MA20013.
- [3] Worldometer, "Coronavirus Cases," *Worldometer*, 2021. <https://www.worldometers.info/coronavirus/> (accessed Apr. 02, 2021).
- [4] A. Mostafa, W. Sabry, and N. S. Mostafa, "COVID-19-related stigmatization among a sample of Egyptian healthcare workers," *PLoS One*, vol. 15, no. 12 December, pp. 1–15, 2020, doi: 10.1371/journal.pone.0244172.

- [5] S. Bagcchi, "Stigma during the COVID-19 pandemic," *Lancet. Infect. Dis.*, vol. 20, no. 7, p. 782, 2020, doi: 10.1016/S1473-3099(20)30498-9.
- [6] D. Bhanot, T. Singh, S. K. Verma, and S. Sharad, "Stigma and discrimination during COVID-19 pandemic," *Frontiers in Public Health*, vol. 8, Frontiers Media S.A., Jan. 12, 2021, doi: 10.3389/fpubh.2020.577018.
- [7] F. Adiukwu *et al.*, "Global Perspective and Ways to Combat Stigma Associated with COVID-19," *Indian J. Psychol. Med.*, vol. 42, no. 6, pp. 569–574, 2020, doi: 10.1177/0253717620964932.
- [8] M. Faris and M. R. Arifianto, "Social stigma toward health workers associated with coronavirus disease 2019," *Open Access Maced. J. Med. Sci.*, vol. 8, no. T1, pp. 112–114, 2020, doi: 10.3889/oamjms.2020.4917.
- [9] M. L. Hatzenbuehler, J. C. Phelan, and B. G. Link, "Stigma as a fundamental cause of population health inequalities," *Am. J. Public Health*, vol. 103, no. 5, pp. 813–821, 2013, doi: 10.2105/AJPH.2012.301069.
- [10] M. J. Halter, "Perceived characteristics of psychiatric nurses: stigma by association," *Arch. Psychiatr. Nurs.*, vol. 22, no. 1, pp. 20–26, Feb. 2008, doi: 10.1016/j.apnu.2007.03.003.
- [11] E. Goffman, *Stigma: Notes on the Management of Spoiled Identity*. New York: Simon and Schuster, 1963.
- [12] A. E. R. Bos, J. B. Pryor, G. D. Reeder, and S. E. Stutterheim, "Stigma: advances in theory and research," *Basic Appl. Soc. Psych.*, vol. 35, no. 1, pp. 1–9, 2013, doi: 10.1080/01973533.2012.746147.
- [13] E. Small, S. P. Nikolova, Y. Zhou, and M. Okumu, "Exploring factors associated with HIV secondary stigma among adolescents and young adults in Uganda: A cross-sectional study," *Glob. Public Health*, vol. 0, no. 0, pp. 1–12, 2021, doi: 10.1080/17441692.2020.1869286.
- [14] J. C. Sapag *et al.*, "Stigma towards mental illness and substance use issues in primary health care: Challenges and opportunities for Latin America," *Glob. Public Health*, vol. 13, no. 10, pp. 1468–1480, 2018, doi: 10.1080/17441692.2017.1356347.
- [15] R. M. Puhl and C. A. Heuer, "Obesity stigma: Important considerations for public health," *Am. J. Public Health*, vol. 100, no. 6, pp. 1019–1028, 2010, doi: 10.2105/AJPH.2009.159491.
- [16] V. Braun and V. Clarke, "Using thematic analysis in psychology," *Qual. Res. Psychol.*, vol. 3, pp. 77–101, 2006, doi: 10.1111/j.1460-2466.1978.tb01621.x.
- [17] A. S. Abdelhafiz and M. Alorabi, "Social stigma: the hidden threat of COVID-19," *Front. Public Heal.*, vol. 8, no. August, pp. 2–5, 2020, doi: 10.3389/fpubh.2020.00429.
- [18] C. Henderson, S. Evans-Lacko, and G. Thornicroft, "Mental illness stigma, help seeking, and public health programs," *Am. J. Public Health*, vol. 103, no. 5, pp. 777–780, 2013, doi: 10.2105/AJPH.2012.301056.
- [19] L. J. Barney, K. M. Griffiths, A. F. Jorm, and H. Christensen, "Stigma about depression and its impact on help-seeking intentions," *Aust. N. Z. J. Psychiatry*, vol. 40, no. 1, pp. 51–54, 2006, doi: 10.1111/j.1440-1614.2006.01741.x.
- [20] A. Zartaloudi and M. Madianos, "Stigma related to help-seeking from a mental health professional," *Heal. Sci. J.*, vol. 4, no. 2, pp. 77–83, 2010.
- [21] G. Thornicroft, "Stigma and discrimination limit access to mental health care," *Epidemiol. e Psychiatr. Soc.*, vol. 17, no. 1, 2008, doi: 10.1017/S1121189X00002621.
- [22] M. Rewerska-Juško and K. Rejdak, "Social Stigma of Patients Suffering from COVID-19: Challenges for Health Care System," *Healthcare*, vol. 10, no. 2, 2022, doi: 10.3390/healthcare10020292.
- [23] Y. Y. Pratama, E. Arlinda, and M. Rosada, "Why is health protocol still needed even though people are getting vaccinated?," *Epidemiol. Soc. Heal. Rev.*, vol. 4, no. 1, pp. 36–37, 2022.
- [24] A. Matulesky, "Social stigma toward COVID-19 patients in Indonesia," *Global Insights Newsletter*, 2020. <https://www.apa.org/international/global-insights/covid-19-indonesia> (accessed Mar. 30, 2021).
- [25] W. Sulistiadi, S. Rahayu, and N. Harmani, "Handling of public stigma on covid-19 in Indonesian society," *Kesmas*, vol. 15, no. 2, pp. 70–76, 2020, doi: 10.21109/KESMAS.V15I2.3909.
- [26] C. J. C. Nicomedes and R. M. A. Avila, "An analysis on the panic during COVID-19 pandemic through an online form," *J. Affect. Disord.*, vol. 276, no. January, pp. 14–23, 2020.
- [27] C. M. Pulido, B. Villarejo-Carballido, G. Redondo-Sama, and A. Gómez, "COVID-19 infodemic: More retweets for science-based information on coronavirus than for false information," *Int. Sociol.*, vol. 35, no. 4, pp. 377–392, 2020, doi: 10.1177/0268580920914755.
- [28] C. Pazzanese, "Social media used to spread, create COVID-19 falsehoods," *Harvard Gazette Health and Medicine*, 2020. <https://news.harvard.edu/gazette/story/2020/05/social-media-used-to-spread-create-covid-19-falsehoods/> (accessed Mar. 29, 2021).
- [29] S. Sulistyawati *et al.*, "Knowledge, Attitudes, Practices and Information Needs During the COVID-19 Pandemic in Indonesia," *Risk Manag. Healthc. Policy*, vol. 14, pp. 163–175, 2021, [Online]. Available: https://www.dovepress.com/articles.php?article_id=61222.
- [30] H. G. Koenig, "Religion, spirituality, and health: the research and clinical implications," *ISRN Psychiatry*, vol. 2012, pp. 1–33, 2012, doi: 10.5402/2012/278730.
- [31] W. L. M. Ruijs, J. L. A. Hautvast, S. Kerrar, K. Van Der Velden, and M. E. J. L. Hulscher, "The role of religious leaders in promoting acceptance of vaccination within a minority group: A qualitative study," *BMC Public Health*, vol. 13, no. 511, 2013, doi: 10.1186/1471-2458-13-511.
- [32] M. Rivera-Hernandez, "The role of religious leaders in health promotion for older Mexicans with Diabetes," *Physiol. Behav.*, vol. 54, no. 1, pp. 303–315, 2015, doi: 10.1007/s10943-014-9829-z.
- [33] Indonesia COVID-19 Task Force, "Preventing and Dealing with Social Stigma Around COVID-19 (Mencegah dan Menangani Stigma Sosial Seputar COVID-19)," *kawalcovid19.id*, 2020. <https://kawalcovid19.id/content/698/mencegah-dan-menangani-stigma-sosial-seputar-covid-19> (accessed Apr. 15, 2021).
- [34] N. K. Widiastuti, "Let's Stop the Negative Stigma related to Covid-19 (Mari Hentikan Stigma Negatif terkait Covid-19) - Dinas Kesehatan Provinsi Bali," *Bali Provincial Health Office*, 2020. <https://www.diskes.baliprov.go.id/mari-hentikan-stigma-negatif-terkait-covid-19/> (accessed Apr. 15, 2021).
- [35] K. Lukiyanto and M. Wijayaningtyas, "Gotong Royong as social capital to overcome micro and small enterprises' capital difficulties," *Heliyon*, vol. 6, no. 9, p. e04879, 2020, doi: 10.1016/j.heliyon.2020.e04879.
- [36] L. Satlita, U. Dewi, and A. Priyanto, "Strengthening social capital in implementing Segoro Amarto Movement to alleviate poverty in Yogyakarta City," *IJSS*, vol. 13, no. 2, pp. 70–81, 2017.
- [37] Supriyanta and O. Anggraini, "Social Capital Recapitalization and Triple Helix-Based Creative Economy Development in Yogyakarta New Normal Era (Rekapitalisasi Modal Sosial Dan Pengembangan Ekonomi Kreatif Berbasis Triple Helix Di Yogyakarta Era Normal Baru)," in *Transformasi Indonesia 2021: Inovasi dan Strategi Pemulihan Ekonomi Pascapandemi*

- COVID-19*, 2021, pp. 174–187.
- [38] S. F. Ahmada, F. D. Marsetyo, and R. A. Putri, "Jogja Food Solidarity as an Alternative Actor in Providing Welfare in the Crisis of the COVID-19 Pandemic (Solidaritas Pangan Jogja sebagai Aktor Alternatif Penyedia Kesejahteraan di Masa Krisis Pandemi COVID-19)," *J. Soc. Dev. Stud.*, vol. 1, no. 2, pp. 1–13, 2020, doi: 10.22146/jsds.524.
- [39] D. Haryadi and D. N. Malitasari, "Solidarity During Covid-19 Pandemic (A Case Study on the Social Action of Yogyakarta Food Solidarity and the Interfaith Network for Covid-19 Response)," *J. Partisipatoris*, vol. 2, no. 2, pp. 58–74, 2020, doi: 10.22219/jp.v2i2.12849.

BIOGRAPHIES OF AUTHORS

	<p>Sulistyawati is a public health scientist working on health system research, implementation research focusing on infectious disease, and health program evaluation. She can be contacted at email: sulistyawati.suyanto@ikm.uad.ac.id.</p>
	<p>Rokhmayanti is an epidemiologist working on epidemiology, surveillance Epidemiology (NCD, Emerging, Re-Emerging & New Emerging Disease), and zoonosis. She can be contacted at email: rokhmayanti@ikm.uad.ac.id.</p>
	<p>Budi Aji Dr. Budi Aji is public health by training. He attained his bachelor's from the Faculty of Public Health at Diponegoro University-Semarang. He did his master's degree at the Graduate Institute of Health Care administration at Asia University-Taiwan. He graduated from the Ph.D. program at the Institute of Public Health, University of Heidelberg-Germany. He has been a lecturer and researcher at the School of Public Health, Faculty of Medicine and Health Sciences, Jenderal Soedirman University-Purwokerto since 2002. As a researcher, He is currently focusing his projects on health policy, health economics, global health, health equity, and climate change.</p> <p>Along with his duties at the School of Public Health, he attended seminars and met with public health leaders at different functions and events. All these activities confirmed his growing interest in public health, health policy, health economics, global health, and climate change, particularly in developing countries. These are his most vital interests because he believes they are fundamental to his country, Indonesia.</p>

	He can be contacted at email: budi.aji57@gmail.com .
	Siwi Pramata Mars Wijayanti is a public health scientist working on entomology and epidemiology. Siwi can be contacted at email siwimars@gmail.com .
	Tri Wahyuni Sukesni is a public health scientist working on environmental health and dengue. Siwi can be contacted at email yunisukesni.fkmuad@gmail.com .
	Surahma Asti Mulasari is a public health scientist working on environmental health and dengue. Siwi can be contacted at email surahma.mulasari@ikm.uad.ac.id .