

medip,+IJCMPH-5432+O.pdf

Original Research Article

Knowledge and attitudes of mothers about nutrition status for infants and toddlers in Tuksono, Sentolo, Kulonprogo

Suci Musvita Ayu*, Liena Sofiana, Thoharoh Halimatusa'diyah

14

Faculty of Public Health, Ahmad Dahlan University, Yogyakarta, Indonesia

Received: 08 September 2019

Accepted: 09 October 2019

*Correspondence:

Dr. Suci Musvita Ayu,

E-mail: suci.ayu@ikm.uad.ac.id

Copyright: © the author(s), publisher and licensee Medip Academy. This is an open-access article distributed under the terms of the Creative Commons Attribution Non-Commercial License, which permits unrestricted non-commercial use, distribution, and reproduction in any medium, provided the original work is properly cited.

22

ABSTRACT

Background: Nutrition is one of the factors that can be used as a determinant of the quality of human resources. The number of malnourished sufferers in the world reaches 104 million children. The prevalence of underweight children based on weight and height indicators is 19.6% which consists of 5.7% toddlers with poor nutrition and 13.9% of them with under nutrition. Based on data from the District Health Office of Kulon Progo (2014), the number of toddlers with under nutrition was 10.13%.

Methods: This study was an observational analytic cross-sectional design. It was conducted in July, 2019. The study population was mothers who had babies and or toddlers in Kalisoko. The sampling was carried out using random sampling with inclusion criteria of mothers who have babies and or toddlers residing in Kalisoko. Exclusion criteria in this study were mothers who were not willing to be sampled and mothers who did not have babies and or toddlers. Based on the established inclusion and exclusion criteria, a sample of 30 was obtained. The research instrument was a questionnaire. Statistical tests were performed using chi-square test.

Results: Chi-square test results showed a significant value of 0.072 ($p < 0.05$), which means that there is no relationship between maternal knowledge of maternal attitudes about nutritional status in infants and toddlers in Kalisoko, Tuksono, Sentolo, Kulonprogo 2019. The risk prevalence value is 2.303 (> 1) and the CI value between 1.083 and 4.897 so that it does not exceed 1, meaning that the knowledge of mothers which is not really good is at risk of 2.303 times compared to mothers who have good knowledge.

Conclusions: Knowledge is a risk factor for maternal attitudes about nutritional status in infants and toddlers but it is not statistically significant.

Keywords: Knowledge, Attitude, Nutritional status

INTRODUCTION

Nutrition is one of the factors that can be used as a determinant of the quality of human resources. Daily food consumed must contain nutrients needed by the body, so that it can support optimal growth, and also can help in preventing the emergence of various diseases that can interfere with survival in children.¹

Indonesia as one of the developing countries still faces considerable malnutrition problems. The problem of

malnutrition and poor nutrition in infants is still a fundamental problem in the world. The number of malnourished sufferers in the world reaches 104 million children.² The prevalence of under-fives underweight based on weight / age indicators is 19.6% consisting of 5.7% of toddlers with poor nutrition and 13.9% of toddlers under nutrition.³ Based on District Health Office data of Kulon Progo, the number of malnourished children under five is 10.13%.⁴

Research conducted by Rinda shows that only about 62.5% of mothers can practice balanced feeding behavior

in children, 75% have a positive attitude in providing balanced nutritious food and 54.2% of mothers only understand balanced nutritional food but can't practice it well.⁵

Parents as a factor that is very influential on fulfilling the nutritional status of children, because the role of parents in choosing food and exemplifying eating behavior is still very big.⁶ The role of mothers in the family is very influential in preparing food. Therefore, the mother's knowledge is very necessary to improve the nutrition of family members.⁷

This is consistent with the research of Karolina et al showing that there is a relationship between mother's nutritional knowledge and the nutritional status of children under five in Gayo Luwes Regency. Health attitudes and behavior are influenced by internal factors, namely knowledge, perception, emotions, motivation, while external factors include the physical and non-physical environment.⁸

METHODS

This study was an observational analytic cross-sectional design, because in this study the researcher wanted to find relationships between variables to explain the events or phenomena observed. It was conducted in Kalisoko, Tuksono village, Sentolo Subdistrict, Kulonprogo Regency, Special Region of Yogyakarta where this research was conducted to see the relationship between knowledge of mother's attitudes about nutritional status in infants and toddlers in Kalisoko. The study was conducted in July 2019. The population in this study is an affordable population or source population with a population of mothers who have babies and or toddlers in Kalisoko. The samples were taken using a random sampling technique with inclusion criteria namely mothers who have babies and or toddlers who live in the village of Kalisoko. Exclusion criteria in this study were mothers who were not willing to be sampled and mothers who did not have babies and or toddlers. Based on the inclusion and exclusion criteria that have been set, 30 samples were obtained.

The instrument in this study was a questionnaire. The variables used in this study were independent variables, namely the mother's knowledge about nutritional status in infants and toddlers and the dependent variable was the

mother's attitude about nutritional status in infants and toddlers.

Data analysis was performed using univariate analysis to describe the frequency distribution of respondents' characteristics and the frequency distribution of each independent variable and the dependent variable. Bivariate data analysis was performed on the independent variables with the dependent variable, namely the mother's knowledge of nutritional status in infants and toddlers. The presence or absence of relationships and statistical and biological significance was tested with the chi square test.

RESULTS

Characteristics of respondents who had good knowledge were 21 mothers (65.63%), while those who have good knowledge were 11 mothers (34.38%) (Table 1). Of the 30 respondents, 16 mothers had good attitudes (53.33%) and 14 mothers had poor attitudes (Table 2).

Table 1: Frequency distribution of mother's knowledge of nutritional status in infants and toddlers.

Category	Frequency (person)	Percentage (%)
Good	21	65.63
Poor	11	34.38
Total	30	100.00

Table 2: Frequency distribution of mother's attitudes about nutritional status in infants and toddler.

Category	Frequency (person)	Percentage (%)
Good	16	53.33
Poor	14	46.67
Total	30	100.00

Chi-square test results obtained a significant value of 0.072 ($p < 0.05$). meaning that there was no relationship between maternal knowledge of maternal attitudes about nutritional status in infants and toddlers in Kalisoko, Tuksono, Sentolo, Kulonprogo 2019. The risk prevalence value 2.303 (> 1) and the CI value between 1.083 and 4.897 so that it does not exceed 1, meaning that the knowledge of mothers who are less good at risk is 2.303 times compared to mothers who had good knowledge (Table 3).

Table 3: Chi-square test knowledge with mother's attitude about nutritional status in infants and toddlers.

Maternal knowledge	Maternal attitude				Total		RP	CI (95%)	P
	Poor		Good		N	%			
	N	%	N	%					
Poor	8	26.7	3	10.0	11	36.7	2.303	1.083-4.897	0.072
Good	6	20.0	13	43.3	19	63.3			
Total	14	46.7	16	53.3	30	100.0			

DISCUSSION

The results showed that knowledge is a risk factor for maternal attitudes about nutritional status in infants and toddlers but it is not statistically significant. There is no statistical relationship because mother's overall knowledge is good. Rahmatillah's research shows that there is a relationship between knowledge and nutritional status in children under five ($p=0.001$).⁹ When a mother's knowledge about nutrition is still lacking, then the mother has a 62 times greater risk to have a nutritional status lacking.¹⁰

A good mother's attitude will affect the nutritional status of infants.⁹ A good mother's attitude is influenced by the knowledge of a good mother. The existence of counseling about health can increase maternal knowledge. Information provided in counseling can increase the mother's knowledge, the more often the mother gets health information the better the mother's knowledge about balanced nutrition for toddlers, the better it is in calculating the type and amount of food she gets for consumption. Counseling for balanced nutrition is important to increase knowledge of balanced nutrition for mothers who have toddlers. Efforts to improve the nutrition-health knowledge of mothers through counseling are the right steps taken by parents and supported by those who care for mothers and children. This means that the better the knowledge of nutrition and maternal health, the child's growth will also improve.¹¹

Knowledge will make it easy for someone to absorb information and implement it in their daily behavior and lifestyle. Factors that influence knowledge are age, education, and experience. The more age, maturity level and strength of a person will be, the more mature they are in thinking, learning, and working so that the knowledge will increase.¹² Nutrition knowledge is often influenced by the level of education which has an impact on the role in the preparation of family meals, as well as the care and compliance of children.¹³

Nutrition counseling about complementary feeding can significantly increase maternal knowledge.¹⁴ Yuliana et al stated that nutritional knowledge of toddlers in the initial measurement of 20.3 points increased to 26.4 points after counseling with leaflet media.¹⁵

Counseling also gives an influence on parental attitudes and parenting ($p=0.000$).¹⁶ Counseling with the media also shows the same results, namely the influence of counseling on parental attitudes by Melina et al, meaning counseling with the media and without the media shows significant influence on parental attitudes.¹⁷

Counseling also has an influence on maternal behavior.¹⁴ The research of Dewi et al shows that the comparison of the average score of feeding practices for mothers of toddlers stunting 6-24 months increased from 33.6 points to 33.85 points.¹⁸ Nutrition education such as the

provision of knowledge and provision motivation toward changing attitudes and feeding behavior influences the feeding behavior of children.

The correlation between knowledge, attitudes and behavior is very significant. Someone who has good knowledge has positive actions, the good attitude of respondents will also be followed by positive actions. The correlation between knowledge and activity is 0.219. The correlation between attitude and activity is 0.269. There is a significant correlation between knowledge, attitudes and activities indicating the relationship between the three variables.¹⁹

Good maternal behavior has a relationship with maternal behavior in parenting the nutritional status of children under 6 years.²⁰ Parenting toward children can have an impact on the nutritional status of toddlers, the better the parenting style, the greater the proportion of good nutritional status.^{21,22}

Nutritional status has an impact on children's intelligence, the better the nutritional status, the higher their intelligence. Children with good nutritional status can improve learning achievement.²³ In a study conducted by Desfita et al, it is shown that children with normal nutritional status had an MDI score of 2.49 points higher than children with poor nutritional status. The mean MDI and PDI scores of children with normal nutritional status are higher than children with poor nutritional status. Chances of children with poor nutritional status to experience mental development delays are 1.56 times greater than children with normal nutritional status.²⁴

Nutrients play an important role in the first 2 years of life. Growth and development of brain cells requires adequate nutrition. Adequacy of nutrients at this time will affect the process of growth and development of children in the next period.

Other causes that contribute to the occurrence of malnutrition in children under five are education and low economic status.²⁵ The results of the research of Handono, showed that parental education, especially mothers significantly influence the nutritional status of children.²⁶ Wong et al, malnutrition problems in toddlers are directly caused by children not getting enough food that contains balanced nutrition.²⁷ Poor nutrition is also caused by infections in toddlers. Infection will disrupt metabolic hormonal balance and immune function.²⁸ Another factor that is closely related to malnutrition is the pattern of child care in the family. Research conducted by Maseta et al showed that there was a significant relationship between child care patterns and child health care practices in families with nutritional status in children aged 6-36 months in Tanzania.²⁹ The next factor was health care, the low utilization of health services had an effect of 60-70% death of under five children with malnutrition.²⁵

CONCLUSION

Knowledge is a risk factor for maternal attitudes about nutritional status in infants and toddlers but it is not statistically significant.

Funding: No funding sources

Conflict of interest: None declared

Ethical approval: The study was approved by the Institutional Ethics Committee

REFERENCES

- Soekirman. Ilmu Gizi dan Aplikasinya untuk Keluarga dan Masyarakat. Dirjen Dikti Depdiknas. Jakarta; 2000.
- WHO 2013. The Millenium Development Goals (MDGs) Report 2013. United Nation New York. Available at: <http://www.who.int/nutrition/publications/severemalnutrition>. Accessed on 1st September 2019.
- Riskesdas. Riset Kesehatan Dasar 2013. Kementerian Kesehatan RI. Available at: <https://www.litbang.depkes.go.id>. Accessed on 1st September 2019.
- Dinkes Kab Kulon Progo. Profil Kesehatan Kabupaten Kulon progo Tahun 2014 (Data tahun 2013). Kulon Progo. DIY; 2014.
- Rinda. I. Pengetahuan, Sikap dan Praktik Pemberi Makanan Bergizi Seimbang di Cikarang Barat Bekasi; 2009.
- Virani. Hubungan Antara Pengetahuan dan Kebiasaan Konsumsi Fast Food dengan Kejadian Gizi Lebih Pada Siswa Sekolah Dasar Negeri Sudirman I Makassar. Skripsi. Program Studi Ilmu Gizi Fakultas Kesehatan Masyarakat. Universitas Hasanuddin; 2011
- Adriani M, Wirjatmadi B. Gizi dan Kesehatan Balita Peranan Mikro Zinc pada Pertumbuhan Balita. Jakarta: Kencana Prenadamedia Group; 2014.
- Karolina EN, Ernawati A, dan Evawany Y. Hubungan Perilaku Kadarzi dengan Status Gizi Balita Usia 12-59 Bulan di Wilayah Kerja Puskesmas Blangkejeran Kecamatan Blangkejeran Kabupaten Gayo Lues Tahun 2012. *Jurnal Gizi. Kesehatan Reproduksi dan Epidemiologi*. 2013;2(2):1-10.
- Rahmatillah DK. Hubungan Pengetahuan Sikap dan Tindakan Terhadap Status Gizi. *Amerta Nutr*. 2018;2(1):106-12.
- Anida M, Zuraida R, Aditya M. Hubungan Pengetahuan Ibu, Sikap dan Perilaku terhadap Status Gizi Balita pada Komunitas Nelayan di Kota Karang Raya Teluk Betung Timur Bandar Lampung. *Med J Lampung*. 2015;4(1):167-76.
- Azria CR. Pengaruh Penyuluhan Gizi Terhadap Pengetahuan dan Perilaku Ibu Tentang Gizi Seimbang Balita Kota Banda Aceh. *Jurnal Kedokteran Syah Kuala*. 2016;16(2):87-92.
- Asriani F, Sumira A. Hubungan antara pola asuh, pengetahuan dan sikap orang tua terhadap status gizi balita di Kelurahan Lampa Kecamatan Duampanua Kabupaten Pinrang. *Makassar: Poltekes Kemenkes Makassar*. 2013;1(6).
- Devi M. Analisis faktor- faktor yang berpengaruh terhadap gizi balita dipedesaan. *Tehknologi dan Kejuruan*. 2016;33(2):183-92.
- Kustiani A, Misa AP. Perubahan Pengetahuan, Sikap, dan Perilaku Ibu Dalam Pemberian MP-ASI Anak Usia 6-24 Bulan Pada Intervensi Penyuluhan Gizi Di Lubuk Buaya Kota Padang. *Jurnal Kesehatan Perintis*. 2018;5(1):60-6.
- Suriadi. Yuliana R. Asuhan keperawatan pada anak. Jakarta: Sagung seto. 2010;49-51.
- Indrawati K, Dewi R. Pengaruh Penyuluhan Gizi Terhadap Sikap Pola Asuh Gizi Orang Tua Anak Usia Dini (AUD) Di Tk Idhata Unesa. *E-journal boga*. 2014;3(1):241-9.
- Melina F, Soebiyanto AA, Wujoso H. Perbedaan Media Pembelajaran (Leaflet Dan Video) Terhadap Keterampilan Sadari Ditinjau Dari Motivasi. *Jurnal Kesehatan Samodra Ilmu*. 2014;5(2).
- Dewi M, Aminah M. Pengaruh Edukasi Gizi Terhadap Feeding Practice Ibu Balita Stunting Usia 6-24 bulan. *Indonesian Journal of Human Nutrition*. 2016;3(1):1-8.
- Wijaya MK, Pengetahuan DKK, Sikap dan Aktivitas Remaja SMA Dalam Kesehatan Reproduksi Di Kecamatan Buleleng. *Jurnal Kesehatan Masyarakat*. 2014;10(1):33-42.
- Purnama D. Hubungan Perilaku Ibu Dengan Status Gizi Anak Balita di Kabupaten Garut. *Jurnal Keperawatan BSI*. 2017;7(2):164-73.
- Sari, Ratna, Feny. Hubungan Pola Asuh Orang Tua Tentang Pemenuhan Kebutuhan Gizi Dengan Status Gizi Balita. *Akademi Kebidanan Ngudi Waluyo*; 2011.
- Hafrida. Studi Positive Deviance pada Keluarga Miskin yang mempunyai anak Usia 12-24 Bulan di Kelurahan Belawan Bahari Kecamatan Medan Belawan Medan. Skripsi. FKM USU; 2004.
- Legi NN. Hubungan status gizi dengan prestasi belajar siswa sekolah dasar Negeri Malalayang Kecamatan Malalayang. Skripsi. Poltekes Kemenkes Manado; 2012.
- Desfita S. Hubungan Status Gizi Dengan Perkembangan Mental Psikomotor Anak Usia 12 Sampai 24 Bulan Di Daerah Endemis GAKI. Thesis. Universitas Gadjah Mada Yogyakarta; 2007.
- United Nations Children's Fund (UNICEF). Improving child nutrition: the achievable imperative for global progress. UNICEF: New York; 2013.
- Handono NP. Hubungan Tingkat Pengetahuan pada Nutrisi, Pola Makan, dan Tingkat Konsumsi Energi dengan Status Gizi Anak Usia Lima Tahun di Wilayah Kerja Puskesmas Selogiri. Wonogiri. *Jurnal Keperawatan*. 2010;1(1).
- Wong HJ, Moy FM, Nair S. Risk factors of malnutrition among preschool children in

- Terengganu, Malaysia: a case control study. *BMC Public Health*. 2014;14:785.
28. Bantamen, Belaynew, Dube. Assessment of Factors Associated with Malnutrition among Under Five Years Age Children at Machakel Woreda. Northwest Ethiopia: A Case Control Study. *Journal Nutrition Food Science*. 2014;4(1).
29. Maseta E, Makau KW, Omwega AM. Childcare practice and nutritional status of children aged 6-36 months among short and long term beneficiaries of

the child survival protection and development programmes (the case Morogoro. Tanzania). *South Africa Journal of Clinical Nutrition*. 2008;21(1).

Cite this article as: Ayu SM, Sofiana L, Halimatusa'diyah T. Knowledge and attitudes of mothers about nutrition status for infants and toddlers in Tuksono, Sentolo, Kulonprogo. *Int J Community Med Public Health* 2019;6:4658-62.

15%

SIMILARITY INDEX

PRIMARY SOURCES

- 1** www.tephinet.org 24 words — 1%
Internet
- 2** Rapida Saragih, Sitha Paradilla Delarosa, Ida Lestari Tampubolon. "Factors Affecting Exclusive Breastfeeding In Infants 7-12 Months", JKM (Jurnal Kebidanan Malahayati), 2021 23 words — 1%
Crossref
- 3** ejurnal.esaunggul.ac.id 22 words — 1%
Internet
- 4** Oumaima mechraoui, Hilmi Jelleli, Feten Fekih-Romdhane, Mahmoud Rebhi et al. "The relationship between nomophobia and psychological distress in Tunisian students: The moderating effect of physical activity", Research Square Platform LLC, 2023 21 words — 1%
Crossref Posted Content
- 5** Siti Nadiah Nurul Fadilah, Farida Wahyu Ningtyias, Sulistiyani Sulistiyani. "Tinggi badan orang tua, pola asuh dan kejadian diare sebagai faktor risiko kejadian stunting pada balita di kabupaten Bondowoso", Ilmu Gizi Indonesia, 2020 21 words — 1%
Crossref
- 6** doaj.org 21 words — 1%
Internet

7	humaniora.journal.ugm.ac.id Internet	21 words — 1%
8	ecampus.poltekkes-medan.ac.id Internet	20 words — 1%
9	ejournal.unsrat.ac.id Internet	18 words — 1%
10	core.ac.uk Internet	15 words — 1%
11	e-journal.unair.ac.id Internet	14 words — 1%
12	repository.umsu.ac.id Internet	11 words — < 1%
13	Lulu Indria Setyani, Khoirul Anwar. "The Association Between Feeding Practices and History of Diarrhea with Nutritional Status of Toddlers", Indonesian Journal of Public Health Nutrition, 2022 Crossref	10 words — < 1%
14	ejournal.undip.ac.id Internet	10 words — < 1%
15	jisppd.com Internet	10 words — < 1%
16	eprints.poltekkesjogja.ac.id Internet	9 words — < 1%
17	iapsmupuk.org Internet	9 words — < 1%
18	journal.unnes.ac.id	

Internet

9 words — < 1%

19 lib.unnes.ac.id
Internet

9 words — < 1%

20 ojs.unud.ac.id
Internet

9 words — < 1%

21 pdfs.semanticscholar.org
Internet

9 words — < 1%

22 www.ijsr.net
Internet

9 words — < 1%

23 Elshaday Kasim, Nancy Malonda, Marsella Amisi. "Hubungan Antara Riwayat Pemberian Imunisasi dan Penyakit Infeksi dengan Status Gizi pada Anak Usia 24-59 Bulan di Kecamatan Ratahan Kabupaten Minahasa Tenggara. (Relationship Between History of Immunization and Infectious Disease with Nutritional Status in Children aged 24-59 Months in Ratahan Subdistrict, Southeast Minahasa Regency)", JURNAL BIOS LOGOS, 2019

8 words — < 1%

Crossref

24 Kirk A. Dearden, Sterling Hilton, Margaret E. Bentley, Laura E. Caulfield, Cathleen Wilde, Pham Bich Ha, David Marsh. "Caregiver Verbal Encouragement Increases Food Acceptance among Vietnamese Toddlers", The Journal of Nutrition, 2009

8 words — < 1%

Crossref

25 Tyas Yesiana Dwi Saputri. "Budaya dan Pengaruh Oranlain yang Memengaruhi Sikap Ibu dalam Pemberian MP-ASI di Puskesmas Tuntang", Jurnal Ilmiah Kesehatan Media Husada, 2020

8 words — < 1%

Crossref

26 pjmhsonline.com
Internet

8 words — < 1%

27 www.gssrr.org
Internet

7 words — < 1%

EXCLUDE QUOTES OFF

EXCLUDE SOURCES OFF

EXCLUDE BIBLIOGRAPHY ON

EXCLUDE MATCHES OFF