

DAFTAR PUSTAKA

- Arulmozhiraja, S., Matsuo, N., Ishitsubo, E., Okazaki, S., Shimano, H., and Tokiwa, H., 2016, Comparative Binding Analysis of Dipeptidyl Peptidase IV (DPP-4) with Antidiabetic Drugs -An Ab Initio Fragment Molecular Orbital Study, *PLoS ONE*, 11(11), 1–15. <https://doi.org/10.1371/journal.pone.0166275>
- Agustina, W., Susanti, E., Yunita, N., and Yamtinah, S., 2018, *Modul Chem Office (Chem Draw & Chem 3D)*, Modul Chemoffice, 1–22.
- Asadzadeh, A., Fassihi, A., Yaghmaei, P., and Pourfarzam, M., 2015, In silico approach for designing potent inhibitors against tyrosinase, *Biosciences Biotechnology Research Asia*, 12 (9), 181–187.
- Banerjee, P., Eckert, A. O., Schrey, A. K., & Preissner, R., 2018, ProTox-II: A webserver for the prediction of toxicity of chemicals, *Nucleic Acids Research*, 46(W1), W257–W263, <https://doi.org/10.1093/nar/gky318>.
- Binda, C., Wang, J., Pisani, L., Caccia, carla, Carroti, angelo, Salvati, patricia, Edmondson, dale e, & Mattevi, andrea., 2007, Structures of Human Monoamine Oxidase B Complexes with Selective Noncovalent Inhibitors: Safinamide and Coumarin Analogs, *J. Med. Chem.*
- Boulaamane, Y., Ibrahim, M. A., Britel, M. R., and Maurady, A., 2022, In silico studies of natural product-like caffeine derivatives as potential MAO-B inhibitors/AA2AR antagonists for the treatment of Parkinson's disease, *Journal of Integrative Bioinformatics*, 19(4), 20210027.
- Carrarini, C., Russo, M., Dono, F., Pietro, M. Di, Rispoli, M. G., Stefano, V. Di, Ferri, L., Barbone, F., Vitale, M., Thomas, A., Sensi, S. L., Onofrj, M., & Bonanni, L., 2019, *A Stage-Based Approach to Therapy in Parkinson ' s Disease*.
- Chen, J. J., & Swope, D. M., 2014, Parkinson's Disease, *Pharmacotherapy: A Pathophysiologic Approach, Ninth Edition*.
- Cheng, X. W., Li, J. Q., Jiang, Y. J., Liu, H. Z., & Huo, C., 2021, A new indolizinium alkaloid from marine-derived *Streptomyces* sp. HNA39, *Journal of Asian Natural Products Research*, 23(9), 913-918.
- Chochkova, M., Rusew, R., Kalfin, R., Tancheva, L., Lazarova, M., and Št, M., 2022, *2-Methylcinnamic Acid Amide in*.
- Chuanxi, Y., Xiaoning, W., Chang, G., & Yunxiang, L., 2023, Molecular Mechanism and Structure-activity Relationship of the Inhibition Effect between Monoamine Oxidase and Selegiline Analogues, *Bentham Science*.
- Daina, A., Michielin, O., & Zoete, V., 2017, SwissADME: a free web tool to evaluate pharmacokinetics, drug-likeness and medicinal chemistry friendliness of small molecules, *Scientific reports*, 7(1), 42717.

- Daoui, O., Elkhatabi, S., Chtita, S., Elkhalabi, R., Zgou, H., and Benjelloun, A. T., 2021, QSAR, molecular docking and ADMET properties in silico studies of novel 4, 5, 6, 7-tetrahydrobenzo [D]-thiazol-2-Yl derivatives derived from dimedone as potent anti-tumor agents through inhibition of C-Met receptor tyrosine kinase, *Heliyon*, 7(7), e07463. <https://doi.org/10.1016/j.heliyon.2021.e07463>.
- DeMaagd, G., & Philip, A., 2015, *Parkinson's Disease and Its Management*, 40.
- DiPiro, J., Yee, G., Posey, L. M., Haines, S. T., Nolin, T. D., and Ellingrod, V.L., 2020, *Pharmacotherapy 11 th Edition* (11 th).
- European Pharmacopoeia 9 th Edition, 2017, European Departement For The Quality Of Medicine, *European Pharmacopoeia 9 Th Edition*.
- Fan, M., Zhang, G., Hu, X., Xu, X., and Gong, D., 2017, Quercetin as a tyrosinase inhibitor: Inhibitory activity, conformational change and mechanism., *Food Research International*, 100(7), 226–233.
- Ghafary, S., Ranjbar, S., Larijani, B., Amini, M., Biglar, M., Mahdavi, M., Bakhshaei, M., Khoshneviszadeh, M., Sakhteman, A., and Khoshneviszadeh, M., 2019, Novel morpholine containing cinnamoyl amides as potent tyrosinase inhibitors, *International Journal of Biological Macromolecules*, 135, 978–985.
- Giantari NKM, Prayoga IWI, dan Laksmiani NPL., 2019, Aktivitas agen pencerah kulit dari katekin secara in silico, *J Kim*, 13(2):196–200.
- Gigliobianco, M. R., Casadidio, C., Censi, R., & di Martino, P., 2018, Nanocrystals of poorly soluble drugs: Drug bioavailability and physicochemical stability, *In Pharmaceutics* (Vol. 10, Issue 3), MDPI AG. <https://doi.org/10.3390/pharmaceutics10030134>.
- Goodsell, D. S., Sanner, M. F., Olson, A. J., and Forli, S., 2021, The AutoDock suite at 30, *Protein Science*, 30(1), 31–43.
- Govindarasu, M., Ganeshan, S., Ansari, M. A., Alomary, M. N., AlYahya, S., Alghamdi, S., Almeahadi, M., Rajakumar, G., Thiruvengadam, M., and Vaiyapuri, M., 2021, In silico modeling and molecular docking insights of kaempferitrin for colon cancer-related molecular targets, *Journal of Saudi Chemical Society*, 25(9), 101319.
- Hammami, M., Chaabani, E., Yeddes, W., Wannes, W. A., & Bourgou, S., 2023, Phenolic Compounds and Skin Permeability: An In Silico Investigation, *Avicenna Journal of Medical Biochemistry*, 11(1), 11-18.
- Hauser, D.N., dan Hastings, T.G., 2013, Mitochondrial dysfunction and oxidative stress in Parkinson's disease and monogenic parkinsonism, *Neurobiology of Disease*, 51, 35–42. Doi: 10.1016/j.nbd.2012.10.011.
- Haynes, B. S., 2019, Combustion research for chemical processing, *Proceedings of the Combustion Institute*, 37(1), 1-32.
- J, K., D, C., dan M, R. (2019). Molecular Docking, Drug-likeness Studies and ADMET Prediction of Quinoline Imines for Antimalarial Activity. *Journal of Medicinal Chemistry and Drug Design*, 2(1). <https://doi.org/10.16966/2578-9589.113>.
- Kare, P., Bhat, J., & Sobhia, M. E., 2013, Structure-based design and analysis of MAO-B inhibitors for Parkinson's disease: using in silico approaches, *Molecular diversity*, 17, 111-122.
- Khaerunnisa, S., Suhartati, dan Awaluddin., 2020, Penelitian in Silico untuk

- pemula, *Airlangga University Press*.
- Khalaf, R. A., Alwarafi, E., and Sabbah, D., 2021, Piperazine sulfonamides as DPP-IV inhibitors: Synthesis, induced-fit docking and in vitro biological evaluation, *Acta Pharmaceutica*, 71(4), 631–643. <https://doi.org/10.2478/acph-2021-0034>.
- Kikiowo, B., Ogunleye, J. A., Metibemu, D. S., Omotuyi, I. O., and Adelokun, N. S., 2020, Virtual screening and pharmacokinetic studies of potential MAO-B inhibitors from traditional Chinese medicine, *Journal of Biological Engineering Research and Review*, 7(1), 08–15.
- Kontoyianni, M., McClellan, L. M., and Sokol, G. S., 2004, Evaluation of Docking Performance: Comparative Data on Docking Algorithms, *Journal of Medicinal Chemistry*, 47(3), 558–565.
- Krzyz'ak, A. G., Pan'czyk, K., Waszkielewicz, A. M., and Marona, H., 2015, Cinnamamide Derivatives for Central and Peripheral Nervous System Disorders—A Review of Structure–Activity Relationships, *ChemMedChem*.
- Lan, J. S., Hou, J. W., Liu, Y., Zhang, Y., Li, L., and Zhang, T., 2017, Design, Synthesis and Evaluation of Novel Cinnamic Acid Derivatives Bearing N-Benzyl Pyridinium Moiety as Multifunctional Cholinesterase Inhibitors for Alzheimer's Disease, *J. Enzyme Inhib, MedChem*.
- Lee, H., 2019, Effects of hydrophobic and hydrogen-bond interactions on the binding affinity of antifreeze proteins to specific ice planes, *Journal of Molecular Graphics and Modelling*, 87, 48–55.
- Lipinski, C. A., Lombardo, F., Dominy, B. W. and Feeney, P. J., 2012, Experimental and computational approaches to estimate solubility and permeability in drug discovery and development settings, *Advanced Drug Delivery Reviews*, 64(SUPPL.): 4–17.
- López, R., 2014, Capillary surfaces with free boundary in a wedge, *Advances in Mathematics*, 262, 476–483.
- Manoharan, A., Oh, jong min, Benny, feba, kumar, sunil, Abdelgawad, M. A., Ghoneim, M. M., Shaker, M. E., El-Sherbiny, M., Almohaimeed, H. M., Gahtori, P., Kim, H., and Mathew, B., 2023, Assembling a Cinnamyl Pharmacophore in the C3-Position of Substituted Isatins via Microwave-Assisted Synthesis: Development of a New Class of Monoamine Oxidase-B Inhibitors for the Treatment of Parkinson's Disease, *Molecules*.
- Mansour, R., Toldo, J. M., and Barbatti, M., 2022, Role of the Hydrogen Bond on the Internal Conversion of Photoexcited Adenosine, *Journal of Physical Chemistry Letters*, 13(26), 6194–6199.
- Mauliana, L., Jamil, A. S., and Siti, S., 2022, Curcuma longa as a Natural Immunomodulator for Preventing infection from COVID 19 With an In silico Approach, *Jurnal Biologi Tropis*, 22(2), 345–352
- Medvedeva M., Barinova K., Melnikova A., Semenyuk P., Kolmogorov V., Gorelkin P., Erofeev A., Muronetz V., 2020, Naturally Occurring Cinnamic Acid Derivatives Prevent Amyloid Transformation of Alpha-Synuclein, *Biochimie*.
- Morris, G. M., dan Lim-wilby, M, 2017, *Molecular Docking*. 443, 365–382.
- Murugan, N. A., and Zalesny, R., 2020, Multiscale modeling of two-photon probes for Parkinson's diagnostics based on monoamine oxidase B biomarker, *Journal of Chemical Information and Modeling*, 60(8).

- Narko, Tedjo, Benny Permana, Riska Prasetiawati, Dang Soni, Faridhatul Khairiyah, 2017, Molecular Dockingstudy of Bulb Of Bawang Dayak (Eleutherine Palmifolia (L) Merr) Compound As Anti Servical Cancer, *Jurnal Ilmiah Farmako Bahari*, 2(8), 1-14.
- Nursanti, O., 2021, Validasi Penambatan Molekul Untuk Mendapatkan Ligan Aktif Pada Reseptor Cyclooxygenase 2, *Prosiding Seminar Informasi Kesehatan Nasional*.
- Nusantoro, Y. R., & Fadlan, A., 2020, Analisis Sifat Mirip Obat, Prediksi ADMET, dan Penambatan Molekular Isatinil-2-Aminobenzoilhidrazon dan kompleks logam transisi Co(II), Ni(II), Cu(II), Zn(II) Terhadap BCL2-XL, *Akta Kimia Indonesia*, 5(2), 114.
- National Center for Biotechnology Information, 2024, PubChem Compound Summary for CID 444539, Cinnamic Acid, <https://pubchem.ncbi.nlm.nih.gov/compound/Cinnamic-Acid> Diakses pada 25 Januari 2024.
- Pajares, M., I Rojo, A., Manda, G., Boscá, L., and Cuadrado, A., 2020, Inflammation in Parkinson's Disease: Mechanisms and Therapeutic Implications, *Cells*, 9(7), 1–32.
- Pathania, A., Kumar, R., and Sandhir, R., 2021, Hydroxytyrosol as anti parkinsonian molecule: Assessment using in-silico and MPTP-induced Parkinson's disease model, *Biomedicine & Pharmacotherapy*.
- Patil Pratiksha, D. N. S., 2022, In silico pharmacokinetic analysis of Morinda citrifolia phytochemicals and their potential antagonistic effect on prostatic carcinoma proteins, *E-Namtila Publishing*, 3, 83–96.
- Pinzi, L., dan Rastelli, G, 2019, Molecular docking: Shifting paradigms in drug discovery, *International Journal of Molecular Sciences*, 20(18).
- Pires, D. E., Blundell, T. L., & Ascher, D. B., 2015, pkCSM: predicting small-molecule pharmacokinetic and toxicity properties using graph-based signatures, *Journal of medicinal chemistry*, 58(9), 4066-4072.
- Pirtošek, Z., Bajenaru, O., Kovács, N., Milanov, I., Relja, M., and Skorvanek, M., 2020, Update on the Management of Parkinson's Disease for General Neurologists, *Parkinson's Disease*, 2020.
- Prorok, T., Jana, M., Patel, D., and Pahan, K., 2019, Cinnamic Acid Protects the Nigrostriatum in a Mouse Model of Parkinson's Disease via Peroxisome Proliferator-Activated Receptor α . *Neurochemical Research*.
- Raman, S., Khan, A. A., and Mahmood, S., 2022, Nose to brain delivery of selegiline loaded PLGA/lipid nanoparticles: Synthesis, characterisation and brain pharmacokinetics evaluation, *Journal of Drug Delivery Science and Technology*.
- Rim, K. T., 2020, In silico prediction of toxicity and its applications for chemicals at work, *Toxicology and Environmental Health Sciences*, 12(3), 191–202.
- Saeed, M., Shoaib, A., Tasleem, M., Alabdallah, N. M., Alam, M. J., El Asmar, Z., Jamal, Q. M. S., Bardakci, F., Alqahtani, S. S., Ansari, I. A., and Badraoui, R., 2021, Assessment of antidiabetic activity of the shikonin by allosteric inhibition of protein-tyrosine phosphatase 1b (Ptp1b) using state of art: An in silico and in vitro tactics, *Molecules*, 26(13).
- Seo, S., Choi, J., Park, S., and Ahn, J., 2021, Binding affinity prediction for protein–ligand complex using deep attention mechanism based on intermolecular

- interactions, *BMC Bioinformatics*, 22(1), 1–15. <https://doi.org/10.1186/s12859-021-04466-0>
- Shaquiquzzaman, M., Verma, garima, Marella, A., and Akhter, mymoona., 2015, Piperazine Scaffold: A Remarkable Tool in Generation of Diverse Pharmacological Agents, *European Journal of Medicinal Chemistry*.
- Solis-Vasquez, L., Santos-Martins, D., Koch, A., and Forli, S., 2020, Evaluating the energy efficiency of opencl-accelerated autodock molecular docking, *Proceedings - 2020 28th Euromicro International Conference on Parallel*.
- Srivastava, V., Yadav, A., & Sarkar, P., 2022, Molecular docking and ADMET study of bioactive compounds of Glycyrrhiza glabra against main protease of SARS-CoV2, *Materials Today: Proceedings*, 49, 2999-3007.
- Wang, K., Shi, J., Zhou, Y., He, Y., Mi, J., Yang, J., Liu, S., Tang, X., Liu, W., Tan, Z., and Sang, Z., 2021, Bioorganic Chemistry Design, synthesis and evaluation of cinnamic acid hybrids as multi-target-directed agents for the treatment of Alzheimer's disease, *Bioorganic Chemistry*, 112(April), 104879.
- World Health Organization (WHO), 2022, Launch of WHO's Parkinson disease technical brief. WHO, <https://www.who.int/news/item/14-06-2022-launch-of-who-s-parkinson-disease-technical-brief>. Diakses pada tanggal 12 April 2023.
- Yasin, S. A., Azzahra, A., Ramadhan, N. E., dan Mylanda, V., 2020, Studi penambatan molekuler dan prediksi ADMET senyawa bioaktif beberapa jamu Indonesia terhadap SARS-CoV-2 main protease (Mpro), *Berkala Ilmiah Mahasiswa Farmasi Indonesia*, 7(2), 24-41.
- Yeni, Y., and Rachmania, R. A., 2022, The prediction of pharmacokinetic properties of compounds in *Hemigraphis alternata* (Burm. F.) T. ander leaves using pkCSM, *Indonesian Journal of Chemistry*, 22(4), 1081-1089.
- Yuan, S., Chan, H. C. S., and Hu, Z., 2017, Using PyMOL as a platform for computational drug design, *Wiley Interdisciplinary Reviews: Computational Molecular Science*, 7(2).
- Zhang, R. H., Guo, H. Y., Deng, H., Li, J., and Quan, Z. S., 2021, Piperazine skeleton in the structural modification of natural products: a review, *In Journal of Enzyme Inhibition and Medicinal Chemistry* (Vol. 36, Issue 1, pp. 1165–1197).