

DAFTAR PUSTAKA

- Ahmad, A., Husain, A., Mujeeb, M., Khan, S. A., Najmi, A. K., Siddique, N. A., Damanhouri, Z. A., & Anwar, F. (2013). A review on therapeutic potential of *Nigella sativa: A miracle herb*. *Asian Pacific Journal of Tropical Biomedicine*, 3(5), 337–352. [https://doi.org/10.1016/S2221-1691\(13\)60075-1](https://doi.org/10.1016/S2221-1691(13)60075-1)
- Aisy, Z. H. R., Puspita, O. E., & Shalas, A. F. (2021). Optimasi Formula Nanoemulsi Nifedipin Dengan Metode *Self-Nanoemulsifying Drug Delivery System* (SNEDDS). *Pharmaceutical Journal of Indonesia*, 6(2), 85–95.
- Akhoondinasab, M. R., Akhoondinasab, M., & Saberi, M. (2014). Comparison of healing effect of aloe vera extract and silver sulfadiazine in burn injuries in experimental rat model. *World Journal of Plastic Surgery*, 3(1), 29–34. <http://www.ncbi.nlm.nih.gov/pubmed/25489521> <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4236981>
- Alwadei M, Kazi M, Alanazi FK. Novel oral dosage regimen based on self-nanoemulsifying drug delivery system for codelivery of phytochemicals - Curcumin and thymoquinone. *Saudi Pharm J*. 2019;27(6):866-6. <https://doi.org/10.1016/j.jps.2019.05.008>
- Amin, B., & Hosseinzadeh, H. (2015). Black cumin (*Nigella sativa*) and its active constituent, thymoquinone: an overview on the analgesic and anti-inflammatory effects. *Planta medica*, 8-16.
- Ananda, N. C. R. A. C. R., Sulaiman, T. N., & Suwarsi, S. (2015). Pengaruh Peningkatan Tween 20 Sebagai Surfaktan Terhadap Karakteristik dan Kestabilan Fisik Sediaan *Self Nanoemulsifying Drug Delivery System* (SNEDDS) SIMVASTATIN. *STIFAR-Sekolah Tinggi Ilmu Farmasi*, 10(2).
- Andriani, P. 2022. Optimasi Formula Mikroemulsi Testosteron Undekanoat (TU) dengan Kekuatan Sediaan yang optimum pada Penggunaan Injeksi Intramuscular [Skripsi]. Jakarta: Fakultas Kedokteran & Ilmu Kesehatan, UIN Syarif Hidayatullah.
- Anindhita, M. A., & Oktaviani, N. (2016). Formulasi *Self-Nanoemulsifying Drug Delivery System* (SNEDDS) Ekstak Daun Pepaya (*Carica papaya L.*) dengan *Virgin Coconut Oil* (VCO) sebagai Minyak Pembawa. *Jurnal Pena Medika*, 6(2), 103–111.
- Ansari, et al. 2012. Influence Of Nanotechnology On Herbal Drugs: A Review. *J Adv Pharm Tech Res*. Vol 8(3) : 142- 146
- Anupam, Verma, A. R. and G. A. (2022). Tropical journal of *Self-Nanoemulsifying Drug Delivery System* : AN. *Tropical Journal of Pharmaceutical and Life Sciences*, 9(2), 11–20.
- Arquam, M. (2021). Pure honey and black seed (*Nigella sativa*) is the treatment and prevention of pandemic disease (corona virus). *Annals of the Romanian*

- Society for Cell Biology*, 25(4), 3359–3363.
- Asita, N., Zubair, M. S., & Syukri, Y. (2023). Formulasi *Self-Nanoemulsifying Drug Delivery System* (SNEDDS) yang Memanfaatkan Tanaman Obat: Narrative Review. *Jurnal Sains Farmasi & Klinis*, 10(2), 184. <https://doi.org/10.25077/jsfk.10.2.184-196.2023>
- Asyrrifa, N. (2016). Formulasi Sediaan Krim Ekstrak Kunyit Putih (*Curcuma Zedoaria(Christm.) Roscoe*) dengan Kombinasi Tween 80 dan Span 80 Sebagai Emulgator. 2013, 1–23.
- Balakumar, K., Vijaya Raghavan, C., Tamil Selvan, N., & Habibur Rahman, S. M. (2013). *Self emulsifying drug delivery system*: Optimization and its prototype for various compositions of oils, surfactants and co-surfactants. *Journal of Pharmacy Research*, 6(5), 510–514. <https://doi.org/10.1016/j.jopr.2013.04.031>
- Banerjee, S., Pandhye, S., Azmi, A., Wang, Z., Philip, P.A., Kucuk, O., Sarkar, F.H., Mohammad, R.M., 2010, Review on molecular and therapeutic potential of thymoquinone in cancer, *Nutrition and Cancer*, 62:938-46.
- Beg, S., Swain, S., Singh, H. P., Patra, C. N., & Rao, M. B. (2012). Development, optimization, and characterization of solid self-nanoemulsifying drug delivery systems of valsartan using porous carriers. *Aaps Pharmscitech*, 13, 1416-1427.
- Belhadj, Z., Zhang, S., Zhang, W., & Wang, J. (2013). Formulation development and bioavailability evaluation of a self-nanoemulsifying drug delivery system (SNEDDS) of atorvastatin calcium. *Int J Pharm*, 1, 1103-13.
- Bolton, S., 1997, Pharmaceutical Statistics Practical and Clinical Applications, 3 rd Edition, 610, New York:Marcel Dekker Inc.
- Bolton, S., 2014, Pharmaceutical Statistics Practical and Clinical Applications, 5 rd Edition, 610, New York:Marcel Dekker Inc.
- Buya AB, Beloqui A, Memvanga PB, Préat V. Self-Nano-Emulsifying Drug-Delivery Systems: From the Development to the Current Applications and Challenges in Oral Drug Delivery. *Pharmaceutics*. 2020 Dec 9;12(12):1194. doi: 10.3390/pharmaceutics12121194. PMID: 33317067; PMCID: PMC7764143.date
- Buza, N., & Dizdar, M. (2017). *Cmbibh* 2017. 62, 317–318. <https://doi.org/10.1007/978-981-10-4166-2>
- Chen, Y., Mohanraj, V. J., Wang, F., & Benson, H. A. E. (2007). Designing chitosan-dextran sulfate nanoparticles using charge ratios. *AAPS PharmSciTech*, 8(4). <https://doi.org/10.1208/pt0804098>
- Cherniakov, I., Domb, A. J., & Hoffman, A. (2015). Self-nano-emulsifying drug delivery systems: An update of the biopharmaceutical aspects. *Expert Opinion*

- on Drug Delivery, 12(7), 1121–1133.*
<https://doi.org/10.1517/17425247.2015.999038>
- Chuacharoen, T., Prasongsuk, S., and Sabliov, C. M. (2019). Effect of Surfactant Concentrations on Physicochemical Properties and Functionality of Curcumin Nanoemulsions Under Conditions Relevant to Commercial Utilization. *Molecules*, 24(15), 2744.
- Date, A. A., Desai, N., Dixit, R., & Nagarsenker, M. (2010). Self-nanoemulsifying drug delivery systems: Formulation insights, applications and advances. *Nanomedicine*, 5(10), 1595–1616.
<https://doi.org/10.2217/nnm.10.126>
- Dinyanti, S. (2021). Formulasi Dan Karakterisasi *Self Nanoemulsifying Drug Delivery System* Melokskam Menggunakan *Castor Oil, Cremophor* Dan Peg 400. In *Digital Repository Universitas Jember* (Issue September 2019).
- Dist, R. (2017). *Nanoemulsion a method to improve the solubility of lipophilic drugs*. *Pharmanest*, 2(2-3), 72-83..
- Dokania S, Amita KJ. Slf-Microemulsifying Drug Delivery System (SMEDDS) - Challenges and Road Ahead. *Drug Delive.* 2015;22(06):675-90.
<https://doi.org/10.3109/10717544.2014.896058>
- Dzulhidayat. (2022). Peran Jinten Hitam (*Nigela sativa*) sebagai Imunomodulator Menurunkan Sitokin IL-6 Pada Penderita Covid 19 : *Review Artikel*, (8.5.2017), 2003–2005.
- Fitrianingsih, S. (2022). Variations of Tween Surfactant and Propylene Glycol Cosurfactant in Topical Microemulsion Formulation on The Penetration of Ibuprofen. *FITOFARMAKA: Jurnal Ilmiah Farmasi*, 12(2), 122–134.
<https://doi.org/10.33751/jf.v12i2.5785>
- Fotouh, A. K., Allam, A. A., El-Badry, M., & El-Sayed, A. M. (2018). Role of self-emulsifying drug delivery systems in optimizing the oral delivery of hydrophilic macromolecules and reducing interindividual variability. *Colloids and Surfaces B: Biointerfaces*, 167, 82-92.
- Haidar, I., Harding, I. H., Bowater, I. C., Eldridge, D. S., & Charman, W. N. (2017). The role of lecithin degradation on the pH dependent stability of halofantrine encapsulated fat nano-emulsions. *International Journal of Pharmaceutics*, 528(1–2), 524–535. <https://doi.org/10.1016/j.ijpharm.2017.06.040>
- Handoyo Sahumena, M., Suryani, S., & Rahmadani, N. (2019). Formulasi Self-Nanoemulsifying Drug Delivery System (SNEDDS) Asam Mefenamat menggunakan VCO dengan Kombinasi Surfaktan Tween dan Span. *Journal Syifa Sciences and Clinical Research*, 1(2), 37–46.
<https://doi.org/10.37311/jsscr.v1i2.2660>
- Harwansh, R. K., Deshmukh, R., & Rahman, M. A. (2019). Nanoemulsion: Promising nanocarrier system for delivery of herbal bioactives. *Journal of*

- Drug Delivery Science and Technology*, 51(January), 224–233. <https://doi.org/10.1016/j.jddst.2019.03.006>
- Hastuti, E. D. (2020). Formulasi Sediaan *Self Nanoemulsifying Drug Delivery System* (SNEDDS) Ekstrak Etil Asetat Buah Parijoto (*Medinilla speciosa Blume*) serta Uji Stabilitas Fisik 1,2. 4(2), 131–137.
- Hussein, M. M., Abdel-Azeem, A. S., & El-Damhougy, S. T. (2016). The Health Benefits of Black Seed (*Nigella sativa*). *Research Journal of Pharmaceutical Biological and Chemical sciences*, 7(1), 1109-1113.
- Indratmoko, S., 2014, Pengembangan Nanopartikel Ekstrak Temulawak (*Curcuma zanthorrhiza*, Roxb) dengan Teknik Self-nanoemulsifying Drug Delivery System (SNEDDS) Menggunakan Fase Minyak Ikan Cucut Botol (*Centrocygnus crepidater*) Sebagai Obat Antiinflamasi, *Tesis*, Fakultas Farmasi, Universitas Gadjah Mada, Yogyakarta.
- Indriani, V., Tobing, N. E. K. P., & Rijai, L. (2018). Formulasi Self-Nanoemulsifying Drug Delivery System (SNEDDS) Ekstrak Biji Ramania (*Bouea macrophylla Griff*) dengan Asam Oleat (Oleic Acid) sebagai Minyak Pembawa. *Proceeding of Mulawarman Pharmaceuticals Conferences*, 8(November 2018), 276–284. <https://doi.org/10.25026/mpc.v8i1.334>
- Iswari, T. G. (2016). Optimasi dan Fomula *Nano Emulsifying Drug Delivery System* (SNEDDS) Minyak Biji Jintan Hitam dengan Surfaktan Tween 80 dan Konsurfaktan gliserol. *Jurnal Penelitian Pendidikan Guru Sekolah Dasar*, 6(August), 128.
- Jaworska, M., Sikora, E., & Ogonowski, J. (2014). The influence of glycerides oil phase on O/W nanoemulsion formation by pic method. *Periodica Polytechnica Chemical Engineering*, 43-48.
- Kassem, A. A., Abd El-Alim, S. H., Salman, A. M., Mohammed, M. A., Hassan, N. S., & El-Gengaihi, S. E. (2020). Improved hepatoprotective activity of Beta vulgaris L. leaf extract loaded self-nanoemulsifying drug delivery system (SNEDDS): in vitro and in vivo evaluation. *Drug Development and Industrial Pharmacy*, 46(10), 1589–1603. <https://doi.org/10.1080/03639045.2020.1811303>
- Khan, A.W., Kotta, S., Ansari, S.H., Sharma, R.K., Ali, J., 2021, Potentials and challenges in self-nanoemulsifying drug delivery systems, *Expert Opinion on Drug Delivery*, 9:305-317.
- Khoirunnisa, M. (2019). Uji Aktivitas Antioksidan *Self-Nanoemulsifying Drug Delivery System* (SNEDDS) Ekstrak Biji Jinten Hitam (*Nigella Sativa L.*) Dengan Metode DPPH. *Paper Knowledge . Toward a Media History of Documents*, 24–38.
- Krstić, M., Popović, M., Dobričić, V., & Ibrić, S. (2015). Influence of solid drug delivery system formulation on poorly water-soluble drug dissolution and

- permeability. *Molecules*, 20(8), 14684–14698. <https://doi.org/10.3390/molecules200814684>
- Kooti, W., Hasanzadeh-Noohi, Z., Sharafi-Ahvazi, N., Asadi-Samani, M., & Ashtary-Larky, D. (2016). Phytochemistry, pharmacology, and therapeutic uses of black seed (*Nigella sativa*). *Chinese journal of natural medicines*, 14(10), 732–745.
- Laddha, P., Suthar, V., & Butani, S. (2014). Development and optimization of self microemulsifying drug delivery of domperidone. *Brazilian Journal of Pharmaceutical Sciences*, 50(1), 91–100. <https://doi.org/10.1590/S1984-82502011000100009>
- Lakshmi, J., Kumar, B. A., & Gupta, S. (2013). Investigation of Microemulsion as a Potential Carrier for Advanced Transdermal Delivery: An Overview. *Int. J. Pharm. Sci. Rev. Res.*, 20(2), 51–59.
- Latif, M., Faheem, M., Asmatullah, Hoseinifar, S. H., & Van Doan, H. (2021). Dietary black seed effects on growth performance, proximate composition, antioxidant and histo-biochemical parameters of a culturable fish, rohu (*Labeo rohita*). *Animals*, 11(1), 1–14. <https://doi.org/10.3390/ani11010048>
- M. Dalil, F. Y. (2016). Hadis-Hadis Tentang Farmasi; Sebuah Kajian Integratif dalam Memahami Hadis Rasulullah. *Batusangkar International Conference*, 1(1), 309–326. <https://ojs.iainbatusangkar.ac.id/ojs/index.php/proceedings/article/view/551>
- Mahfur. (2018). Profil Metabolit Sekunder Senyawa Aktif Minyak Atsiri Jintan Hitam (*Nigella sativa L.*) dari Habasyah dan India. *Pharmaceutical Journal of Indonesia.*, 15 (01).
- Makadia, A Hiral., Bhatt, Ami Y., Parmar, Ramesh B., Paun, Jalpa S., Tank, H.M., 2013, Self-nano Emulsifying Drug Delivery System (SNEDDS): Future Aspect, Asian Journal of Pharmaceutics, 3(1):22.
- Mardikasari, S. A., Jufri, M., & Djajadisastra, J. (2016). Formulation and In-Vitro Penetration Study of Topical Dosage Form of Nanoemulsion from Genistein of *Sophora japonica* Linn. *Jurnal Ilmu Kefarmasian Indonesia*, 14(2), 190–198.
- Mariod, A. A., Saeed Mirghani, M. E., & Hussein, I. (2017). *Nigella sativa L.* Black Cumin. *Unconventional Oilseeds and Oil Sources*, 2019, 73–80. <https://doi.org/10.1016/b978-0-12-809435-8.00013-5>
- Marlinda, L. (2015). Effectivity Of Black Cumin Seeds Extract To Increase Phagocytosis. *J Majority*, 4, 58–64.
- Nasr, A., Gardouh, A., & Ghorab, M. (2016). Novel solid self-nanoemulsifying drug delivery system (S-SNEDDS) for oral delivery of olmesartan medoxomil: Design, formulation, pharmacokinetic and bioavailability evaluation. *Pharmaceutics*, 8(3). <https://doi.org/10.3390/pharmaceutics8030020>

- Nagavarma, et al. 2012. Different Techniques For Preparation Of Polymeric Nanoparticles- A Review. *Asian J of Pharm and Cli Res.* Vol 5(3) : 16-23
- Niland, N., Pearce, A. P., Naumann, D. N., O'Reilly, D., Series, P. B., Sataloff, R. T., Johns, M. M., Kost, K. M., Orsini, R. J., Medicine, T., Kalkman, J. P., Sataloff, R. T., Johns, M. M., Kost, K. M., Maiti, Bidinger, Assistance, H., Mitigate, T. O., Eroukhmanoff, C., & Licina, D. (2020). Formulasi dan karakteristik Sediaan SNEDDS Ekstrak Etanol Bawang Dayak (*Eleutherine palmifolia* (L.) Merr.) dengan Variasi Perbandingan Surfaktan-Kosurfaktan dan Minyak Kelapa Sawit. *Global Health*, 167(1), 1–5. <https://www.e-ir.info/2018/01/14/securitisation-theory-an-introduction/>
- Nurismawati, D. A., & Priani, S. E. (2021). Kajian Formulasi dan Karakterisasi Self-nanoemulsifying Drug Delivery System (SNEDDS) sebagai Pengantar Agen Antihiperlipidemia Oral. *Jurnal Riset Farmasi*, 1(2), 114–123.
- Patel, J., Patel, A., Raval, M., & Sheth, N. (2011). Formulation and development of a self-nanoemulsifying drug delivery system of irbesartan. *Journal of Advanced Pharmaceutical Technology and Research*, 2(1), 9–16. <https://doi.org/10.4103/2231-4040.79799>
- Pol, A. S., Patel, P. A., & Hegde, D. (2013). Peppermint Oil Based Drug Delivery System of Aceclofenac With Improved Anti-Inflammatory Activity and Reduced Ulcerogenecity. Article: Click Here International Journal of Pharma Bioscience and Technology, 1(2), 89–101. www.ijpbst.com
- Pratiwi, L., Fudholi, A., Martien, R., & Pramono, S. (2018). Uji Stabilitas Fisik dan Kimia Sediaan SNEDDS (Self-nanoemulsifying Drug Delivery System) dan Nanoemulsi Fraksi Etil Asetat Kulit Manggis (*Garcinia mangostana* L.). *Traditional Medicine Journal*, 23(2), 84–90.
- Purwaningsih, S., Salamah, E., & Budiarti, T. A. (2014). Formulasi Skin Lotion dengan Penambahan Karagenan dan Antioksidan Alami dari *Rhizophora mucronata* Lamk. *Jurnal Akuatika*, 5(1), 55–62. <http://jurnal.unpad.ac.id/akuatika/article/view/3705>
- Putri, E. N., Nurahmanto, D., & Agustian Rosyidi, V. (2021). Optimasi Tween 80 dan Propilen Glikol dalam Self -Nanoemulsifying Drug Delivery System (SNEDDS) Minyak Atsiri Daun Kemangi (*Ocimum basilicum*). *Journal Pustaka Ilmu Kesehatan*, 9(2), 78–83.
- Retnaningsih, P., & Susanto, A. J. (2022). Peran Jinten Hitam (*Nigella Sativa*) sebagai Imunomodulator Menurunkan Sitokin Il-6 pada Penderita Covid 19: Review Artikel. *Jurnal Ilmiah Indonesia*, 7(4), 4632–4642.
- Rowe, R. C., Shesky, P. J., & Quinn, M. E. (2009). Polyvinyl alcohol. *Handbook of Pharmaceutical Excipients*. 6th ed. London, Engl.: Pharmaceutical Press/Washington (DC): American Pharmaceutical Association (APhA), 564-565.

- Sahumena, M.H., 2014, Pengembangan Nanopartikel Ketoprofen dengan Teknik *Self-nanoemulsifying Drug Delivery System* (SNEDDS) dan Uji Aktivitas Antiinflamasi, *Tesis*, Fakultas Farmasi, Universitas Gadjah Mada, Yogyakarta.
- Sakthi M, U., Lobo F, J. R., & Uppuluri, K. B. (2013). Self nano emulsifying drug delivery systems for oral delivery of hydrophobic drugs. *Biomedical and Pharmacology Journal*, 6(2), 355–362. <https://doi.org/10.13005/bpj/425>
- Santamaría, E., Maestro, A., Vilchez, S., & González, C. (2023). Study of nanoemulsions using carvacrol/MCT-(Oleic acid-potassium oleate)/ Tween 80 ®- water system by low energy method. *Heliyon*, 9(6). <https://doi.org/10.1016/j.heliyon.2023.e16967>
- Shah, H., Jain, A., Laghate, G., & Prabhudesai, D. (2020). Pharmaceutical excipients. *Remington: The Science and Practice of Pharmacy*, 633–643. <https://doi.org/10.1016/B978-0-12-820007-0.00032-5>
- Singh, G., Khinchi, M. P., Gupta, M. K., Agrawal, D., Hussain, A., & Sharma, N. (2012). *INTERNATIONAL JOURNAL OF PHARMACY & LIFE SCIENCES* *Self emulsifying drug delivery systems (SEEDS): An approach for delivery of poorly water soluble drug*. 3(9), 1991–1996.
- Suzan. (2016). Pembuatan Nanokrim Kojic Acid Dipalmitate dengan Kombinasi Surfaktan Tween 80 dan Span 80 Menggunakan Mixer. *Skripsi*, 14–17.
- Tanvi G., Sanjay C., Kishor S., Sachin G., dan Snehal H. A Review on Formulation Techniques of Solid Self Nanoemulsifying Drug Delivery System. *Journal of Advanced Drug Delivery*. 2016; 3 (3): 34-41.
- Tungadi R. 2020. *Teknologi Nano Sediaan Liquida dan Semisolida*. Edisi pertama. Jakarta: CV. Sagung Seto.
- Verma, S., Kumar, N., Kumar, U., & Jain, G. (2018). Nanoemulsion: An Exceptional Mode For Delivery of Poorly Soluble Drug. *World Journal of Pharmacy and Pharmaceutical Sciences*, 7(2), 374–392. <https://doi.org/10.20959/wjpps20182-10883>
- Wadhwa, J., Nair, A., & Kumria, R. (2011). Self emulsifying therapeutic system: A potential approach for delivery of lipophilic drugs. *Brazilian Journal of Pharmaceutical Sciences*, 47(3), 447–466. <https://doi.org/10.1590/s1984-82502011000300003>
- Wahyuningsih, Iis. (2017). Formulasi *self-Nanoemulsifying Drug delivery System* (SNEDDS) Furosemid: Studi Parameter Fisikokimia, Bioavailabilitas, Efek diuretik dan toksisitas. *Disertasi*. Fakultas Farmasi, Universitas Gadjah Mada.
- Wahyuningsih, Iis dan Latief, Yenni. (2021). Formulasi *Self Nano Emulsifying Drug Delivery System* (SNEDDS) Minyak Biji Jinten Hitam dengan Surfaktan Tween 80 dan Kosurfaktan Sorbitol. *Jurnal Ilmu Kefarmasian Indonesia*, 19(9), 118–124.

- Woo, C.C., Loo, S.Y., Gee, V., Yap, C.W., Sethi, G., Kumar, A.P, et al, 2011,Anticancer activity of thymoquinone in breast cancer cells: Possible involvement of PPAR- γ pathway. Biochemical Pharmacology, 82:464- 75.
- Wulansari, S. A., Sumiyani, R., & Aryani, N. L. D. (2019). Pengaruh Konsentrasi Surfaktan Terhadap Karakteristik Fisik Nanoemulsi Dan Nanoemulsi Gel Koenzym Q10. *Jurnal Kimia Riset*, 4(2), 143. <https://doi.org/10.20473/jkr.v4i2.16164>
- Sukman, Yusuf J. (2017). Karakterisasi dan Optimasi *Solid Self Nanoemulsifying Drug Delivery System* (S-SNEDDS) Analog Kurkumin Terhadap Adsorben Aerosil dengan Metode *Simplex Lattice Design* (SLD), 4, 9–15.
- Zickuhr, B. K. M. (2016). Optimasi dan karakterisasi *self nanomulsiflying drug delivery system* (Snedds) ekstrak etanol daun pepaya (*carica papaya* L). June.
- Zulfa, E., Novianto, D., & Setiawan, D. (2019). Formulasi Nanoemulsi Natrium Diklofenak Dengan Variasi Kombinasi Tween 80 Dan Span 80: Kajian Karakteristik Fisik Sediaan. *Media Farmasi Indonesia*, 14(1), 1471–1477.
- Zvonar, A. (2013). *Acta Pharmaceutica Volume 63 issue 4 2013 [doi 10.2478_acph-2013-0040] Čerpnjak, Katja; Zvonar, Alenka; Gašperlin, Mirjana; Vrečer, -- Lipid-based systems as a promising approach for enhancing the b.pdf.* 63, 427–445.