
Your submission to Phys. Educ.: PED-104296

1 pesan

Physics Education <onbehalf@manuscriptcentral.com>

30 April 2024 pukul 10.22

Balas Ke: ped@iopublishing.org

Kepada: tonikus@staff.uad.ac.id, yudadp@gmail.com, yoga.prabowo@staff.uad.ac.id, irma.sukarelawan@pfis.uad.ac.id

Dear Mr Indratno,

Re: Atwood machine automation using Arduino and LabVIEW

Manuscript reference: PED-104296

Thank you for submitting your Paper to Physics Education.

The reference number for your manuscript is PED-104296. Please quote this whenever you contact us about the manuscript.

To track the progress of your article, please visit our [Publishing Support website](#) and enter your manuscript ID as directed. If you use [WeChat](#), you can go to the article tracking service in the official IOP Publishing WeChat account.**Using your Author Centre**You can log into your Author Centre at <https://mc04.manuscriptcentral.com/ped-iop>. Once you are signed in, you will be able to:

- Follow the progress of your manuscript
- Read the reviewer reports
- Send us your electronic files

Important publishing information

At Physics Education, we make manuscripts available to readers on the journal website within 24 hours of acceptance.

This means that, unless you have opted out, the accepted version of your manuscript will be visible before it is proofread and formatted to our house style.

If you are planning any press activity or you are engaging in any IP or patent application, you may prefer your work not to be published immediately.

If this is the case, and you have not already opted out during the submission process, please let us know as soon as possible.

Yours sincerely,

On behalf of:

Physics Education

Editor-in-Chief: Gary Williams

iopscience.iop.org/journal/0031-9120 | ped@iopublishing.org | @EducatePhysics

Citescore: 1.3

Want to find out what is happening to your submission?

Track your article on:

Publishing support: <https://publishingsupport.iopscience.iop.org/track-my-article/>WeChat: <https://publishingsupport.iopscience.iop.org/track-your-article-on-wechat/>iopublishing.org | twitter.com/IOPPublishing

Letter reference: SYS:Ack:S:Au

Copyright form needed for PED-104296

1 pesan

Physics Education <onbehalf@manuscriptcentral.com>

3 Mei 2024 pukul 23.56

Balas Ke: ped@iopublishing.org

Kepada: tonikus@staff.uad.ac.id

Dear Mr Indratno,

Re: "Atwood machine automation using Arduino and LabVIEW"

Manuscript reference: PED-104296

The electronic copyright form for your manuscript PED-104296 to Physics Education is now ready for you to fill in.

Please complete the form online from your Author Centre at https://mc04.manuscriptcentral.com/ped-iop?URL_MASK=49f6d1189c86481facbebd6923b4f5c3.

Publishing on a subscription basis

If you have selected to publish your manuscript on a subscription basis (ie not on an open access basis) we will need some additional information. This will help us process your manuscript as quickly as possible if it is accepted for publication.

1) Check policies

Are you or any of your co-authors affiliated to an institution that requires a version of the published article to be placed in an institutional or other repository? This might be known as a 'green open access' policy. If you are unsure, your university librarian should be able to help you.

2) Check compatibility

If your university has a policy like this, please check whether it is compatible with IOP Publishing's access policy. For example:

- Any open access policy that requires the author to deposit the accepted manuscript version in a non-commercial repository after 12 months (known as an 'embargo period') is compatible.
- Any open access policy with an embargo period less than 12 months is not compatible.

Further details on what is compatible with our policy can be found [here](#).

3) Complete waiver(s)

If any of the institutions' open access policies are incompatible with our policy, please obtain a waiver for the manuscript from each relevant institution.

Without a waiver for each relevant author, unfortunately we cannot accept the manuscript for publication unless you choose to publish it on an open access basis.

For more information on why we require waivers and what you need to do, please visit our website [here](#).

If you have any questions, please let us know.

Yours sincerely,

Qamar Scott

On behalf of:

Physics Education

Editor-in-Chief: Gary Williams

iopscience.iop.org/journal/0031-9120 | ped@iopublishing.org | @EducatePhysics

Citescore: 1.3

Want to find out what is happening to your submission?

Track your article on:

Publishing support <https://bit.ly/39t9yPz>

WeChat <https://bit.ly/2L0M9uz>

iopublishing.org | twitter.com/IOPPublishing

Letter reference: EREM:CopyrightRequest:S

Your manuscript PED-104296 - Revisions required

1 pesan

Physics Education <onbehalf@manuscriptcentral.com>

4 Juni 2024 pukul 23.11

Balas Ke: ped@ioppublishing.org

Kepada: tonikus@staff.uad.ac.id

Cc: tonikus@staff.uad.ac.id, yudadp@gmail.com, yoga.prabowo@staff.uad.ac.id, irma.sukarelawan@pfis.uad.ac.id

Dear Mr Indratno,

Re: "Atwood machine automation using Arduino and LabVIEW"

Manuscript reference: PED-104296

The reviewer report(s) for your Paper are now complete. They recommend that you make some revisions before further consideration by Physics Education.

You can find the report(s) below and/or attached to this message. Reports can also be accessed from your Author Centre: <https://mc04.manuscriptcentral.com/ped-iop>

Next steps

Consider the reviewer's comments and amend your manuscript according to their recommendations.

When this is complete, please send us the following, making sure that the correct information is included and the correct file format used:

- **AUTHOR RESPONSE:** Replies to **all** of the reviewer's comments, which should be **anonymous**.
- **REVISED MANUSCRIPT:** If you anonymised your original submission, please provide an anonymous PDF of the revised manuscript with tracked changes. This should be titled 'Complete Document for Review (PDF Only)'. Please do not include author information, funding information, any ethical statement or acknowledgements. If you do not want to anonymise your revised manuscript, you do not need to.
- **SOURCE FILES:** Source files for the revised manuscript **without** tracked changes or comments. These files should **not** be anonymous. Please **include** author information, funding information, any ethical statement and acknowledgements. Formats must be either Word, TeX or LaTeX.
- **For Papers and Frontlines**, Physics Education encourages the inclusion of a small photograph of the author(s) as well as brief biographical details at the end of the article, and we would be grateful if you were able to supply these as part of your revision.
- Any additional files.
- Any permissions you have obtained

For further information, read our [guidance](#) on how to prepare your revised article.

If your Paper is accepted, we would like to invite you to create a video abstract to accompany your published article.

Video abstracts are short, filmed overviews of the main outcomes of your article.

They provide your article with:

- increased visibility and impact
- an opportunity to explain the importance of your work to the journal's global audience
- increased downloads compared to articles without a video abstract

You can find full guidelines, including technical specifications, submission details and examples [here](#).

Data availability policy

We encourage authors to share their research data via a data repository that has been widely adopted within their research community. If one is not available, you may use a general data repository. Information on our data policy,

including data repositories and data citations is available at: <https://publishingsupport.iopscience.iop.org/iop-publishing-data-availability-policy/>..

Important deadline information

Your final version and source files should be uploaded to the Author Centre by 18-Jun-2024. If we do not receive your manuscript by this date, it may be treated as a new submission. Please let us know if you need more time.

We look forward to hearing from you soon.

Yours sincerely,

Qamar Scott

On behalf of:

Physics Education

Editor-in-Chief: Gary Williams

iopscience.iop.org/journal/0031-9120 | ped@iopublishing.org | @EducatePhysics

Citescore: 1.3

Want to find out what is happening to your submission?

Track your article on:

Publishing support <https://bit.ly/39t9yPz>

WeChat <https://bit.ly/2L0M9uz>

iopublishing.org | twitter.com/IOPPublishing

REVIEWER REPORT(S):

Referee: 1

COMMENTS TO THE AUTHOR(S)

Dear authors,

Your work focuses on the automation of the Atwood machine using Arduino and LabVIEW to improve the accuracy of the measurements, but to be really usefull for students and teachers, the paper should be improved by including the details of the schematic of the Arduino circuit and the codes of Arduino and LabVIEW, maybe linking to a github repository or similar.

A reference about the Atwood machine using new technologies could be added:

Martín Monteiro; Cecilia Stari; Cecilia Cabeza; Arturo C. Marti, "The Atwood machine revisited using smartphones," The Physics Teacher 53, 373–374 (2015)

<https://doi.org/10.1119/1.4928357>

Finally, the writting and the grammar should be carefully revised.

Some examples:

Abstract

"The Atwood machine is an apparatus used in physics experiments to visualize"

Instead of "The Atwood machine is one of the apparatuses in physics experiments to visualize"

"Therefore, this machine can be used in physics education"

Instead of "Therefore, this machine can be used in physics learning"

Introduction

"Additionally, in higher education practicum, Atwood "

Instead of "In addition, in practicum at higher education level, Atwood"

Materials and Methods

"The Atwood machine is one of the pieces of equipment that can"

Instead of "The Atwood machine is one of the equipments that can"

Conclusion

"The automation of the Atwood"

Instead of "Automation of the Atwood"

Best regards

Editor in Chief Comments

I would like there to be some explanation of what is being taught and how this improved the teaching of that particular set of concepts. The text seems to state that data analysis was the main concept being taught but I see no mention of students carrying out data analysis. The tables look like they came straight from the computer. Perhaps the students were learning how to automate an experiment which I would liken more to engineering - which is fine but not quite the same thing as physics. Everything described in the paper seems valuable to students but it's not very clear what it was they were supposed to be learning nor how this activity improved that learning.

Letter reference: DEC:ModRev:S

Atwood machine automation using Arduino and LabVIEW

T K Indratno, Y D Prasetya, Y D Prabowo, and M I Sukarelawan

Physics Education Department, Universitas Ahmad Dahlan, Yogyakarta, Indonesia

E-mail: tonikus@staff.uad.ac.id

Received xxxxxx

Accepted for publication xxxxxx

Published xxxxxx

Abstract

The Atwood machine is an apparatus used in physics experiments to visualize the concept of Newton's Second Law of Motion. However, the data collection on the Atwood machine, which is still done manually using a stopwatch, may cause errors and can be time-consuming. To improve the efficiency and accuracy of the experiment, this research developed Atwood machine automation using Arduino Uno microcontroller. The automation enables automatic release of weights and automatic data collection through a Graphical User Interface (GUI) developed using LabVIEW. The experiment using the automated machine obtained satisfactory results in verifying the earth's gravitational acceleration. Therefore, this machine can be used in physics learning, especially in physics experiment. The automation also enables remote utilization through internet connection, thus allowing easier and wider access for users.

Keywords: *Atwood Machines, Arduino, Automation Apparatus*

1. Introduction

The Atwood machine was first introduced by George Atwood (1746-1807), this machine consists of two masses or weights which are connected by a string, hanging over a fixed pulley [1], [2]. This equipment is often used to visualize the concept of Newton's Second Law of Motion through practicum or experiment [3]–[5]. Additionally, in higher education practicum, Atwood machines are usually used to verify the earth's gravitational acceleration [5]. The working principle of this equipment is to determine the time taken for an object to move from point A to point B for a non-uniform motion in a straight line, and the time taken for the object to move from point B to point C for a uniform motion in a straight line (see Figure 1) [7].

In general, data collection in experiments utilizing Atwood machines is still conducted manually using two stopwatches [8]. The first stopwatch measures the time taken for an object to travel from point A to point B, while the second measures the time taken for the object to travel from point B to point C. Unfortunately, this method of data collection can potentially introduce significant calculation

errors [9]. Additionally, the use of stopwatches in the data collection process for Atwood machines is relatively time-consuming and often results in failures, necessitating multiple repetitions of the experiment.




Figure 1. The Atwood Machine

Data collection using this technique is suitable for experiments aimed at enhancing students' proficiency with specific practical equipment. However, this technique is no longer relevant for practicum activities that emphasize data analysis, particularly at the higher education level. Furthermore, the data collection process using this manual method is time-consuming. Experiments that primarily focus on improving data analysis skills should employ automated data collection methods.

Various methods have been employed to modernize the Atwood machine, including one approach by [10] that utilized the acceleration sensor on a smartphone. In this method, the smartphone was attached to one end of a string while a weight was attached to the other end. Upon releasing the weight, the smartphone recorded data in the form of time versus acceleration using the Phypox application. This data was then used to analyze the Earth's gravitational acceleration.

Reference [11] conducted research related to the Atwood Machine in 2022. This study introduced innovations in the data collection process by using a video tracking technique. Additionally, remote control was used to release the weights. During the data collection process, the objects were released via remote control and their movement was recorded using a camera. The recorded data was then analyzed using video tracking.

Both [10] and [11] have made good innovations for improving the performance of Atwood machines in experiments, in terms of the experiment results and ICT utilization. However, these two innovations still need to be improved, particularly in terms of practicality. In research by [10], the data recorded by the smartphone still have to be transferred to a computer for analysis. Besides, there is also a risk that the smartphone will fall during the experiment. Similarly, in research by [11], the recording results from the camera also have to be transferred to a computer for analysis using video tracking. In addition, both procedures do not allow remote access because they still use the hands-on experiment method.

Based on this background, this article describes the automation of the Atwood machine. The automation was achieved by utilizing the Arduino Uno microcontroller, which was connected to a weight release actuator and an IR obstacle sensor to extract time data. Device control and data acquisition were managed through a Graphical User Interface (GUI) developed with LabVIEW. Additionally, the GUI could be connected to a web application, allowing for remote access via the internet.

2. Materials and Methods

The automation process of the Atwood machine was conducted in three stages: studying the physics concept of the Atwood machine, designing the automation device, and

developing the software for the control system and data acquisition system.

2.1. Atwood Machine

The Atwood machine is a device that can visualize both uniform and non-uniform motion in a straight line [4], [12]. These motions are challenging to illustrate due to the numerous influencing factors [13]. Utilizing the Atwood machine enables experiments related to the concepts of uniform and non-uniform motion in a straight line.

The time taken from point A to point B (t_{AB}) is an event of non-uniform motion in straight line, while the time taken from point B to point C (t_{BC}) is an event of uniform motion in straight line (see Figure 2).




Figure 2. Working principle of Atwood Machine

The presence of ballast weight m on weight M_2 results in a non-zero resultant force acting upon weight M_2 . According to Newton's laws of motion, in the presence of a non-zero resultant force, weight M_2 experiences acceleration (a). Consequently, upon the release of weight M_1 , weight M_2 initiates accelerated motion from point A to point B. Subsequently, the relationship between the position of the weight and time from point A to B can be mathematically expressed as:

$$s(t) = v_{AB}t_{AB} + \frac{1}{2}at_{AB}^2 \quad (1)$$

At point A, the weight does not move, so the initial velocity (v_A) is zero, so the equation can be expressed as follows,

$$s_{AB} = \frac{at_{AB}^2}{2} \quad (2)$$

Meanwhile, the final velocity at point A to B is expressed in

$$v_{BC} = at_{AB} \quad (3)$$

At point B, the ballast weight m becomes immobilized, while weight M_2 continues its motion towards point C. The fixation

of ballast weight m at this juncture leads to a resultant force of zero acting upon weight M_2 , thereby halting its acceleration, and inducing a state of constant velocity, characterized by uniform motion in a straight line.

Through this event, we can obtain the gravitational acceleration which is expressed as,

$$a = \frac{(M_2 + m - M_1)g}{M_2 + m + M_1 + \frac{I}{R^2}} \quad (4)$$

The weights used in the experiment using the Atwood machine have the same mass, $M_1 = M_2 = M$, Equation 4 can be written as,

$$a = \frac{mg}{2M + m + \frac{I}{R^2}} \quad (5)$$

Determining the gravitational acceleration (g) through experiments using the Atwood machine can be done using equation (5) by fitting it to the linear function equation, $y = A_1x + A_0$. To ease the calculation, equation (5) can be written as,

$$\frac{1}{a} = \frac{2M + m + \frac{I}{R^2}}{mg} \quad (6)$$

$$\frac{1}{a} = \left(\frac{2M + \frac{I}{R^2}}{g} \right) \frac{1}{m} + \frac{1}{g} \quad (7)$$

Based on equation (7), from the gradient of the line obtained, the earth's gravitational acceleration can be determined by

$$g = \frac{2M + \frac{I}{R^2}}{A_1} \quad (8)$$

2.2. Design of automation device

The automation device's design comprises an Arduino Uno microcontroller, an electromagnet (solenoid), and an IR obstacle sensor, all interconnected as illustrated in Figure 3.




Figure 3. Scheme of automation device

The Arduino Uno served as the controller for device performance, the mechanism for weight release, and the recorder of time data (utilized for data acquisition) throughout the experiment.

The electromagnet (solenoid) was used to hold weight M_1 . Upon application of current, the resulting magnetic force effectively held the weight in place. Conversely, deactivation of the current through a relay lost the magnetic field, consequently releasing weight M_1 and initiating system movement. The IR obstacle sensor, an infrared sensor, was utilized for temporal tracking as weight M_2 traversed points A and B.

2.3. Software Development

The automation system was controlled using LabVIEW, specifically through a graphical user interface (GUI). LabVIEW, known for its block diagram-based programming language, facilitates the creation of virtual instrumentation systems [14], [15]. In addition to its block diagram-based interface, which enhances user-friendliness in application development [16], LabVIEW offers web publishing tools, enabling remote access to the developed applications [14].

The GUI, depicted in Figure 4, functions as the interface through which commands are issued to the automation device. The main display of the GUI comprises several components, including: (1) an illustration depicting the Atwood machine utilized, (2) a camera panel for visualizing experiments when the machine is accessed remotely, (3) a panel containing buttons for weight release, (4) a sensor indicator serving as a marker denoting the sensor's activation, (5) a panel for displaying extracted experimental data, (6) concise usage instructions, (7) a tabulated display of experimental data, and (8) information pertaining to the symbols employed.




Figure 4. GUI's data acquisition system

These parts are connected in a block diagram as shown in Appendix A and Appendix B. Detailed schematics of the automated Atwood machine circuit, along with the source code, are also available on GitHub at <https://github.com/tonikoes/atwood-machine>.

3. Result and Discussion

3.1. Result

The primary focus of the research entailed automating the existing Atwood machine. This automation primarily targeted the weight release and time recording functionalities, which were executed using an Arduino microcontroller controlled through a graphical user interface (GUI). Figure 5 illustrates an image depicting the automated Atwood machine.



Figure 5. Image of the Atwood machine automation

In comparison to previous studies by [10] and [11], the novelty of this research primarily lies in the time recording system. Unlike the methodologies employed in [11], which utilize video tracking techniques, and [10], which rely on sensors integrated into smartphones, this study employs an IR obstacle sensor for time measurement. Additionally, novelty is evident in the developed acquisition system. This research features a device control system alongside a computerized data acquisition system facilitated through a graphical user interface (GUI). Moreover, the system implemented in this study offers remote accessibility, thereby presenting a viable solution to enhance laboratory accessibility, particularly in regions grappling with limitations in laboratory infrastructure [14].

The developed automation of the Atwood machine underwent experimental testing to validate the earth's gravitational acceleration. In this experimental setup, identical weights M_1 and M_2 were employed, each weighing 103 grams. Additionally, five ballast weights, denoted as m , were utilized, each weighing 5 grams. The inclusion of various weights served the purpose of elucidating the influence of mass on the acceleration of descending objects. The distance between points A and B was set at 60 cm, while the distance between points B and C was 30 cm.

3.2. Discussion

The experimental procedures conducted in this study, encompassing data collection, were automated and overseen

via the graphical user interface (GUI). Figure 6 depicts the data recorded through the GUI throughout the experiment. Subsequently, the collected data underwent analysis, with the outcomes presented in Table 1.




Figure 6. Results of data collection using the GUI

Table 1. Results of experimental data analysis

m (kg)	t_{AB} (s)	t_{BC} (s)	v_{BC} (s)	a (m/s ²)
0.0050	2.56	0.60	0.50	0.20
0.0100	1.78	0.43	0.70	0.39
0.0150	1.44	0.41	0.73	0.51
0.0200	1.19	0.40	0.75	0.63
0.0250	1.06	0.34	0.88	0.83

Utilizing the data presented in Table 1, a graphical representation illustrating the relationship between $1/a$ and $1/m$ was generated in accordance with equation (7), as depicted in Figure 7. Through analysis of the graph's gradient, determined to be 0.025, and subsequent application of equation (8), the value of the Earth's gravitational acceleration was computed as 9.81 m/s^2 , with a relative error of 0.07%. This relative error was determined through comparison of the experimental findings with the established theoretical value of 9.8 m/s^2 .




Figure 7. Graph of the relationship between $1/m$ and $1/a$

The results derived from this study exhibited a considerable resemblance to those attained in prior investigations, as documented in references [9]–[11]. This correlation underscores the applicability of the developed

apparatus for facilitating physics education, particularly in the context of Atwood machine experiments.

In addition to adjusting the ballast weight m , this study also manipulated the distance between point B and point C to ascertain the optimal range for accurate data acquisition by the sensor. The distance between point B and point C was varied incrementally from 30 to 70 cm, with intervals of 10 cm. The outcomes of the data analysis are presented in Table 2.

Table 2. Results of data analysis with variations in B-C distance

s_{BC} (m)	g (m/s ²)	Relative errors (%)
0.3	9.81	0.07
0.4	8.05	17.64
0.5	7.74	20.90
0.6	7.63	21.93
0.7	7.30	25.34

According to the data analysis presented in Table 2, the optimal distance between point B and point C for accurate sensor readings was determined to be 0.3 m. This finding highlights one of the limitations of the sensor identified in this investigation. To address this limitation, future research endeavors may explore the utilization of alternative sensor types, thereby facilitating further optimization of the distance between point B and point C.

3.3. Enhancement of Learning

In physics learning, this Atwood Machine automation can be used for experiments on Newton's Law II, primarily related to the discussion of uniform and non-uniform straight motion. Students can conduct experiments with this apparatus to verify the Earth's gravitational acceleration based on Newton's Law II. Students conduct data collection, analysis, and interpretation of the data/graphics obtained. Since the apparatus is automated and computerized, the data collection time is shorter, giving students a broader opportunity to analyze the data and deepen their understanding of applying the theory in the experiment. In addition, this automated apparatus introduces students to the skills of using technology in science, combining physics theory with relevant modern practices.

4. Conclusion

The automation of the Atwood machine has been successfully developed, featuring both a weight release mechanism and a computerized data recording system facilitated by a Graphical User Interface (GUI). The functionality of this machine, inclusive of its GUI interface, has demonstrated promising outcomes in validating Earth's gravitational acceleration through experimental procedures.


Consequently, this apparatus stands as a valuable resource for enhancing physics education, particularly through hands-on experimentation.

References


- [1] C. F. Dias and V. L. Carvalho-Santos, "Adapting the Euler-Lagrange equation to study one-dimensional motions under the action of a constant force," Sep. 2012, [Online]. Available: <http://arxiv.org/abs/1209.2197>
- [2] C. A. de Sousa, "Atwood's machine as a tool to introduce variable mass systems," *Phys Educ*, vol. 47, no. 2, pp. 169–173, Mar. 2012, doi: 10.1088/0031-9120/47/2/169.
- [3] D. Lopez, I. Caprile, F. Corvacho, and O. Reyes, "Study of a variable mass Atwood's machine using a smartphone," *Phys Teach*, vol. 56, no. 3, pp. 182–183, Mar. 2018, doi: 10.1119/1.5025303.
- [4] N. M. Campos, S. R. Domingos, P. Silva, and M. R. Silva, "Tension On and Off in Atwood's Machine: The Advantage of Video Analysis," *Phys Teach*, vol. 62, no. 1, pp. 32–36, Jan. 2024, doi: 10.1119/5.0106652.
- [5] M. Monteiro, C. Stari, C. Cabeza, and A. C. Marti, "The Atwood machine revisited using smartphones," *Phys Teach*, vol. 53, no. 6, pp. 373–374, Sep. 2015, doi: 10.1119/1.4928357.
- [6] M. Tarnopolski, "On Atwood's Machine with a Nonzero Mass String," *Phys Teach*, vol. 53, no. 8, pp. 494–496, Nov. 2015, doi: 10.1119/1.4933154.
- [7] M. C. LoPresto, "Another look at Atwood's machine," *Phys Teach*, vol. 37, no. 2, pp. 82–83, Feb. 1999, doi: 10.1119/1.880182.
- [8] P. K. Lam, "Lab 3: The Measurement of 'g' using an Atwood's Machine," 2009. Accessed: Apr. 04, 2024. [Online]. Available: <https://www2.hawaii.edu/~plam/ph170A/Labs/Lab3.pdf>
- [9] G. F. Elias, T. Makahinda, and J. Lolowang, "Rancang Bangun Alat Timer Otomatis Pesawat Atwood Berbasis Arduino," *Charm Sains: Jurnal Pendidikan Fisika*, vol. 3, no. 1, pp. 19–23, Feb. 2022, doi: 10.53682/charmsains.v3i1.146.
- [10] P. Listiaji, M. S. Darmawan, and D. Dahnuss, "The Atwood machine experiment assisted by smartphone acceleration sensor for enhancing classical mechanics experiments," *J Phys Conf Ser*, vol. 1918, no. 2, p. 022009, Jun. 2021, doi: 10.1088/1742-6596/1918/2/022009.
- [11] Asrizal, T. Pratiwi, and Yohandri, "Tool modelling system of atwood machine with remote control of released objects for tracker video analysis," *J Phys Conf Ser*, vol. 2309, no. 1, p. 012043, Jul. 2022, doi: 10.1088/1742-6596/2309/1/012043.
- [12] A. N. Prokopenya, "Motion of a Swinging Atwood's Machine: Simulation and Analysis with Mathematica," *Mathematics in Computer Science*, vol. 11, no. 3–4, pp. 417–425, Dec. 2017, doi: 10.1007/s11786-017-0301-9.
- [13] R. Trumper and M. Gelbman, "A computer-based revitalization of Atwood's machine," *Phys Educ*, vol. 35, no. 5, pp. 354–358, Sep. 2000, doi: 10.1088/0031-9120/35/5/308.
- [14] T. K. Indratno, Ishafit, and Y. D. Prabowo, "Archimedes' principle experimental apparatus for remote physics laboratory," *Phys Educ*, vol. 59, no. 2, p. 025029, Mar. 2024, doi: 10.1088/1361-6552/ad27a6.

- [15] I. Ishafit, T. K. Indratno, and Y. D. Prabowo, "Arduino and LabVIEW-based remote data acquisition system for magnetic field of coils experiments," *Phys Educ*, vol. 55, no. 2, p. 025003, Mar. 2020, doi: 10.1088/1361-6552/ab5ed6.
- [16] Z. Polat and N. Ekren, "Remote laboratory trends for Distance Vocational Education and Training (D-VET): A real-time lighting application," *International Journal of Electrical Engineering & Education*, vol. 60, no. 2, pp. 188–203, Apr. 2023, doi: 10.1177/0020720920926679.

Appendix A. Block Diagram of Load Release and Time Recorder



Appendix B. Camera panel block diagram



Toni Kus Indratno is a lecturer in the physics education department at Universitas Ahmad Dahlan. His current research interest focuses on the application of ICTs (smartphones/computers) in physics learning. Besides, he and his team are developing a remote-based laboratory (R-Phylab) for distance physics learning.



Yoga Dwi Prabowo is a laboratory assistant at Ahmad Dahlan University Science Learning Technology Laboratory (LTPS). Currently he is actively part of the team developing the Remote Physics Laboratory (R-Phylab).



Yuda Dwi Prasetya is a student in the Physics Education Study Program at Ahmad Dahlan University. He is part of the team developing the remote physics laboratory. His area of interest is the development of microcontroller-based apparatus.



Moh. Irma Sukarelawan is a doctor in physics education, especially whose areas of interests are misconceptions and evaluation of physics learning. Currently, he is involved in developing a physics learning evaluation system using R-PhyLab.

Your submission to Phys. Educ.: PED-104296.R1

1 pesan

Physics Education <onbehalf@manuscriptcentral.com>

10 Juni 2024 pukul 10.40

Balas Ke: ped@iopublishing.orgKepada: tonikus@staff.uad.ac.id, yudadp@gmail.com, yoga.prabowo@staff.uad.ac.id, irma.sukarelawan@pfis.uad.ac.id

Dear Mr Indratno,

Re: "Atwood machine automation using Arduino and LabVIEW"

Manuscript reference: PED-104296.R1

Thank you for submitting your revised Paper to Physics Education.

The reference number for your manuscript is PED-104296.R1. Please quote this whenever you contact us about the manuscript.

To track the progress of your article, please visit our [Publishing Support website](#) and enter your manuscript ID as directed. If you use [WeChat](#), you can go to the article tracking service in the official IOP Publishing WeChat account.**Using your Author Centre**You can log into your Author Centre at <https://mc04.manuscriptcentral.com/ped-iop>. Once you are signed in, you will be able to:

- Follow the progress of your manuscript
- Read the reviewer reports
- Send us your electronic files

Important publishing information

At Physics Education, we make manuscripts available to readers on the journal website within 24 hours of acceptance.

This means that, unless you have opted out, the accepted version of your manuscript will be visible before it is proofread and formatted to our house style.

If you are planning any press activity or you are engaging in any IP or patent application, you may prefer your work not to be published immediately.

If this is the case, and you have not already opted out during the submission process, please let us know as soon as possible.

Yours sincerely,

On behalf of:

Physics Education

Editor-in-Chief: Gary Williams

iopscience.iop.org/journal/0031-9120 | ped@iopublishing.org | @EducatePhysics

Citescore: 1.3

Want to find out what is happening to your submission?

Track your article on:

Publishing support: <https://publishingsupport.iopscience.iop.org/track-my-article/>WeChat: <https://publishingsupport.iopscience.iop.org/track-your-article-on-wechat/>iopublishing.org | twitter.com/IOPPublishing

Letter reference: SYS:Ack:REV:Au

Information needed for your submission PED-104296.R1 to Phys. Educ.

1 pesan

Physics Education <onbehalf@manuscriptcentral.com>

11 Juni 2024 pukul 05.51

Balas Ke: ped@iopublishing.orgKepada: tonikus@staff.uad.ac.id

Dear Mr Indratno,

Re: "Atwood machine automation using Arduino and LabVIEW"

Manuscript reference: PED-104296.R1

Thank you for your submission to Physics Education.

We have put your manuscript on hold because You have not provided us with a highlighted version of your revised manuscript that clearly shows the changes you have made in response to reviewer comments. Please can you make sure the PDF manuscript in the manuscript files section of the submission form as a 'Complete Document for Review' has the changes highlighted, before resubmitting. Please do not remove any of your other files. If your manuscript is to be processed with double anonymous peer review, please ensure your highlighted pdf does not include any author information.

We are unable to send your manuscript for review until we have heard from you.

Yours sincerely,

Nelli Varga

On behalf of:

Physics Education

Editor-in-Chief: Gary Williams

iopscience.iop.org/journal/0031-9120 | ped@iopublishing.org | @EducatePhysics

Citescore: 1.3

Want to find out what is happening to your submission?

Track your article on:

Publishing support: <https://publishingsupport.iopscience.iop.org/track-my-article/>WeChat: <https://publishingsupport.iopscience.iop.org/track-your-article-on-wechat/>iopublishing.org | twitter.com/IOPPublishing

Letter reference: SYS: OnHold:Au

Your submission to Phys. Educ.: PED-104296.R1

1 pesan

Physics Education <onbehalf@manuscriptcentral.com>

11 Juni 2024 pukul 06.43

Balas Ke: ped@iopublishing.org

Kepada: tonikus@staff.uad.ac.id, yudadp@gmail.com, yoga.prabowo@staff.uad.ac.id, irma.sukarelawan@pfis.uad.ac.id

Dear Mr Indratno,

Re: "Atwood machine automation using Arduino and LabVIEW"

Manuscript reference: PED-104296.R1

Thank you for submitting your revised Paper to Physics Education.

The reference number for your manuscript is PED-104296.R1. Please quote this whenever you contact us about the manuscript.

To track the progress of your article, please visit our [Publishing Support website](#) and enter your manuscript ID as directed. If you use [WeChat](#), you can go to the article tracking service in the official IOP Publishing WeChat account.**Using your Author Centre**You can log into your Author Centre at <https://mc04.manuscriptcentral.com/ped-iop>. Once you are signed in, you will be able to:

- Follow the progress of your manuscript
- Read the reviewer reports
- Send us your electronic files

Important publishing information

At Physics Education, we make manuscripts available to readers on the journal website within 24 hours of acceptance.

This means that, unless you have opted out, the accepted version of your manuscript will be visible before it is proofread and formatted to our house style.

If you are planning any press activity or you are engaging in any IP or patent application, you may prefer your work not to be published immediately.

If this is the case, and you have not already opted out during the submission process, please let us know as soon as possible.

Yours sincerely,

On behalf of:

Physics Education

Editor-in-Chief: Gary Williams

iopscience.iop.org/journal/0031-9120 | ped@iopublishing.org | @EducatePhysics

Citescore: 1.3

Want to find out what is happening to your submission?

Track your article on:

Publishing support: <https://publishingsupport.iopscience.iop.org/track-my-article/>WeChat: <https://publishingsupport.iopscience.iop.org/track-your-article-on-wechat/>iopublishing.org | twitter.com/IOPPublishing

Letter reference: SYS:Ack:REV:Au



Physics Education

 Home

 Author

 Review

Submission Confirmation



Thank you for your revision

Submitted to
Physics Education

Manuscript ID
PED-104296.R1

Title
Atwood machine automation using Arduino and LabVIEW

Authors
Indratno, Toni
Prasetya, Yuda
Prabowo, Yoga
Sukarelawan, Moh.

Date Submitted
10-Jun-2024

Author Dashboard

SCHOLARONE™



© Clarivate | © ScholarOne, Inc., 2024. All Rights Reserved.

ScholarOne Manuscripts and ScholarOne are registered trademarks of ScholarOne, Inc.

ScholarOne Manuscripts Patents #7,257,767 and #7,263,655.

@Clarivate for Academia & Government | System Requirements | Privacy Statement | Terms of Use | [Manage cookie preferences](#) | [Accessibility](#)

Atwood machine automation using Arduino and LabVIEW

T K Indratno, Y D Prasetya, Y D Prabowo, and M I Sukarelawan

Physics Education Department, Universitas Ahmad Dahlan, Yogyakarta, Indonesia

E-mail: tonikus@staff.uad.ac.id

Received xxxxxx

Accepted for publication xxxxxx

Published xxxxxx

Abstract

The Atwood machine is an apparatus used in physics experiments to visualize the concept of Newton's Second Law of Motion. However, the data collection on the Atwood machine, which is still done manually using a stopwatch, may cause errors and can be time-consuming. To improve the efficiency and accuracy of the experiment, this research developed Atwood machine automation using Arduino Uno microcontroller. The automation enables automatic release of weights and automatic data collection through a Graphical User Interface (GUI) developed using LabVIEW. The experiment using the automated machine obtained satisfactory results in verifying the earth's gravitational acceleration. Therefore, this machine can be used in physics learning, especially in physics experiment. The automation also enables remote utilization through internet connection, thus allowing easier and wider access for users.

Keywords: *Atwood Machines, Arduino, Automation Apparatus*

1. Introduction

The Atwood machine was first introduced by George Atwood (1746-1807), this machine consists of two masses or weights which are connected by a string, hanging over a fixed pulley [1], [2]. This equipment is often used to visualize the concept of Newton's Second Law of Motion through practicum or experiment [3]–[5]. Additionally, in higher education practicum, Atwood machines are usually used to verify the earth's gravitational acceleration [5]. The working principle of this equipment is to determine the time taken for an object to move from point A to point B for a non-uniform motion in a straight line, and the time taken for the object to move from point B to point C for a uniform motion in a straight line (see Figure 1) [7].

In general, data collection in experiments utilizing Atwood machines is still conducted manually using two stopwatches [8]. The first stopwatch measures the time taken for an object to travel from point A to point B, while the second measures the time taken for the object to travel from point B to point C. Unfortunately, this method of data collection can potentially introduce significant calculation

errors [9]. Additionally, the use of stopwatches in the data collection process for Atwood machines is relatively time-consuming and often results in failures, necessitating multiple repetitions of the experiment.




Figure 1. The Atwood Machine

Data collection using this technique is suitable for experiments aimed at enhancing students' proficiency with specific practical equipment. However, this technique is no longer relevant for practicum activities that emphasize data analysis, particularly at the higher education level. Furthermore, the data collection process using this manual method is time-consuming. Experiments that primarily focus on improving data analysis skills should employ automated data collection methods.

Various methods have been employed to modernize the Atwood machine, including one approach by [10] that utilized the acceleration sensor on a smartphone. In this method, the smartphone was attached to one end of a string while a weight was attached to the other end. Upon releasing the weight, the smartphone recorded data in the form of time versus acceleration using the Phypox application. This data was then used to analyze the Earth's gravitational acceleration.

Reference [11] conducted research related to the Atwood Machine in 2022. This study introduced innovations in the data collection process by using a video tracking technique. Additionally, remote control was used to release the weights. During the data collection process, the objects were released via remote control and their movement was recorded using a camera. The recorded data was then analyzed using video tracking.

Both [10] and [11] have made good innovations for improving the performance of Atwood machines in experiments, in terms of the experiment results and ICT utilization. However, these two innovations still need to be improved, particularly in terms of practicality. In research by [10], the data recorded by the smartphone still have to be transferred to a computer for analysis. Besides, there is also a risk that the smartphone will fall during the experiment. Similarly, in research by [11], the recording results from the camera also have to be transferred to a computer for analysis using video tracking. In addition, both procedures do not allow remote access because they still use the hands-on experiment method.

Based on this background, this article describes the automation of the Atwood machine. The automation was achieved by utilizing the Arduino Uno microcontroller, which was connected to a weight release actuator and an IR obstacle sensor to extract time data. Device control and data acquisition were managed through a Graphical User Interface (GUI) developed with LabVIEW. Additionally, the GUI could be connected to a web application, allowing for remote access via the internet.

2. Materials and Methods

The automation process of the Atwood machine was conducted in three stages: studying the physics concept of the Atwood machine, designing the automation device, and

developing the software for the control system and data acquisition system.

2.1. Atwood Machine

The Atwood machine is a device that can visualize both uniform and non-uniform motion in a straight line [4], [12]. These motions are challenging to illustrate due to the numerous influencing factors [13]. Utilizing the Atwood machine enables experiments related to the concepts of uniform and non-uniform motion in a straight line.

The time taken from point A to point B (t_{AB}) is an event of non-uniform motion in straight line, while the time taken from point B to point C (t_{BC}) is an event of uniform motion in straight line (see Figure 2).




Figure 2. Working principle of Atwood Machine

The presence of ballast weight m on weight M_2 results in a non-zero resultant force acting upon weight M_2 . According to Newton's laws of motion, in the presence of a non-zero resultant force, weight M_2 experiences acceleration (a). Consequently, upon the release of weight M_1 , weight M_2 initiates accelerated motion from point A to point B. Subsequently, the relationship between the position of the weight and time from point A to B can be mathematically expressed as:

$$s(t) = v_{AB}t_{AB} + \frac{1}{2}at_{AB}^2 \quad (1)$$

At point A, the weight does not move, so the initial velocity (v_A) is zero, so the equation can be expressed as follows,

$$s_{AB} = \frac{at_{AB}^2}{2} \quad (2)$$

Meanwhile, the final velocity at point A to B is expressed in

$$v_{BC} = at_{AB} \quad (3)$$

At point B, the ballast weight m becomes immobilized, while weight M_2 continues its motion towards point C. The fixation

of ballast weight m at this juncture leads to a resultant force of zero acting upon weight M_2 , thereby halting its acceleration, and inducing a state of constant velocity, characterized by uniform motion in a straight line.

Through this event, we can obtain the gravitational acceleration which is expressed as,

$$a = \frac{(M_2 + m - M_1)g}{M_2 + m + M_1 + \frac{I}{R^2}} \quad (4)$$

The weights used in the experiment using the Atwood machine have the same mass, $M_1 = M_2 = M$, Equation 4 can be written as,

$$a = \frac{mg}{2M + m + \frac{I}{R^2}} \quad (5)$$

Determining the gravitational acceleration (g) through experiments using the Atwood machine can be done using equation (5) by fitting it to the linear function equation, $y = A_1x + A_0$. To ease the calculation, equation (5) can be written as,

$$\frac{1}{a} = \frac{2M + m + \frac{I}{R^2}}{mg} \quad (6)$$

$$\frac{1}{a} = \left(\frac{2M + \frac{I}{R^2}}{g} \right) \frac{1}{m} + \frac{1}{g} \quad (7)$$

Based on equation (7), from the gradient of the line obtained, the earth's gravitational acceleration can be determined by

$$g = \frac{2M + \frac{I}{R^2}}{A_1} \quad (8)$$

2.2. Design of automation device

The automation device's design comprises an Arduino Uno microcontroller, an electromagnet (solenoid), and an IR obstacle sensor, all interconnected as illustrated in Figure 3.




Figure 3. Scheme of automation device

The Arduino Uno served as the controller for device performance, the mechanism for weight release, and the recorder of time data (utilized for data acquisition) throughout the experiment.

The electromagnet (solenoid) was used to hold weight M_1 . Upon application of current, the resulting magnetic force effectively held the weight in place. Conversely, deactivation of the current through a relay lost the magnetic field, consequently releasing weight M_1 and initiating system movement. The IR obstacle sensor, an infrared sensor, was utilized for temporal tracking as weight M_2 traversed points A and B.

2.3. Software Development

The automation system was controlled using LabVIEW, specifically through a graphical user interface (GUI). LabVIEW, known for its block diagram-based programming language, facilitates the creation of virtual instrumentation systems [14], [15]. In addition to its block diagram-based interface, which enhances user-friendliness in application development [16], LabVIEW offers web publishing tools, enabling remote access to the developed applications [14].

The GUI, depicted in Figure 4, functions as the interface through which commands are issued to the automation device. The main display of the GUI comprises several components, including: (1) an illustration depicting the Atwood machine utilized, (2) a camera panel for visualizing experiments when the machine is accessed remotely, (3) a panel containing buttons for weight release, (4) a sensor indicator serving as a marker denoting the sensor's activation, (5) a panel for displaying extracted experimental data, (6) concise usage instructions, (7) a tabulated display of experimental data, and (8) information pertaining to the symbols employed.




Figure 4. GUI's data acquisition system

These parts are connected in a block diagram as shown in Appendix A and Appendix B. Detailed schematics of the automated Atwood machine circuit, along with the source code, are also available on GitHub at <https://github.com/tonikoes/atwood-machine>.

3. Result and Discussion

3.1. Result

The primary focus of the research entailed automating the existing Atwood machine. This automation primarily targeted the weight release and time recording functionalities, which were executed using an Arduino microcontroller controlled through a graphical user interface (GUI). Figure 5 illustrates an image depicting the automated Atwood machine.



Figure 5. Image of the Atwood machine automation

In comparison to previous studies by [10] and [11], the novelty of this research primarily lies in the time recording system. Unlike the methodologies employed in [11], which utilize video tracking techniques, and [10], which rely on sensors integrated into smartphones, this study employs an IR obstacle sensor for time measurement. Additionally, novelty is evident in the developed acquisition system. This research features a device control system alongside a computerized data acquisition system facilitated through a graphical user interface (GUI). Moreover, the system implemented in this study offers remote accessibility, thereby presenting a viable solution to enhance laboratory accessibility, particularly in regions grappling with limitations in laboratory infrastructure [14].

The developed automation of the Atwood machine underwent experimental testing to validate the earth's gravitational acceleration. In this experimental setup, identical weights M_1 and M_2 were employed, each weighing 103 grams. Additionally, five ballast weights, denoted as m , were utilized, each weighing 5 grams. The inclusion of various weights served the purpose of elucidating the influence of mass on the acceleration of descending objects. The distance between points A and B was set at 60 cm, while the distance between points B and C was 30 cm.

3.2. Discussion

The experimental procedures conducted in this study, encompassing data collection, were automated and overseen

via the graphical user interface (GUI). Figure 6 depicts the data recorded through the GUI throughout the experiment. Subsequently, the collected data underwent analysis, with the outcomes presented in Table 1.




Figure 6. Results of data collection using the GUI

Table 1. Results of experimental data analysis

m (kg)	t_{AB} (s)	t_{BC} (s)	v_{BC} (s)	a (m/s ²)
0.0050	2.56	0.60	0.50	0.20
0.0100	1.78	0.43	0.70	0.39
0.0150	1.44	0.41	0.73	0.51
0.0200	1.19	0.40	0.75	0.63
0.0250	1.06	0.34	0.88	0.83

Utilizing the data presented in Table 1, a graphical representation illustrating the relationship between $1/a$ and $1/m$ was generated in accordance with equation (7), as depicted in Figure 7. Through analysis of the graph's gradient, determined to be 0.025, and subsequent application of equation (8), the value of the Earth's gravitational acceleration was computed as 9.81 m/s^2 , with a relative error of 0.07%. This relative error was determined through comparison of the experimental findings with the established theoretical value of 9.8 m/s^2 .




Figure 7. Graph of the relationship between $1/m$ and $1/a$

The results derived from this study exhibited a considerable resemblance to those attained in prior investigations, as documented in references [9]–[11]. This correlation underscores the applicability of the developed

apparatus for facilitating physics education, particularly in the context of Atwood machine experiments.

In addition to adjusting the ballast weight m , this study also manipulated the distance between point B and point C to ascertain the optimal range for accurate data acquisition by the sensor. The distance between point B and point C was varied incrementally from 30 to 70 cm, with intervals of 10 cm. The outcomes of the data analysis are presented in Table 2.

Table 2. Results of data analysis with variations in B-C distance

s_{BC} (m)	g (m/s ²)	Relative errors (%)
0.3	9.81	0.07
0.4	8.05	17.64
0.5	7.74	20.90
0.6	7.63	21.93
0.7	7.30	25.34

According to the data analysis presented in Table 2, the optimal distance between point B and point C for accurate sensor readings was determined to be 0.3 m. This finding highlights one of the limitations of the sensor identified in this investigation. To address this limitation, future research endeavors may explore the utilization of alternative sensor types, thereby facilitating further optimization of the distance between point B and point C.

3.3. Enhancement of Learning

In physics learning, this Atwood Machine automation can be used for experiments on Newton's Law II, primarily related to the discussion of uniform and non-uniform straight motion. Students can conduct experiments with this apparatus to verify the Earth's gravitational acceleration based on Newton's Law II. Students conduct data collection, analysis, and interpretation of the data/graphics obtained. Since the apparatus is automated and computerized, the data collection time is shorter, giving students a broader opportunity to analyze the data and deepen their understanding of applying the theory in the experiment. In addition, this automated apparatus introduces students to the skills of using technology in science, combining physics theory with relevant modern practices.

4. Conclusion

The automation of the Atwood machine has been successfully developed, featuring both a weight release mechanism and a computerized data recording system facilitated by a Graphical User Interface (GUI). The functionality of this machine, inclusive of its GUI interface, has demonstrated promising outcomes in validating Earth's gravitational acceleration through experimental procedures.


Consequently, this apparatus stands as a valuable resource for enhancing physics education, particularly through hands-on experimentation.

References


- [1] C. F. Dias and V. L. Carvalho-Santos, "Adapting the Euler-Lagrange equation to study one-dimensional motions under the action of a constant force," Sep. 2012, [Online]. Available: <http://arxiv.org/abs/1209.2197>
- [2] C. A. de Sousa, "Atwood's machine as a tool to introduce variable mass systems," *Phys Educ*, vol. 47, no. 2, pp. 169–173, Mar. 2012, doi: 10.1088/0031-9120/47/2/169.
- [3] D. Lopez, I. Caprile, F. Corvacho, and O. Reyes, "Study of a variable mass Atwood's machine using a smartphone," *Phys Teach*, vol. 56, no. 3, pp. 182–183, Mar. 2018, doi: 10.1119/1.5025303.
- [4] N. M. Campos, S. R. Domingos, P. Silva, and M. R. Silva, "Tension On and Off in Atwood's Machine: The Advantage of Video Analysis," *Phys Teach*, vol. 62, no. 1, pp. 32–36, Jan. 2024, doi: 10.1119/5.0106652.
- [5] M. Monteiro, C. Stari, C. Cabeza, and A. C. Marti, "The Atwood machine revisited using smartphones," *Phys Teach*, vol. 53, no. 6, pp. 373–374, Sep. 2015, doi: 10.1119/1.4928357.
- [6] M. Tarnopolski, "On Atwood's Machine with a Nonzero Mass String," *Phys Teach*, vol. 53, no. 8, pp. 494–496, Nov. 2015, doi: 10.1119/1.4933154.
- [7] M. C. LoPresto, "Another look at Atwood's machine," *Phys Teach*, vol. 37, no. 2, pp. 82–83, Feb. 1999, doi: 10.1119/1.880182.
- [8] P. K. Lam, "Lab 3: The Measurement of 'g' using an Atwood's Machine," 2009. Accessed: Apr. 04, 2024. [Online]. Available: <https://www2.hawaii.edu/~plam/ph170A/Labs/Lab3.pdf>
- [9] G. F. Elias, T. Makahinda, and J. Lolowang, "Rancang Bangun Alat Timer Otomatis Pesawat Atwood Berbasis Arduino," *Charm Sains: Jurnal Pendidikan Fisika*, vol. 3, no. 1, pp. 19–23, Feb. 2022, doi: 10.53682/charmsains.v3i1.146.
- [10] P. Listiaji, M. S. Darmawan, and D. Dahnuss, "The Atwood machine experiment assisted by smartphone acceleration sensor for enhancing classical mechanics experiments," *J Phys Conf Ser*, vol. 1918, no. 2, p. 022009, Jun. 2021, doi: 10.1088/1742-6596/1918/2/022009.
- [11] Asrizal, T. Pratiwi, and Yohandri, "Tool modelling system of atwood machine with remote control of released objects for tracker video analysis," *J Phys Conf Ser*, vol. 2309, no. 1, p. 012043, Jul. 2022, doi: 10.1088/1742-6596/2309/1/012043.
- [12] A. N. Prokopenya, "Motion of a Swinging Atwood's Machine: Simulation and Analysis with Mathematica," *Mathematics in Computer Science*, vol. 11, no. 3–4, pp. 417–425, Dec. 2017, doi: 10.1007/s11786-017-0301-9.
- [13] R. Trumper and M. Gelbman, "A computer-based revitalization of Atwood's machine," *Phys Educ*, vol. 35, no. 5, pp. 354–358, Sep. 2000, doi: 10.1088/0031-9120/35/5/308.
- [14] T. K. Indratno, Ishafit, and Y. D. Prabowo, "Archimedes' principle experimental apparatus for remote physics laboratory," *Phys Educ*, vol. 59, no. 2, p. 025029, Mar. 2024, doi: 10.1088/1361-6552/ad27a6.

- [15] I. Ishafit, T. K. Indratno, and Y. D. Prabowo, "Arduino and LabVIEW-based remote data acquisition system for magnetic field of coils experiments," *Phys Educ*, vol. 55, no. 2, p. 025003, Mar. 2020, doi: 10.1088/1361-6552/ab5ed6.
- [16] Z. Polat and N. Ekren, "Remote laboratory trends for Distance Vocational Education and Training (D-VET): A real-time lighting application," *International Journal of Electrical Engineering & Education*, vol. 60, no. 2, pp. 188–203, Apr. 2023, doi: 10.1177/0020720920926679.

Appendix A. Block Diagram of Load Release and Time Recorder



Appendix B. Camera panel block diagram



Toni Kus Indratno is a lecturer in the physics education department at Universitas Ahmad Dahlan. His current research interest focuses on the application of ICTs (smartphones/computers) in physics learning. Besides, he and his team are developing a remote-based laboratory (R-Phylab) for distance physics learning.



Yoga Dwi Prabowo is a laboratory assistant at Ahmad Dahlan University Science Learning Technology Laboratory (LTPS). Currently he is actively part of the team developing the Remote Physics Laboratory (R-Phylab).



Yuda Dwi Prasetya is a student in the Physics Education Study Program at Ahmad Dahlan University. He is part of the team developing the remote physics laboratory. His area of interest is the development of microcontroller-based apparatus.



Moh. Irma Sukarelawan is a doctor in physics education, especially whose areas of interests are misconceptions and evaluation of physics learning. Currently, he is involved in developing a physics learning evaluation system using R-PhyLab.

Your manuscript PED-104296.R1 is almost ready to be accepted

1 pesan

Physics Education <onbehalf@manuscriptcentral.com>

20 Juni 2024 pukul 23.36

Balas Ke: ped@iopublishing.orgKepada: tonikus@staff.uad.ac.id, yudadp@gmail.com, yoga.prabowo@staff.uad.ac.id, irma.sukarelawan@pfis.uad.ac.id

Dear Mr Indratno,

Re: "Atwood machine automation using Arduino and LabVIEW"

Manuscript reference: PED-104296.R1

We are pleased to tell you that we are provisionally accepting your Paper in Physics Education. Any further comments from reviewer(s) can be found below and/or attached to this message.

We will now perform some final checks to ensure that we have everything we need to publish your Paper. These checks enable us to publish your Paper as quickly and efficiently as possible.

Next steps

You may be contacted if we do not have all the information needed. Once the final checks have been completed, your manuscript will be accepted for publication. You will be informed of this by email.

Once accepted, your [accepted manuscript](#) will be made available online within 24 hours, unless you decided to opt out during the submission process.

If you have chosen to publish your work as Open Access, we will send an email in the next few days with details of how to pay the article charge for your Paper.

Further information

- You can contact our Customer Services department [at this email address](#).
- For advice on complying with US funder requirements visit [IOP Science](#).

Thank you for choosing to work with Physics Education. We look forward to publishing your Paper.

Yours sincerely

Qamar Scott

On behalf of:

Physics Education

Editor-in-Chief: Gary Williams

iopscience.iop.org/journal/0031-9120 | ped@iopublishing.org | @EducatePhysics

Citescore: 1.3

Want to find out what is happening to your submission?

Track your article on:

Publishing support <https://bit.ly/39t9yPz>WeChat <https://bit.ly/2L0M9uz>iopublishing.org | twitter.com/IOPPublishing

REFeree REPORT(S):

Letter reference: EREM:PAcc

Video abstract invitation

1 pesan

Physics Education <onbehalf@manuscriptcentral.com>

20 Juni 2024 pukul 23.37

Balas Ke: ped@iopublishing.org

Kepada: tonikus@staff.uad.ac.id

Dear Mr Indratno,

Re: "Atwood machine automation using Arduino and LabVIEW" by Indratno, Toni; Prasetya, Yuda; Prabowo, Yoga; Sukarelawan, Moh.

Article reference: PED-104296.R1

In order to further increase the visibility and impact of your accepted article, we invite you to submit a video abstract to accompany it.

A video abstract is a short, filmed overview of the main outcomes of your paper. It should enable you to go beyond the constraints of your written article to allow you to personally explain the importance of your work to the journal's global audience.

Video abstracts provide a unique opportunity to engage with your research community and can increase the visibility and impact of published articles. Papers with video abstracts often receive more downloads than those papers without.

Full guidelines, including technical specifications, submission details and examples, are available here:

<https://iopscience.iop.org/journal/0031-9120/page/Video-abstract-guidelines>

Please note that if you would like your video abstract to be published at the same time as your article, we will need to receive it before or at the same time as you provide any corrections to your article proof. In order to ensure your video is accessible to the widest possible audience, it must be accompanied by a transcript of all narration on the video.

Please let us know as soon as possible whether or not you intend to submit a video abstract.

Thank you for submitting to Physics Education, and for considering this invitation. Please don't hesitate to contact us with any queries you may have about submitting a video abstract for this work.

Yours sincerely

Qamar Scott

On behalf of:

Physics Education

Editor-in-Chief: Gary Williams

iopscience.iop.org/journal/0031-9120 | ped@iopublishing.org | @EducatePhysics

Citescore: 1.3

Want to find out what is happening to your submission?

Track your article on:

Publishing support <https://bit.ly/39t9yPz>

WeChat <https://bit.ly/2L0M9uz>

iopublishing.org | twitter.com/IOPPublishing

Letter reference: EREM:InVidAbs:REV

Your manuscript PED-104296.R1 has been accepted for publication

1 pesan

Physics Education <onbehalf@manuscriptcentral.com>

28 Juni 2024 pukul 20.30

Balas Ke: ped@iopublishing.org

Kepada: tonikus@staff.uad.ac.id, yudadp@gmail.com, yoga.prabowo@staff.uad.ac.id, irma.sukarelawan@pfis.uad.ac.id

Dear Mr Indratno,

Re: "Atwood machine automation using Arduino and LabVIEW"

Manuscript reference: PED-104296.R1

We are pleased to tell you that we are accepting your Paper. We now have everything we need to publish it in Physics Education.

You will receive a confirmation email which will include the [Digital Object Identifier](#). This should be used for citing your work.

DATA AVAILABILITY

The proof of your article will contain an automatically-generated data availability statement based on your answer to the data availability question on the submission form, and will replace any other data availability statement(s) already present within the manuscript. Please ensure you check the proof for the correct data citation and consistency with any other mention(s) of data availability within the manuscript itself to avoid contradiction.

If you have opted to use IOP Publishing's Figshare repository to make your data openly available this has now been verified and the DOI will be automatically inserted into the proof of your article.

Next steps

If you have chosen to publish your work as Open Access, we will send an email in the next few days with details of how to pay the article charge for your Paper.

We will email again when article proofs are ready for your final approval. Please return them by the date given in that email so that we can produce the final published version without delay.

Further information:

The [Track My Article](#) section of our website is a useful resource.

You can contact our Customer Services department [at this email address](#).

For advice on complying with US funder requirements visit [IOP Science](#).

All our published articles are available to readers at [IOP Science](#).

Thank you for choosing to work with Physics Education. We look forward to publishing your Paper.

Yours sincerely,

Izzi Workman

On behalf of:

Physics Education

Editor-in-Chief: Gary Williams

iopscience.iop.org/journal/0031-9120 | ped@iopublishing.org | @EducatePhysics

Citescore: 1.3

Want to find out what is happening to your submission?

Track your article on:

Publishing support <https://bit.ly/39t9yPz>

WeChat <https://bit.ly/2L0M9uz>

ioppublishing.org | twitter.com/IOPPublishing

Letter reference: DEC:ForAcc:REV

Your Physics Education article ad5d44 is ready to check

1 pesan

ped@iopublishing.org <ped@iopublishing.org>
Kepada: tonikus@staff.uad.ac.id

10 Juli 2024 pukul 17.52

Re: "Atwood machine automation using Arduino and LabVIEW" by Indratno et al

Dear Mr Indratno,

Your article is ready to check and make final corrections. Please click the link below to start.

[Article preview](#)

Please check and submit your article as soon as possible. This is the last opportunity to review your article before publication. Please ensure that you have made all necessary corrections before pressing 'Submit'.

Our online proofing service is provided by a third party service at the domain integra.co.in. A Quick Reference Guide to using the tool can be found [here](#). General information about the proofing process can be found on [Publishing Support](#).

- Make required changes **directly** to the text
- **Respond** to all queries
- See the **PDF** link at the top right of the screen to check the page layout
- **Save** your changes often
- Click the **Submit** button when you have finished

Please reply to this email if you require any assistance or need additional information.

Best regards,

Martin Kitts
Production Editor
Physics Education
ped@iopublishing.org

IMPORTANT: If you send this email to other people, they will be able to view and edit your article.

Your Physics Education article ad5d44 has been published1 pesan

ped@iopublishing.org <ped@iopublishing.org>
Kepada: tonikus@staff.uad.ac.id

17 Juli 2024 pukul 19.32

Re: Atwood machine automation using Arduino and LabVIEW by Indratno et al

Dear Mr Indratno,

Your article has been published on IOPscience with the following DOI: <https://doi.org/10.1088/1361-6552/ad5d44>

This notice of publication has been sent to you (as the corresponding author) only, so you may wish to forward the link to your co-authors.

Note that the article DOI link above can take up to three hours to become active. Please follow our guide to [promoting your article](#) to help other researchers find your article.

We are interested to hear your thoughts as a published author on how we can improve our author services. Share your views with us in our [Publication Experience Survey](#). (Please be assured that we will only use your details for the purposes of the survey.)

Thank you for your support of Physics Education. We look forward to working with you again in the future.

Best regards,

Martin Kitts
Production Editor
Physics Education
ped@iopublishing.org

For help, please email customerservices@iopublishing.org