

DAFTAR PUSTAKA

- Afiddah, B. N., Yakub, L. F., & Rahmawati, L. (2023). Pengaruh Nanostructured Lipid Carriers (NLC) Terhadap Sistem Penghantaran Obat. *Jurnal Ilmiah Wahana Pendidikan*, 9(5), 1–23.
- Ainiah, N., Imtihat, H. N., Ayu, S. (2019). Pengaruh komposisi surfaktan terhadap stabilitas fisika dan kimia pada sediaan mikroemulsi q10 dalam pembawa. *Repository Akademi Farmasi Surabaya*, 1–8.
- Aisyah, S., Harjanti, R., & Nopiyanti, V. (2019). Pengaruh Panjang Rantai Karbon Lipid Padat terhadap Karakteristik Nanostructured Lipid Carrier Resveratrol. *JPSCR: Journal of Pharmaceutical Science and Clinical Research*, 4(2), 69. <https://doi.org/10.20961/jpscr.v4i2.34408>
- Amalia, A., & Farm, M. (2021). *Nanopartikel Kitosan-Tpp Ekstrak Bawang-26032024*.
- Ananda, N. C. R., Sulaiman, S., & Suwarni. (2017). Pengaruh Peningkatan Tween 20 Sebagai Surfaktan Terhadap karakteristik dan Kestabilan Fisik Sediaan Self Nanoemulsifying Drug Delivery System (SNEDDS) Simvastatin. *Media Farmasi Indonesia*, 10(2), 940–948.
- Aryani, R., Hidayat, A. F., & Karimah, A. Z. (2021). DESAIN DAN OPTIMASI NLC (Nanostructured Lipid Carriers) EKSTRAK ETANOL DAUN TEH HIJAU (*Camellia sinensis* L. Kuntze) DENGAN VARIASI LIPID. *Jurnal*

Ilmiah Farmasi Farmasyifa, 4(1), 41–48.
<https://doi.org/10.29313/jiff.v4i1.7151>

Cecchi, L., Migliorini, M., & Mulinacci, N. (2021). Virgin olive oil volatile compounds: Composition, sensory characteristics, analytical approaches, quality control, and authentication. *Journal of Agricultural and Food Chemistry*, 69(7), 2013–2040. <https://doi.org/10.1021/acs.jafc.0c07744>

Chauhan, I., Yasir, M., Verma, M., & Singh, A. P. (2020). Nanostructured lipid carriers: A groundbreaking approach for transdermal drug delivery. *Advanced Pharmaceutical Bulletin*, 10(2), 150–165.
<https://doi.org/10.34172/apb.2020.021>

Chávez-Mendoza, C., Sanchez, E., Muñoz-Marquez, E., Sida-Arreola, J. P., & Flores-Cordova, M. A. (2015). Bioactive compounds and antioxidant activity in different grafted varieties of bell pepper. *Antioxidants*, 4(2), 427–446.
<https://doi.org/10.3390/antiox4020427>

Danaei, M., Dehghankhold, M., Ataei, S., Hasanzadeh Davarani, F., Javanmard, R., Dokhani, A., Khorasani, S., & Mozafari, M. R. (2018). Impact of particle size and polydispersity index on the clinical applications of lipidic nanocarrier systems. *Pharmaceutics*, 10(2), 1–17.
<https://doi.org/10.3390/pharmaceutics10020057>

Dash, S., Murthy, P. N., Nath, L., & Chowdhury, P. (2010). Kinetic modeling on drug release from controlled drug delivery systems. *Acta Poloniae*

Pharmaceutica - Drug Research, 67(3), 217–223.

Duong, V. A., Nguyen, T. T. L., & Maeng, H. J. (2020). Preparation of solid lipid nanoparticles and nanostructured lipid carriers for drug delivery and the effects of preparation parameters of solvent injection method. *Molecules*, 25(20), 1–36. <https://doi.org/10.3390/molecules25204781>

Haifa, N. N. (2019). Optimasi Tween 80 dan Propilen Glikol dalam Sediaan Transdermal Nanoemulsi Ibuprofen dengan Metode Desain Faktorial. In *Digital Repository Universitas Jember*.

Hajba-Horváth, E., Biró, E., Mirankó, M., Fodor-Kardos, A., Trif, L., & Feczko, T. (2020). Preparation and: In vitro characterization of valsartan-loaded ethyl cellulose and poly(methyl methacrylate) nanoparticles. *RSC Advances*, 10(72), 43915–43926. <https://doi.org/10.1039/d0ra07218d>

Haningsih, S. D. (2015). Formulasi Sediaan Lipstik Dari Ekstrak Paprika Merah (*Capsicum annum* var. *Grossum*) Sebagai Pewarna Dan Antioksidan Alami. *Paper Knowledge . Toward a Media History of Documents*, 3(April), 49–58.

Hassan, N. M., Yusof, N. A., Yahaya, A. F., Rozali, N. N. M., & Othman, R. (2019). Carotenoids of capsicum fruits: Pigment profile and health-promoting functional attributes. *Antioxidants*, 8(10), 1–25. <https://doi.org/10.3390/antiox8100469>

Herdiana, Y., Wathoni, N., Shamsuddin, S., & Muchtaridi, M. (2022). Drug release study of the chitosan-based nanoparticles. *Heliyon*, 8(1), e08674.

<https://doi.org/10.1016/j.heliyon.2021.e08674>

Indrawati, T. (2023). Pemanfaatan Nanosains dan Nanoteknologi untuk Meningkatkan Efektivitas Obat. *Jurnal Ilmu Kefarmasian*, 16(2), 73–83.

<https://ejournal.istn.ac.id/index.php/saintechfarma/article/view/1682>

Karn-Orachai, K., Smith, S. M., Phunpee, S., Treethong, A., Puttipipatkachorn, S., Pratontep, S., & Ruktanonchai, U. R. (2014). The effect of surfactant composition on the chemical and structural properties of nanostructured lipid carriers. *Journal of Microencapsulation*, 31(6), 609–618.

<https://doi.org/10.3109/02652048.2014.911374>

Kulkarni, M., Goge, N., & Date, A. A. (2020). Development of Nanoemulsion Preconcentrate of Capsanthin with Improved Chemical Stability. *Assay and Drug Development Technologies*, 18(1), 34–44.

<https://doi.org/10.1089/adt.2019.916>

Kumar, A., Saienni, A. E., & Dixit, N. (2013). Synthesis and characterization of nanoencapsulated drugs. In *Nanomedicine in Drug Delivery*.

<https://doi.org/10.1201/b14802>

Kurniawati, putri. (2017). No Title ال التواصل « طفرة على تتغذى جرائم ..الإلكتروني الابتزاز

Universitas Nusantara PGRI Kediri, 01, 1–7.

Linton, J. D., Klassen, R., Jayaraman, V., Walker, H., Brammer, S., Ruparathna, R., Hewage, K., Thomson, J., Jackson, T., Baloi, D., Cooper, D. R., Hojmosse, S. U., Adrien-Kirby, A. J., Sierra, L. A., Pellicer, E., Yepes, V.,

- Giunipero, L. C., Hooker, R. E., Denslow, D., ... Anane, A. (2020). No 主観的健康感を中心とした在宅高齢者における 健康関連指標に関する共分散構造分析Title. *Sustainability (Switzerland)*, *14*(2), 1–4.
http://www.unpcdc.org/media/15782/sustainable_procurement_practice.pdf
<https://europa.eu/capacity4dev/unep/document/briefing-note-sustainable-public-procurement>
<http://www.hpw.qld.gov.au/SiteCollectionDocuments/ProcurementGuideIntegratingSustainability>
- Liu, Y., Yang, G., Jin, S., Xu, L., & Zhao, C. X. (2020). Development of High-Drug-Loading Nanoparticles. *ChemPlusChem*, *85*(9), 2143–2157.
<https://doi.org/10.1002/cplu.202000496>
- Napsah, R., & Wahyuningsih, I. I. S. (2014). *Bab 2 (2.1) Nanopartikel (Nafsah 2013)*. *11*(1), 7–12.
- Nirmalayanti, N. L. P. K. V. (2021). Skrining Berbagai Jenis Surfaktan Dan Kosurfaktan Sebagai Dasar Pemilihan Formulasi Nanoemulsi. *Metta : Jurnal Ilmu Multidisiplin*, *1*(3), 158–166. <https://doi.org/10.37329/metta.v1i3.1552>
- Nitthikan, N., Leelapornpisid, P., Natakankitkul, S., Chaiyana, W., Mueller, M., Viernstein, H., & Kiattisin, K. (2018). Improvement of Stability and Transdermal Delivery of Bioactive Compounds in Green Robusta Coffee Beans Extract Loaded Nanostructured Lipid Carriers. *Journal of Nanotechnology*, *2018*. <https://doi.org/10.1155/2018/7865024>

- Padusitrada, P., Aisiyah, S., & Harjanti, R. (2023). Pengaruh Proporsi Lipid Cair Dan Surfaktan Terhadap Aktivitas Antioksidan Pada NLC Resveratrol. *Parapemikir : Jurnal Ilmiah Farmasi*, 12(1), 30. <https://doi.org/10.30591/pjif.v12i1.4323>
- Putri, M., Damayanti, D., Priani, S. E., Mulyanti, D., Farmasi, P., Matematika, F., Alam, P., & Bandung, U. I. (n.d.). *Kajian Pengembangan Sistem Nanostructured Lipid Carriers (NLC) Pada Terapi Kanker Payudara* Pendahuluan Kanker merupakan salah satu penyakit tidak menular yang ditandai dengan pertumbuhan sel yang abnormal . Pertumbuhan sel terjadi secara terus menerus d. 1–10.
- Rahayu, A., Desta Ayu Cahya Rosyida, & Indria Nuraini. (2022). Formulasi Dan Optimasi Nanostructured Lipid Carriers (Nlc) Ketokonazol Menggunakan Full Factorial Design. *Medical Sains : Jurnal Ilmiah Kefarmasian*, 7(3), 561–570. <https://doi.org/10.37874/ms.v7i3.448>
- Rahman, H. S., Rasedee, A., How, C. W., Abdul, A. B., Zeenathul, N. A., Othman, H. H., Saeed, M. I., & Yeap, S. K. (2013). Zerumbone-loaded nanostructured lipid carriers: Preparation, characterization, and antileukemic effect. *International Journal of Nanomedicine*, 8, 2769–2781. <https://doi.org/10.2147/IJN.S45313>
- Rajesh, S., & Jr., J. W. L. (2000). Nanoparticle-based targeted drug delivery. *Experimental & Molecular Pathology*, 86(3), 215–223. <https://doi.org/10.1016/j.yexmp.2008.12.004>. Nanoparticle-based

- Rohmah, M., Raharjo, S., Hidayat, C., & Martien, R. (2019). Formulasi dan Stabilitas Nanostructured Lipid Carrier dari Campuran Fraksi Stearin dan Olein Minyak Kelapa Sawit. *Jurnal Aplikasi Teknologi Pangan*, 8(1), 23–30. <https://doi.org/10.17728/jatp.3722>
- Samaha, D., Shehayeb, R., & Kyriacos, S. (2009). Modeling and comparison of dissolution profiles of diltiazem modified-release formulations. *Dissolution Technologies*, 16(2), 41–46. <https://doi.org/10.14227/DT160209P41>
- Sari, A. N. (2016). Berbagai Tanaman Rempah Sebagai Sumber Antioksidan Alami. *Elkawanie*, 2(2), 203. <https://doi.org/10.22373/ekw.v2i2.2695>
- Setyopratiwi, A., & Hanifah Titiek Umi, H. (2022). Formulasi dan Stabilitas Mikroemulsi Minyak dalam Air dengan Virgin Coconut Oil (VCO) Sebagai Fase Minyak Menggunakan Metode Emulsifikasi Formulation and Stability of Oil In Water With Virgin Coconut Oil (VCO) as The Oil Phase Using The Emulsification. *Prosiding Seminar Nasional Kimia (SNK)*, November, 108–123.
- Sukmawati, A., Da'i, M., Zulinar, F., & Hanik, A. (2017). Profil Pelepasan Antikanker kombinasi Doksorubisin dan Analog Kurkumin dari Nanopartikel Kitosan. *The 6th Research Colloquium 2017*, 139–144.
- Syukri, Y., Martien, R., Lukitaningsih, E., & Nugroho, A. E. (2018). Novel Self-Nano Emulsifying Drug Delivery System (SNEDDS) of andrographolide isolated from *Andrographis paniculata* Nees: Characterization, in-vitro and

in-vivo assessment. *Journal of Drug Delivery Science and Technology*, 47, 514–520. <https://doi.org/10.1016/j.jddst.2018.06.014>

Taurina, W., Sari, R., Hafinur, U. C., Wahdaningsih, S., & Isnindar, I. (2017). OPTIMIZATION OF STIRRING SPEED AND STIRRING TIME TOWARD NANOPARTICLE SIZE OF CHITOSAN-SIAM CITRUS PEEL (Citrus nobilis L.var Microcarpa) 70% ETHANOL EXTRACT. *Majalah Obat Tradisional*, 22(1), 16. <https://doi.org/10.22146/tradmedj.24302>

Teeranachaideekul, V., Souto, E. B., Junyaprasert, V. B., & Müller, R. H. (2007). Cetyl palmitate-based NLC for topical delivery of Coenzyme Q10 - Development, physicochemical characterization and in vitro release studies. *European Journal of Pharmaceutics and Biopharmaceutics*, 67(1), 141–148. <https://doi.org/10.1016/j.ejpb.2007.01.015>

Tsamarah, D. F., Izzaturrahmi, A. S., & Sopyan, I. (2023). Sistem Penghantaran Obat Limfatik: Peningkatan Bioavailabilitas Obat dengan Nanopartikel. *Majalah Farmasetika*, 8(5), 475. <https://doi.org/10.24198/mfarmasetika.v8i5.47852>

Tungadi, R., Thomas, N. A., & Gobel, W. G. Van. (2021). Formulasi, Karakterisasi, Dan Evaluasi Drops Liquid Self Nano-Emulsifying Drug Delivery System (SNEDDS) Astaxanthin. *Indonesian Journal of Pharmaceutical Education*, 1(3), 168–178. <https://doi.org/10.37311/ijpe.v1i3.11400>

Wang, Q., Zhang, H., Han, Y., Cui, Y., & Han, X. (2023). Study on the relationships between the oil HLB value and emulsion stabilization. *RSC Advances*, 13(35), 24692–24698. <https://doi.org/10.1039/d3ra04592g>

Yusuf, V. A. J., Soeratri, W., & Erawati, T. (2023). The Effect of Surfactant Combination on the Characteristics, Stability, Irritability, and Effectivity of Astaxanthin Nanoemulsion as Anti-Ageing Cosmetics. *Tropical Journal of Natural Product Research*, 7(12), 5509–5518. <https://doi.org/10.26538/tjnpr/v7i12.21>