

NO patient	Duration o	Age	Height	BB	BMI	BMI coding	Sex	Last educa	Work
1	1		52	167	51	18,29	Underweig	M	Senior High Working
2	1		57	160	52	20,31	Normal	F	Elementar Not Workii
3	1		39	160	48	18,75	Normal	M	Elementar Working
4	1		30	155	45.5	18,75	Normal	F	Junior High Not Workii
5	1		48	170	54.8	19	Normal	M	Senior High Not Workii
6	1		60	158	67	26,84	Overweigh	M	Elementar Working
7	1		20	155	42.9	17,5	Underweig	F	Senior High Not Workii
8	1		27	155	56	23,31	Normal	F	Junior High Not Workii
9	1		37	147	46	21,29	Normal	F	Senior High Not Workii
10	1		22	157	41	16,63	Underweig	F	Senior High Not Workii
11	1		69	160	48	18,75	Normal	M	Not Workii
12	1		14	165	45	16,53	Underweig	M	Junior High Not Workii
13	4		42	160	52	20,31	Normal	M	Elementar Working
14	2		75					F	Elementar Working
15	5		76	160	53	20,7	Normal	M	Senior High Working
16	6		60		45			F	Elementar Working
17	6		48	158	45	18,03	Underweig	M	Undergrad Working
18	6		43					F	Junior High Not Workir
19	6		25	151	33	14,47	Underweig	F	Vocational Not Workir
20	1		21	175	55	17,96	Underweig	M	Senior High Not Workii
21	1		28	179	49	15,29	Underweig	M	Senior High Working
22	1		18	165	54	19,83	Normal	M	Senior High Not Workii
23	1		55	167	55	19,72	Normal	M	Senior High Working
24	1		61	165	57	20,94	Normal	M	Vocational Working
25	1		70	151	40	17,54	Underweig	M	Senior High Working
26	1		53	154	43	18,13	Underweig	M	Not Workii
27	1		55	150	45	20	Normal	F	Senior High Not Workii
28	1		17	152	44	19,04	Normal	F	Junior High Not Workii
29	1		20	170	45	15,57	Underweig	M	Senior High Working
30	1		17	164	54	20,08	Normal	M	Senior High Not Workii
31	2		58	160	50	19,53	Normal	M	Senior High Working
32	3		25	165	68	24,98	Normal	F	Undergrad Working
33	2		25	161	49	18,9	Normal	M	Vocational Working
34	2		18	155	50	20,81	Normal	F	Junior High Not Workir
35	2		42	174	55	18,17	Underweig	M	Working
36	6		31	172	45	15,21	Underweig	M	Vocational Working
37	6		61	157	50	20,28	Normal	F	Senior High Not Workir
38	2		42	162	64	24,39	Normal	F	Senior High Not Workir
39	2		48	170	48	16,61	Underweig	M	Junior High Working
40	2		52	152	44	19,04	Underweig	F	Senior High Not Workir
41	3		25	159	51	20,17	Normal	M	Junior High Working
42	6		56	155	47	19,56	Normal	F	Senior High Not Workir
43	2		68	150	42	18,67	Normal	F	Senior High Not Workir
44	4		22	160	39	15,23	Underweig	M	Senior High Not Workir
45	4		75	145	46	21,88	Normal	F	Elementar Working
46	3		41	145	46	21,88	Normal	F	Elementar Not Workii

47	4	59	160	50	19,53	Normal	M	Elementar Working
48	2	40		55	#DIV/0!		F	Undergrad Not Working
49	2	59		43	#DIV/0!		F	Undergrad Working
50	2	40	170	57	19,72	Normal	M	Junior High Working
51	2	40	164	45	16,73	Underweig	M	Senior High Working
52	1	20		54			F	Junior High Not Working
53	2	22		66			F	Senior High Not Working
54	3	18		55			M	Junior High Not Working
55	4	27		60			M	Senior High Not Working
56	4	22		41			M	Senior High Not Working
57	3	22	150	40	17,78	Underweig	F	Senior High Not Working
58	4	23	169	70	24,51	Normal	M	Senior High Working
59	5	20	163	53	19,95	Normal	M	Senior High Working
60	5	20		48			F	Senior High Not Working
61	2	19		45			M	
62	6	18		55			F	Senior High Not Working
63	4	21		64			M	Senior High Working
64	2	21		70			M	Senior High Not Working
65	5	19		51			F	Senior High Not Working
66	6	26		53			F	Senior High Working
67	1	29	160	60	23,44	Normal	M	Senior High Working
68	1	71	160	45	17,58	Underweig	M	Elementar Working
69	1	36	165	55	20,2	Normal	M	Junior High Working
70	1	43	168	61	21,61	Normal	M	Senior High School
71	1	56	164	59	21,94	Normal	M	Senior High Working
72	1	65	152	58	25,1	Normal	F	Junior High Not Working
73	1	42	158	51	20,43	Normal	M	Junior High Working
74	1	71	150	36	16	Underweig	F	Elementar Working
75	1	21	165	52	19,1	Normal	M	Senior High Working
76	1	18	155	49	20,4	Normal	F	Senior High Not Working
77	1	36	155	56	23,31	Normal	F	Senior High Not Working
78	1	28	167	58	20,8	Normal	M	Senior High Working
79	1	75	168	48	17,01	Underweig	M	Junior High Working
80	1	21	169	44	15,41	Underweig	F	Senior High Not Working
81	6	32	169	35	12,25	Underweig	F	Elementar Not Working
82	4	21	158	41	16,42	Underweig	F	Senior High Not Working
83	2	31	160	51	19,92	Normal	M	Senior High Working
84	4	58	160	69	26,95	Overweigh	M	Senior High Not Working
85	6	24	168	36	12,76	Underweig	F	Senior High Working
86	4	42	160	48	18,75	Normal	M	Junior High Not Working
87	3	26	170	52	17,99	Underweig	M	Senior High Working
88	1	21	160	54	21,09	Normal	F	Senior High Working
89	3	18	165	45	16,53	Underweig	M	Elementar Not Working
90	4	34	160	45	17,58	Underweig	M	Elementar Working
91	1	23	157	50	20,28	Normal	F	Vocational Working
92	1	16	160	56	21,88	Normal	M	Junior High Not Working
93	3	40	165	41	15,06	Underweig	M	Junior High Working

94	5	23	170	49	16,96	Underweig	M	Senior High	Not Workir
95	2	23	152	53	22,94	Normal	F	Senior High	Not Workir
96	2	46	155	52	21,64	Normal	F		Not Workir
97	4	68	158	50	20,03	Normal	M	Senior High	Not Workir
98	5	39	168	52	18,42	Underweig	M	Senior High	Working
99	1	57	157	50	20,28	Normal	M	Senior High	Working
100	2	30	160	50	19,53	Normal	M	Senior High	Working
101	5	55	157	54	21,91	Normal	F	Senior High	Not Workii
102	3	56	168	54	19,13	Normal	M	Vocational	Working
103	5	33	170	48	16,61	Underweig	M	Junior High	Working
104	3	64	170	61	21,11	Normal	M	Vocational	Not Workii
105	3	43	153	42	17,94	Underweig	M	Junior High	Working
106	2	38	165	50	18,37	Underweig	M	Senior High	Working
107	5	23	150	47	20,89	Normal	F	Senior High	Not Workii
108	1	26	170	65	22,49	Normal	M	Senior High	Working
109	1	40	155	48	19,98	Normal	M	Senior High	Not Workii
110	1	40	155	54	22,48	Normal	M	Junior High	Working
111	1	70	165	49	18	Normal	M	Senior High	Working
112	1	44					M	Elementar	Working
113	1	27		50			M	Elementar	Working
114	1	44	171	81	27,7	Normal	M	Senior High	Working
115	1	61					M	Junior High	Not Workii
116	1	61	162	65	24,77	Normal	M	Elementar	Working
117	1	59	152	46	19,91	Normal	F	Elementar	Not Workii
118	1	22	168	58	20,55	Normal	F	Junior High	Working
119	1	58	162	41	15,62	Underweig	M	Junior High	Working
120	1	34		76			M	Senior High	Working
121	1	53					M	Senior High	Working
122	1	54	160	42	16,41	Underweig	F	Junior High	Not Workii
123	1	54	173	66	22,05	Normal	M	Junior High	Working
124	1	79	162	45	17,15	Underweig	M	Senior High	Not Workii
125	5	23	150	34.1	15,15	Underweig	F	Senior High	Not Workir
126	6	43	160	53.2	20,87	Normal	M	Senior High	Working
127	5	44	155	27.1	11,29	Underweig	F	Senior High	Not Workir
128	5	37	156	52	21,37	Normal	F	Undergrad	Working
129	5	36	156	54	22,19	Normal	F	Vocational	Working
130	4	45	170	61	21,11	Normal	M	Junior High	Working
131	5	38	169	59	20,66	Normal	M	Senior High	Working
132	2	61	144	40	19,29	Normal	F	Junior High	School
133	6	57	160	50	19,53	Normal	M	Senior High	Working
134	5	52	156	48	19,72	Normal	F	Elementar	Working
135	4	40	150	50	22,22	Normal	F	Junior High	Not Workir
136	4	54 tahun	160	50	19,53	Normal	M	Elementar	Working
137	4	19 tahun	156	46	18,9	Normal	F	Senior High	Not Workii
138	5	64 tahun	160	50	19,53	Normal	M	Senior High	Working
139	3	42 tahun	170	50	17,3	Underweig	M	Senior High	Working
140	1	78 tahun	168	48	17,01	Underweig	M	Elementar	Working

141	4 41 tahun	170	50	17,3	Underweig	M	Elementar	Working
142	5 27 tahun	156	42	17,26	Underweig	F	Undergrad	Not Workii
143	5 17 tahun	165	47	17,26	Underweig	F	Junior High	Not Workii
144	3 18 tahun	160	48	18,75	Normal	F	Senior High	Not Workii
145	5 21 tahun	169	59	20,66	Normal	M	Junior High	Not Workii
146	1 21 th	149 47.9		21,11	Normal	F	Senior High	Not Workii
147	1 44 th	145	53	25,21	Normal	F	Senior High	Not Workii
148	1 23 th	145	39	18,55	Normal	F	Senior High	Not Workii
149	1 56 th	165	47	17,26	Underweig	M	Senior High	Working
150	1 23 th	150	53	23,56	Normal	F	Senior High	Working
151	1 51 th	167	51	18,29	Underweig	M	Senior High	Working
152	1 47 th	155	56	23,31	Normal	F	Undergrad	Working
153	1 21 th	165	51	18,73	Normal	M	Junior High	Working
154	1 21 th	157	47	19,07	Normal	F	Senior High	Working
155	1 34 th	165	55	20,2	Normal	F	Senior High	Not Workii
156	1 35 th	165	53	19,47	Normal	M	Senior High	Working
157	1 60 th	150	32	14,22	Underweig	F	Senior High	Not Workii
158	1 48 th	159	48	18,99	Normal	M	Senior High	Working
159	1 45 th	170	65	22,49	Normal	M	Undergrad	Working
160	1 26 th	146	45	21,11	Normal	F	Senior High	Working
161	1 6 tahun 6 t	110	20,1	16,61	Underweig	F		
162	1 56 tahun 7	168	68	24,09	Normal	M	Senior High	Working
163	1 29 tahun 4	154	66	27,83	Normal	F	Undergrad	Working
164	3 44 tahun 6	156	39,2	16,11	Underweig	F	Senior High	Working
165	3 28 tahun 6	163	50	18,82	Normal	M	Senior High	School
166	4 14 tahun 1	150	47	20,89	Normal	M	Elementary	School
167	4 51 tahun 1	161	59	22,76	Normal	M	Senior High	Working
168	2 30 tahun	173	55	18,38	Underweig	M	Junior High	School
169	6 28 tahun	166	45	16,33	Underweig	M	Junior High	Working
170	6 28 tahun	160	49	19,14	Normal	M	Junior High	Working
171	4 28 tahun	174	51	16,85	Underweig	M	Junior High	Working
172	2 38 tahun	153	64	27,34	Normal	F	Elementar	Not Workii
173	1 36 tahun	159	59	23,34	Normal	F	Elementar	Not Workii
174	1 49 tahun	156	46	18,9	Normal	F	Elementar	Working
175	1 22 tahun	150	45	20	Normal	F	Senior High	Not Workii
176	1 22 tahun	151	44	19,3	Normal	F	Senior High	Not Workii
177	1 71 tahun	155	48	19,98	Normal	M	Elementar	Working
178	4 70 tahun	160	52	20,31	Normal	M	Elementar	Working
179	1 83 tahun	155	27	11,24	Underweig	F	Junior High	Not Workii
180	3 54 th	165		0		M	Elementar	Working
181	1 49 th	170		0		M		Working
182	3 27 th	170	55	19,03	Normal	M		Working
183	6 23 th	163	45	16,94	Underweig	M	Senior High	Not Workii
184	2 24 th	168	50	17,72	Underweig	M	Undergrad	Working
185	3 -					M	Undergrad	Working
186	3 41 th					M	Senior High	Working
187	4 23 th					F	Senior High	Not Workii

188	2 38 th	160	45	17,58	Underweig M	Senior High Working
189	6 39 tahun	170	41	14,19	Underweig M	Senior High Working
190	6 21 tahun	160	47	18,36	Underweig F	Senior High Not Workir
191	4 48 tahun	145	45	21,4	Normal F	Elementar Not Workir
192	4 33 tahun	155	57	23,73	Normal F	Postgradua Not Workir
193	6 62 tahun	160	45	17,58	Underweig M	Elementar Working
194	4 59 tahun	155	55	22,89	Normal F	Elementar Not Workir
195	6 62 tahun	148	37	16,89	Underweig F	Elementar Not Workir
196	6 45 tahun	180	80	24,69	Normal M	Senior High Working
197	4 32 tahun	173	56	18,71	Normal M	Senior High Working
198	4 73 tahun	165	57	20,94	Normal M	Junior High Working
199	6 65 tahun	168	61	21,61	Normal F	Elementar Not Workir
200	6 36 tahun	164	58	21,56	Normal M	Senior High Working
201	6 49 tahun	170	62	21,45	Normal M	Senior High Working

Monthly in Komorbid	Comorbidi	Month of t	Medicatio	Other treat	Obat yang	Hb 0	Hb 2	Hb 4
2.500.000	none	0	2 FDC		Rifampicin 150 mg, Isoniazid 150 mg		15	16.6
tidak ada	none	0	2 FDC		Rifampicin 150 mg, Isoniazid 150 mg	10.6		14
2.600.000	none	0	4 FDC	CTM	Rifampicin 150 mg, Isoniazid 150 mg		14.5	
tidak ada	none	0	2 FDC		Rifampicin 150 mg, Isoniazid 150 mg	13.5		
tidak ada	none	0	2 FDC		Rifampicin 150 mg, Isoniazid 150 mg	11.9		
tidak ada	none	0	6 FDC		Rifampicin 150 mg, Isoniazid 75 mg, Pyrazinamide 150 mg			
tidak ada	none	0	2 FDC		Rifampicin 150 mg, Isoniazid 150 mg	12.7	12.2	
tidak ada	none	0	6 RH		Rifampicin 150 mg, Isoniazid 150 mg seming			
tidak ada	none	0	4 RH		Rifampicin 150 mg, Isoniazid 150 mg		12.3	
tidak ada	none	0	2 FDC		Rifampicin 150 mg, Isoniazid 150 mg	11.6		15.3
tidak ada	none	0	6 RH		Rifampicin 150 mg, Isoniazid 150 mg 1x3 tab			
tidak ada	none	0	6 RH		Rifampicin 150 mg, Isoniazid 150 mg 1x3 tab			
	Asam Urat	1 3,4,5,6	RH		Allopurinol OAT kategori 1	(Rifampicin 150 mg, Isoniazid 150 mg)	13.90	
	Batuk	1 5,6	RH		Acetylsisteine OAT kategori 1	(Rifampicin 150 mg, Isoniazid 150 mg)		
	Asam Urat	1 2,3,4,5,6	FDC		Allopurinol OAT kategori 1	(Rifampicin 150 mg, Isoniazid 150 mg)	13.0	
	none	1,2,3,4,5,6	FDC		OAT kategori 1	(Rifampicin 150 mg, Isoniazid 150 mg)	12.6	
Rp 1.400.0	none	1,2,3,4,5,6	FDC		OAT kategori 1	(Rifampicin 150 mg, Isoniazid 150 mg)	13.38	13.8
rg	Diabetes	1 1,2,3,4,5,6	FDC		OAT kategori 1	(Rifampicin 150 mg, Isoniazid 150 mg)	15.9	
rg	none	1,2,3,4,5,6	FDC		OAT kategori 1	(Rifampicin 150 mg, Isoniazid 150 mg)	12.9	
-	none	0	1 FDC		4 FDC, 1x sehari 4 tablet			
	none	0	1 FDC		4 FDC, 1x sehari 3 tablet			
-	none	0	1 FDC		4 FDC, 1x sehari 4 tablet			
	none	0	1 FDC		4 FDC, 1x sehari 4 tablet			
3000000	none	0	3 FDC		4 FDC, 1x sehari 4 tablet			
-	none	0	3 FDC		4 FDC, 1x sehari 3 tablet			
-	none	0	5 FDC		4 FDC, 1x sehari 3 tablet			
-	none	0	5 FDC		4 KDT 1x sehari 3 tablet			
-	none	0	5 FDC		4 FDC, 1x sehari 3 tablet			
10000000-	none	0	6 FDC		4 FDC, 1x sehari 3 tablet			
-	none	0	6 FDC		4 FDC, 1x sehari 4 tablet			
2.000.000	none	0 5, 6	RH		2FDC			
2.000.000	none	0 4, 5, 6	RH		2FDC, 2FDC + Vit B6			
2.000.000	none	0 5, 6	RH		2FDC			
rg	none	0 5, 6	RH		2 FDC + Vit B6			
	none	0 5, 6	FDC		2 FDC + Vit B6			
	none	0 1, 2, 3, 4, 5	FDC		4 FDC			
rg	Hipertensi	1 1, 2,3,4, 5,	FDC		4 FDC + Vit B6			
rg	none	0 5, 6	RH		2 FDC + Vit B6			
1.500.000	none	0 5, 6	RH		2 FDC + Vit B6			
rg	none	0 5, 6	RH		2 FDC + Vit B6			
1.950.000	none	0 4, 5, 6	RH		2 FDC + Vit B6			
rg	Diabetes, t	2 1, 2, 3, 4, 5	FDC		4 FDC + Vitamin B6			
rg	none	0 5, 6	RH		2 FDC			
rg	none	0 3, 4, 5, 6	RH		2 FDC			
2.000.000	Diabetes, t	2 3, 4, 5, 6	RH		2 FDC			
-	none	0 4, 5, 6	FDC					

	Diabetes	1 3, 4, 5, 6	RH	2 FDC + Vit B6			
-	none	0 5, 6	RH	2 KDT			
5.500.000	none	0 5, 6	RH	2 KDT			
2.500.000	asma, mag	2 5, 6	RH	2 KDT			
2.000.000	VERTIGO	1 5, 6	RH	2 KDT			
-	MIGRAIN	1	6 RH	2 KDT			
-	none	0 5, 6	RH	2 KDT			
-	none	0 4, 5, 6	RH	2 KDT			15.2
-	none	0 3, 4, 5, 6	RH	2 KDT			13.5
-	none	0 3, 4, 5, 6	RH	2 KDT			13
-	none	0 4, 5, 6	RH	2 KDT			12.7
3.600.000	ASTHMA	1 3, 4, 5, 6	RH	2 KDT			12.5
5.700.000	none	0 2, 3, 4, 5, 6	FDC	4 KDT	15.5		15.5
-	none	0 2, 3, 4, 5, 6	FDC	4 KDT	13.2		13.4
-	none	0 5, 6	RH	2 KDT			
-	none	0 1, 2, 3, 4, 5	FDC	4 KDT	12.4		
2.100.000	none	0 3, 4, 5, 6	RH	2 KDT			
-	none	0 5, 6	RH	2 KDT			
-	none	0 2, 3, 4, 5, 6	FDC	4 KDT	11.6		14.4
-	none	0 1, 2, 3, 4, 5	FDC	4 KDT	12.2		12.5
1.5 juta	none	0	2 FDC			15	10
2 juta	none	0	4 FDC				5.2
1.5 juta	none	0	6 RH				
1.8 juta	none	0	6 RH				
2 juta	none	0	6 RH				
-	none	0	6 RH				
3 juta	none	0	6 RH				
-	none	0	6 RH				
2.5 juta	none	0	6 RH				
-	none	0	6 RH				
-	none	0	6 RH				
2.1 jt/bulan	none	0	4 FDC				
3.5 juta	none	0	4 FDC				
-	none	0	4 FDC				12.8
Rp. 0	none	0 1, 2, 3, 4, 5	FDC	Codein, Ce 4 FDC tab 1x3, Cefexir	14.8		13.9
Rp. 0	none	0 3, 4, 5, 6	RH	Rifampicin tab 450 mg 1x1, TB vit	10.5		
Rp. 4.800.000	none	0 5, 6	RH	2FDC tab 1x3			
Rp. 2.000.000	none	0 3, 4, 5, 6	FDC	Codein, Ca 4FDC tab 1x1, Codeine tab 1x1, C	16.2		
Rp.1.500.000	none	0 1, 2, 3, 4, 5	RH	Rifampicin tab 450mg	11.8		13.2
Rp. 0	none	0 3, 4, 5, 6	RH	Rifampicin tab 450 mg 1x1, TB vit	11.4		
Rp. 1.805.000	none	0 4, 5, 6	RH	Rifampicin tab 150 mg + Isoniazid tab 150 mg			
Rp. 2.000.000	none	0	6 RH				
Rp. 0	none	0 4, 5, 6	RH	2 FDC tab 1x3, NAC tablet 600mg 2x1			
Rp. 1.805.000	none	0 3, 4, 5, 6	FDC	4 FDC tab 1x3, Curcuma 2x1, Salbutamol tab			
Rp. 4.000.000	none	0	6 RE	Rifampicin tab 450mg 1x1, ethambutol tab 5			
Rp. 0	none	0	6 RH	2FDC tab 1x3			
	none	0 4, 5, 6	RH	2FDC			

rg	none	0	2, 3, 4, 5, (RH	4FDC + Vit B6	13.8	15.7
rg	Anemia	1	5, 6 RH	2FDC + Vit B		
rg	none	0	5, 6 RH	2FDC + Vit B12		
rg	none	0	3, 4, 5, 6 RH	2FDC		14.7
	none	0	2, 3, 4, 5, (FDC	4FDC	14.1	15.5
	Asam Laml	1	6 RH	2FDC		
2.500.000		0	5, 6 RH	2FDC		
±1.000.000		0	2, 3, 4, 5, (FDC	4FDC	12.6	12.5
1.765.000 (UMR Jogja		0	4, 5, 6 RH	2FDC		15.3
< 1.000.000		0	2, 3, 4, 5, (FDC	4FDC	11.8	13.4
±2.000.000(Jantung, H		1	4, 5, 6 RH	2FDC		11.5
< 500.000 Darah renc		1	4, 5, 6 RH	2FDC + Curcuma		12.2
1.765.000 none		0	5, 6 RH	2FDC + Vit B		
0 none		0	2, 3, 4, 5, (FDC	4FDC + Vit		14 14.3
5.000.000 none		0	6 RH	Rifampisin 150 mg		
tidak ada none		0	6 RH	Rifampisin, Isoniazid		
500.000 none		0	6 RH	Rifampisin, Isoniazid		
500.000 none		0	3 RH	Rifampisin 150 mg, Isc 12.5		
tidak ada none		0	6 RH	Rifampisin, Isoniazid		
	none	0	6 RH	Rifampisin, Isoniazid	13.5	14.4
5.000.000 none		0	6 RH	Rifampicin 150 mg		
- Diabetes		1	6 RH	Rifampicin 150 mg		
900.000 none		0	6 RH	Rifampisin, Isoniazid	16.3	13.5
tidak ada Diabetes		1	6 RH	Rifampisin, Isoniazid		
± 1.000.00 none		0	6 RH	Rifampisin, isoniazid 150mg		
1.000.000 none		0	6 RH	Rifampisin, isoniazid 150mg		
3.000.000 none		0	6 RH	Rifampisin, Isoniazid		
2.000.000- none		0	6 RH	Rifampisin, Isoniazid		
tidak ada none		0	6 RH	Rifampisin, Isoniazid		
2.500.000 none		0	6 RH	Rifampisin, Isoniazid		
4.000.000 PPOK		1	2 FDC	4 FDC	12.9	12.9
rg none		0	2, 3, 4, 5, 6 FDC	4 FDC		13.2
	DM	1	1, 2, 3, 4, 5 FDC	4 FDC 1X3 (15 dosis)	15.	16.4
rg none		0	2, 3, 4, 5, 6 FDC	4 FDC	12.2	
260.000 none		0	2, 3, 4, 5, 6 FDC		12.7	11.5
3.000.000 none		0	2, 3, 4, 5, 6 RHE	H 300 mg, R 450 mg, f	13.1	14
	DM	1	2, 3, 4, 5 FDC	4 FDC 1X4	14.2	14.4
	none	0	2, 3, 4, 5, 6 FDC	4 FDC 1X4		15 15.5
	none	0	2, 3 FDC		12.7	
1.500.000 DM		1	1, 2, 3, 4, 5 FDC	4 FDC 1x3	11.7	14.2
	DM	1	2, 3, 4, 5, 6 FDC	4 FDC 1X4	12.2	13.8
rg none		0	3, 4, 5, 6 RH	2 FDC 1X2, R200		13.5
1.000.000 none		0	3, 4, 5, 6 FDC	FDC Dewasa Lanjutan 1 x sehari 3 tab sebelu		
- none		0	3, 4, 5, 6 FDC	FDC Dewasa Lanjutan 1 x sehari 3 11.1		
	none	0	2, 3, 4, 5, 6 FDC	FDC Dewasa Intensive 1 x sehari 3 tab sebelu		
	none	0	4, 5, 6 FDC	FDC Dewasa Lanjutan 1 x sehari 3 tab sebelu		
	none	0	1 FDC	FDC Dewasa Intensive 1 x sehari 3 tab sebelu		

	none	0 3, 4, 5, 6	FDC	FDC Dewasa Lanjutan 1 x sehari 3 tab sebelu	
-	none	0 2, 3, 4, 5, 6	FDC	FDC Dewasa Intensive 1 x sehari 3 tab sebelu	
-	none	0 2, 3, 4, 5, 6	FDC	FDC Dewasa Intensive 1 x sehari 3 tab sebelu	
-	none	0 4, 5, 6	FDC	FDC Dewasa Lanjutan 1 x sehari 3 tab sebelu	
-	none	0 2, 3, 4, 5, 6	FDC	FDC Dewasa Intensive 1 x sehari 3 tab sebelu	
tidak ada	none	0	2 FDC	Rifampisin 150 mg, Isoniazid 75 mg, Pirazinai	
tidak ada	none	0	3 RH	Rifampisin 150 mg, Isoniazid 75 mg	
tidak ada	none	0	1 FDC	Rifampisin 150 mg, Isoniazid 75 mg, Pirazinai	
tidak ada	none	0	3 RH	Rifampisin 150 mg, Isoniazid 75 mg	
tidak ada	none	0	4 RH	Rifampisin 150 mg, Isoniazid 75 mg	
tidak ada	none	0	4 RH	Rifampisin 150 mg, Isoniazid 75 mg	
Rp. 2.800.	none	0	4 RH	Rifampisin 150 mg, Isoniazid 75 mg	
tidak ada	none	0	3 RH	Rifampisin 150 mg, Isoniazid 75 mg	
tidak ada	none	0	3 RH	Rifampisin 150 mg, Isoniazid 75 mg	
tidak ada	none	0	3 RH	Rifampisin 150 mg, Isoniazid 75 mg	
tidak ada	none	0	3 RH	Rifampisin 150 mg, Isoniazid 75 mg	
tidak ada	none	0	3 RH	Rifampisin 150 mg, Isoniazid 75 mg	
tidak ada	none	0	5 RH	Rifampisin 150 mg, Isoniazid 75 mg	
Rp. 3.200.	none	0	2 FDC	Rifampisin 150 mg, Isoniazid 75 mg, Pirazinai	
tidak ada	none	0	2 FDC	Rifampisin 150 mg, Isoniazid 75 mg, Pirazinai	
	none	0	6 RH	2 FDC	
	none	0	6 RH	2 FDC	
Dirahasiak:	none	0	6 RH	2 FDC + Vit B6	
	none	0 4, 5, 6	RH	2 FDC	13.3
	none	0 4, 5, 6	RH	2 FDC + Vit B6	12.5
	none	0 2, 4, 5, 6	RH	2 FDC + Vit B6	13.1 13.5
1.000.000-	none	0 2, 4, 5, 6	RH	Salbutamo Salbutamol 2 mg + Vit	13.2
	none	0 5, 6	RH	Acetilsistei 2 FDC + Vit B6 + Acetilsistein	
Rp. UMR Jc	none	0 1, 2, 3, 4, 5	FDC	Codein, Ce 4 FDC tab 1x3, Cefexir	14.1 14.5
Rp. UMR Jc	none	0 1, 2, 3, 4, 5	RH	Rifampicin tab 450 mg	15.9
Rp. UMR Jc	none	0 3, 4, 5, 6	FDC	4FDC tab 1x1, Codeine tab 1x1, C	13.9
Rp. 0	none	0 5, 6	RH	Rifampicin tab 450mg 1x1, TB vit 6 (isoniazid	
Rp. 0	none	0	6		
Rp. UMR Jc	none	0	6		
Rp. 0	none	1	6		
Rp. 0	none	0	6		
Rp. Tidak t	none	0	3 RH	Rifampicin tab 450 mg 1x1, TB vit tab (isonia	
Rp. Tidak t	none	0 2, 3, 4, 5			8.4
Rp. 0	none	0	3		
-	none	0 4, 5, 6	RH	2FDC, Nutralix	
-	none	0	6 RH	OAT kategori 1 (Rifampicin 150 mg, Isoniazid	
-	none	0 4, 5, 6	RH	OAT kategori 1 (Rifampicin 150 mg, Isoniazid	
-	none	0 1, 2, 3, 4, 5	RHE	OAT kategori 1 (Rifampicin 150 mg, Isoniazid	
-	none	0 5, 6	RH	2FDC, Vitamin B6	
-	none	0 4, 5, 6	RH	2FDC	
-	none	0 4, 5	RH	2FDC	
-	none	0 3, 4, 5, 6	RH	2FDC, Vitamin B6	

-	none	0 5, 6	RH	2FDC	
	none	0 1, 2, 3, 4, 5	FDC	FDC Dewasa Intensive	12 12.54
rg	none	0 1, 2, 3, 4, 5	FDC	FDC Dewasa Intensive	10.58
rg	none	0 3, 4, 5, 6	FDC	FDC Dewasa Lanjutan 1 x sehari	3 13.17
rg	none	0 3, 4, 5, 6	FDC	FDC Dewasa Lanjutan 1 x sehari	3 11.53
	none	0 1, 2, 3, 4, 5	FDC	FDC Dewasa Intensive 1 x sehari	3 tablet seb
rg	none	0 3, 4, 5, 6	FDC	FDC Dewasa Lanjutan 1 x sehari	3 11.9
rg	none	0 1, 2, 3, 4, 5	FDC	FDC Dewasa Intensive	12.40 12.5
	none	0 1, 2, 3, 4, 5	FDC	Azitromici	15,6
Rp5.000.0	none	0 3, 4, 5, 6	FDC	FDC Dewasa Lanjutan 1 x sehari	3 tablet seb
	none	0 3, 4, 5, 6	FDC	Farbion	Farbion
rg	none	0 1, 2, 3, 4, 5	FDC	FDC Dewasa Intensive 1 x sehari	3 tablet seb
	none	0 1, 2, 3, 4, 5	FDC	FDC Dewasa Intensive 1 x sehari	3 tablet seb
	none	0 1, 2, 3, 4, 5	FDC	FDC Dewasa Intensive 1 x sehari	3 tablet seb

Hb 6	Patient exp Bil0	Bil2	Bil4	Bil6	Patient exp	SGOT/AST	SGOT/AST	SGOT/AST
15.9	Yes	0.62	0.7	0.6	Yes		57	33
11.5	No	0.84	0.46	0.5	Yes		9	11
15.4	No		0.96	0.7	No			14
15	No	0.78		0.8	Yes		18	
12.6	No	0.4		0.51	Yes		7	
16.8	No			0.2	No			
	Yes	0.5	0.3		No		19	15
12.9	No			0.7	No			
14	No		0.9	0.6	No			10
13.6	Yes	0.6	0.8	0.6	Yes		21	18
	15 No			0.3	No			
	15 No			0.2	No			
15.90	No		0.45	0.65	Yes			49
12.8	No			0.91	No			
14.1	No		0.45	0.44	No			29
	No	0.38			No		33	
	No	0.37			No		122	22
14.6	Yes	1.05	0.3		No		18	
	No	1.07			No		22	27

14.1	No			0.85	No			
15.6	No			0.26	No			
				0.46	No			
12.6	No			0.46	No			
14.6	No			0.65	No			

14.4	No			1.2	No		
12.5	No			0.49	No		
16	No			0.1	No		
15.1	No			0.8	No		
10.9	No			0.5	No		
11.2	No			0.8	No		
16.5	No		1.9	2.6	Yes		16
14.5	No		0.3	1.1	Yes		30
13.4	No			1 0.5	No		19
	No		0.3				17
14.3	No		0.1	0.1	No		15
15.9	No	0.5	0.5	1.4	Yes	28	28
15.1	No	0.2	0.2	0.9	Yes	15	15
17.8	No			0.4	No		
12.8	No	0.2			1 Yes	34	
14.5	No				1 No		
14.9	No			1.3	No		
13.2	Yes		0,2 0.2	0.01	No	23	16
13.2	Yes	0.5	0.6		1 Yes	33	17
14.8	Yes	0.14	0.59	0.71	Yes	20	37
13.6	No		0.4	0.86	Yes		35
17.6	No			1.68			
13.4	No			0.7	No		
11,1	No			0.62	No		
15.1	No			0.46	No		
	No		0.37		No		21
14.8	Yes	0.23	0.28	0.45	Yes	22	22
10.1	Yes		0.36	0.26	No		31
15.2	No			0.70	No		
15.6	Yes		0.23	1.82	Yes		17
13.4	No	0.71	0.37	0.30	No	13	19
12.6	No		0.67	0.44	No		22
g 1x1							
2mg 3x1							
14.3	No			0.22	No		
14.5	No			0.32	No		

m makan
 um makan
 um makan
 m makan
 um makan
 mid 400 mg, Etambutol 275 mg

mid 400 mg, Etambutol 275 mg

mid 400 mg, Etambutol 275 mg

mid 400 mg, Etambutol 275 mg

13.7	No			0.52	No		
14.8	No			0.34	No		
9.2	No			0.15	No		
13.2	Yes		0.34	0.32	No		21
	14 Yes		0.58	0.5	No		19
	No	0.24	0.34		Yes	24	13
	No	0.75			No	16	
14.7	No	0.71	0.4	0.32	No	27	28
14.8	Yes	1.01		0.46	No	32	
12.9	Yes		0.45	0.88	Yes		21
11.5	No			0.56	No		
13.9	No			1.1	No		
	No						
	13 No			0.64	No		
13.3	No			0.25	No		
16.7	No			0.7	No		
	No	0.33			No	20	

d 150 mg, Vitamin B6)

d 150 mg, Vitamin B6)

l 75 mg, Pyrazinamide 400 mg, Ethambutol 275 mg)

14.6	No	0.70	0.61	0.33	No	16.30	31.90
11.1	No	0.39		0.32	No	23.40	13.80
	No		0.86		No		26.10
14.2	No		0.55	0.58	Yes		15.10
elum makan			0.68	0.85	Yes		
12.0	No	0.44	0.54	0.54	Yes		36.40
12.01	Yes	1.14			No	24.20	26.80
						21.50	

elum makan + Vit B6

elum makan

elum makan

elum makan

					good adhe
33 No				55 No	
22 No				70 No	
21 No				34 No	
34 No				64 No	
11 No				23 No	
24 No				36 No	
18 Yes			27	24 No	
39 Yes			32	45 Yes	good adhe
22 Yes			20	48 Yes	good adhe
No			22	No	
20 Yes			20	34 Yes	good adhe
27 No	36		36	58 Yes	not good a good adhe
12 Yes	20		20	32 Yes	good adhe good adhe
12 No				16 No	
18 No	21			21 No	good adhe good adhe good adhe
27 No				29 No	good adhe
24 No				34 No	
37 Yes	20		32	54 Yes	good adhe good adhe
30 Yes	35		24	40 Yes	good adhe good adhe good adhe
37 Yes	33		43	16 Yes	good adherence
31 No			40	14 No	
40 No				17 No	
38 No				42 No	
					good adhe good adhe good adhe
19 No				11 No	good adhe good adhe good adhe
21 No				9	
No			15	No	
22 No	8		34	20 Yes	good adhe good adhe good adhe
28 No			47	27 No	good adhe
23 No				43 No	
33 Yes			22	40 Yes	good adhe
19 Yes	4		10	11 Yes	good adhe good adhe good adhe
32 Yes			5	15 Yes	good adhe
					good adhe
57 No				90 No	
28 No				33 No	

18 No		4	4	4 No	good adhe good adhe
22 No				11 No	
37 No				43 No	
34 No			49	27 No	good adhe
21 No		14	11	14 Yes	good adhe good adhe
15 No				4 No	
17 No				9 No	
17 No				9 No	good adhe good adhe
22 Yes			14	14 No	
					good adhe good adhe
17 No			27	8 No	
16 No			10	4 No	
26 No				15 No	
14 Yes		7	7	10 Yes	good adhe good adhe
28 No				35 No	
63 No				38 No	
35 No				17 No	
No		34		No	not good a not good a not good a
40 No				36 No	
38 Yes		33	20	28 Yes	good adhe good adhe good adhe
42 No				32 No	
76 No				44 No	
50 Yes		33	29	42 Yes	good adhe good adhe good adhe
					good adhe good adhe good adhe
					good adhe good adhe good adhe
					good adhe good adhe good adhe
					good adhe good adhe good adhe
					good adhe good adhe good adhe
					good adhe good adhe good adhe
					good adhe good adhe good adhe
22 No			14	8 No	good adhe good adhe
23 Yes	8		8	13 Yes	good adhe good adhe
14 Yes	19	10	10	10 No	good adhe good adhe good adhe
18 No		16		9 No	good adhe good adhe good adhe
31 Yes	10	10	15	13 Yes	good adhe good adhe
21 Yes		11	14	15 Yes	good adhe good adhe
Yes	31	50	11	Yes	good adhe good adhe
16 No		27	24	12 No	good adhe good adhe
No		12		No	good adhe good adhe
19 No		19	12	13 Yes	good adhe good adhe good adhe
151 Yes		23	17	188 Yes	good adhe good adhe
12 No			5	5 No	good adhe
					good adhe
No			7	No	good adhe
					good adhe good adhe
22 No				15 No	

good adherence

good adhe
good adhe good adhe
good adhe good adhe

good adhe good adhe
good adherence

good adhe

good adherence

good adhe

good adhe

good adhe

good adhe

good adhe

good adhe

good adherence

good adherence

30 No

10 No

15 No

17 No

22 Yes

No

No

26 Yes

35 Yes

18 No

14 No

11 No

36 No

18 No

27 No

No

16

15

21

36

8

13

10

6

14

10

34 No

5 No

11 No

9 No

12 Yes

No

No

10 No

33 No

9 No

5 No

15 No

19 No

11 No

15 No

No

good adhe good adhe

good adhe good adhe

good adhe good adhe good adhe

good adhe good adhe good adhe

good adhe good adhe good adhe

good adhe

good adhe good adhe good adhe

good adhe good adhe good adhe

good adhe good adhe good adhe

good adhe good adhe good adhe

good adhe good adhe good adhe

good adhe good adhe good adhe

good adhe good adhe good adhe

good adhe good adhe good adhe

good adhe

42.00	Yes	9.60	20.10	13.80	No	good adhe good adhe good adhe
21.00	Yes	10.30	6.60	9.30	Yes	good adhe good adhe good adhe
	No		24.60		No	good adhe
21.10	Yes		8.10	17.70	Yes	good adhe
						good adhe good adhe good adhe
39.20	Yes		27.70	33.50	Yes	good adhe
29.20	Yes	10.0	9.60	12.10	Yes	good adhe good adhe good adhe
	No	20.30			No	good adhe good adhe good adhe
						good adhe
						good adhe
						good adhe good adhe good adhe
						good adhe good adhe good adhe
						good adhe good adhe good adhe

Adh4	Adh5	Adh6	Knowledge	Knowledge	Knowledge	Knowledge	Knowledge	Knowledge	SE1	
good	adhe	good	adhe	good	adherence	not good	not good	not good	not good	2
good	adhe	good	adhe	good	adherence	not good	not good	not good	not good	5
not good	a	good	adhe	good	adherence			good	good	
good	adhe	good	adhe	good	adherence	not good	not good	not good	not good	
good	adhe	good	adhe	good	adherence	good	good	good	good	
					good adherence				not good	
good	adhe	good	adhe	good	adherence	good	good	good	good	
					good adherence				not good	
not good	a	good	adhe	good	adherence			not good	not good	
good	adhe	good	adhe	good	adherence	not good	not good	not good	not good	
					good adherence				not good	
					good adherence				not good	
good	adhe	good	adhe	good	adherence		not good	not good	not good	
					good adherence			not good	not good	
good	adhe	good	adhe	good	adherence	not good	not good	not good	not good	
good	adhe	good	adhe	good	adhe	not good	not good	not good	not good	4
good	adhe	good	adhe	good	adhe	not good	not good	not good	not good	1
good	adhe	good	adhe	good	adhe	not good	not good	not good	not good	3
good	adhe	good	adhe	good	adhe	not good	not good	good	good	4
good	adhe	good	adhe	good	adhe	good				2
good	adhe	good	adhe	good	adhe	not good	not good	not good	not good	2
good	adhe	good	adhe	good	adhe	good	good	good	good	1
good	adhe	good	adhe	good	adhe	good	good	good	good	3
good	adhe	good	adhe	good	adherence		good	good	good	4
good	adhe	good	adhe	good	adherence		not good	not good	not good	
					good adherence			good	good	
					good adherence			good	good	
					good adherence			good	good	
					good adherence			good		
					not good adherence				good	
					good adherence			good	good	
good	adhe	good	adhe	good	adherence		good	good	good	
					good adherence			not good	good	
					not good a	not good adherence		not good	not good	
					good adherence			not good	not good	
good	adhe	good	adhe	good	adhe	good	good	good	good	0
not good	a	good	adhe	good	adhe	not good	not good	not good	not good	2
					good adherence			good	good	
					good adherence			not good	not good	
					good adherence			not good	not good	
good	adhe	good	adhe	not good	adherence		not good	not good	good	
good	adhe	good	adhe	good	adhe	good	good	good	good	7
not good	a	not good	a	not good	a	not good	not good	not good	not good	
not good	a	not good	a	not good	adherence		not good	not good	not good	
not good	a	not good	a	not good	adherence		good	good	good	
good	adhe	good	adhe	good	adherence					

SE2	SE3	SE4	SE5	SE6
	3	3	3	3
	3	3	3	3
			2	2
	4	1	1	1
	4	1	1	1
				3
	1	1	1	1
				3
			1	1
	5	1	1	1
				1
				2
				3
		3	1	1
				1
			1	1
	1	1	1	2
	3	3	1	1
	1	2	1	1
	3	3	3	4
	0	1	1	1
	3	1	1	1
	2	1	1	1
	4	3	3	2
	3	3	3	3
		6	5	3
				4
				4
				2
				2
				2
				3
				1
			4	4
			2	2
		3		3
				3
			4	3
			6	1
	1	1	1	1
	1	1	1	1
			3	3
				1
				1
			2	2
	1	1	1	1
			1	1
			1	1
		2	1	1

		0		1	1
				1	1
				2	2
				2	2
					7
			0	0	1
		1	0	1	3
	0	1	1	1	1
	4	3	3	3	6
		1	1	1	2
		0	2	2	2
1	1	1	1	1	1
1	1	1	1	1	1
			0	0	1
1	2	1	1	1	1
	0	1	1	1	3
			2	2	2
0	1	1	1	1	1
0	1	1	1	1	1
5	3				
		4			4
					3
					1
					4
					0
					2
					1
					1
		0	0	0	0
2	0	0	0	0	0
	4	0	0	0	0
			0	0	3
		0	0	0	0
4	4	4	4	4	4
	2	1	1	1	1
		1	4	4	4
					2
		0	0	0	0
		1	1	1	1
					4
					2
		3	4	4	4

6	0	0	3	3
			3	7
			7	7
	0	2	2	2
	1	1	1	1
				1
			5	4
0	0	1	1	1
		1	1	1
5	4	1	1	1
		1	1	2
		4	4	4
			1	1
5	3	5	5	4
1	1	1	1	1
			1	1
2	2	2	2	2
				1
				1
1	1	1	1	1
4	4	4	4	4
2	2	2	2	2
1	1	1	1	1
2	2	2	2	2
1	1	1	1	1
0	1	0	0	0
1	1	1	1	1
1	0	0	0	0
6	1	1	1	1
3	5	5	1	0
5	3	4	3	0
6	7	1	0	0
8	8	8	8	8
3	3	3	3	3
0	1	1	1	1
3	1			
0	1	1	1	1
2	2	1	1	1
		0	0	0
		2	0	0
	1	0	0	0
1	0	0	0	0
		0	1	1

	0	1	1	1
0	1	1	1	1
0	1	1	1	1
		1	1	1
0	1	1	1	1
5				
	4			
	4			
		5		
		6		
		5		
	5			
	4			
	5			
	5			
	5			
			5	
5				
5				
				4
				3
				7
		3		3
		8		8
8	8	8	8	8
2		2	1	8
			3	3
3				
4	1	1	1	1
	4	2		
			4	1
				1
				1
				4
				1
	2			
	1	1	1	1
		1		
				1
			1	
1	1	1	1	1
			1	0
		1	1	1
		3	2	2
	2	3	3	3

			3	
0	3	2	1	1
4	3	3	0	0
	2	2		
	3	3	1	3
1	1	1	1	1
			1	2
		3	3	
		3		
	5	3		
	4	3	3	3
0	3	3	0	0
1	1	1	1	1
1	1	1	1	0